

Medicinal Experiments:
OR, A
COLLECTION
Of Choice and Safe
REMEDIES

For the most part
Simple, and easily prepar'd: Very
Useful in Families, and fitted for the
Service of Country-People.

By the Honourable R. BOYLE, Esq;
late Fellow of the Royal Society.

In THREE PARTS.
Containing above
Five Hundred Choice Receipts.

The Fifth Edition Corrected.

L O N D O N,
Printed for W. Innys, at the Prince's Arms
in St. Paul's Church-yard. 1712.

COLLECTION
OF CHOICE AND
REMEDIES



THE BOSTON MEDICAL LIBRARY

RECEIVED

LIBRARY OF THE BOSTON MEDICAL LIBRARY

THE
PUBLISHER
TO THE
READER.

THese *Receipts*, taken out of a large Collection, as consisting of a few safe Ingredients, commonly to be found at easie Rates in most places, were sent to a learned Physician beyond Sea: To whom they were a welcome Present, and answer'd, without doubt, the Ends he had in desiring them.

That excellent Person, to whom these choice Prescriptions are owing, did permit a few Copies of them to be Printed, and was pleased to put them in the Hands of some of his Friends, provided, as there was occasion, they would make Tryal of them, and faithfully report the Success.

Divers of those, who on these Conditions had received so great a Favour, held themselves obliged to enquire for

The Publisher, &c.

Persons affected with any of the Maladies against which the said Medicines were prescribed; and, upon many Experiments carefully made, having found, that frequently they have relieved those who used them, and sometimes strangely out-done Expectation; they addressed themselves with much importunity to the noble Author, to suffer things, which were of such general Benefit, and so easily to be procured by the Poor, to be made more publick.

And at length he hath been prevailed with not only to allow the former *Receipts*, which but few had seen, to be Reprinted but hath out of his rich Treasury, stored us with a fresh Collection, which, as in number it exceeds what we had before, so in Quality and Virtue it falls not short of it.

And if what here with such an honest and kind Design is offered to the Publick, be but candidly and favourably receiv'd, we may still hope for more Blessings of this sort from him, who has not only a constant Will and great Ability to do good, but hath, perhaps, obliged the Age as much as any private Person in it.

T H E

THE Author's PREFACE.

THough Physick be not my Profession, yet I hope this small Collection of Receipts will not incur the Censure of Equitable and Charitable Persons, tho' divers of them are professed Physicians; since, as I was induced to what I had done by the Dictates of Philanthropy and Christianity, so I was warranted by great Examples, both in Ancient Times, and in ours. Of the former sort, I take notice of several of the old Philosophers, such as Democritus, Pythagoras, to which some add Aristotle, and even divers Monarchs and great Men of those Times, such as Jubar, King of Mauritania; another King, Nechepfos, cited by Galen, * Cato, Pliny, &c. And of the second sort, not only by the last Scalpunctque in eo draconem radios habentem: Velut Rex Nechepfos memorie prodidit in sexto & decimo libro.

* De simpl. Medic.
Facultatibus, lib. ix.
Titulus Jaspis Viri-
dis. Ac nonnulli quo-
que annuli inferunt,

The Author's Preface.

Age, and the first part of our own; but by very late Times, and in a Neighbouring Nation, whose Customs we are wont sufficiently to esteem and imitate, we may be furnished with Examples to our present purpose. For the French King himself, who has rais'd the Majesty of a Crown'd Head so high, did not think it beneath the Grandeur of so great a Monarch to Order the Publication of the English Remedy, as the French call'd the Peruvian Bark, which at a great Rate he purchased from Talbor, an English Emperick, Famous for his many and Speedy Cures of Quartans, and other Agues. By the Authority of the same Prince, who has been a great Encourager of divers parts of Learning, there has been some Years since settled at Paris a Society or Assembly of Physicians, Chirurgeons, and others, whose main Business is to keep Correspondency in several Parts, and receive Informations of the Noveltries that occur about Diseases, and impart to the Publick such as they shall think worthy and seasonable; which Communications consist not only of new Discoveries, odd Cases, Speculations, and Observations, but of Receipts and Processes of Remedies, printed for the most part in French, the common Language of the People. Divers of which Remedies, have upon Tryal been found useful,

The Author's Preface.

as well in England as in France. There has been also lately in that Kingdom a Book Printed more than once, that makes yet more for my Purpose. For there has been Publish'd in the French Tongue a large Collection of Receipts, for almost all Diseases, plac'd in Alphabetical Order; and tho' these Receipts are Circumstantially deliver'd in the Mother-Tongue of the People, yet they came not forth, without the License or Authority of the Faculty of Physick, and were (at least the first Tome) so well receiv'd and approv'd, that in divers Places the respective Bishops authoriz'd them by their Publick Approbation, and recommended them upon the Account receiv'd, or the good Effects they had produc'd both to the other Charitable Persons, and to the Curates (or Parish-Priests) in their Diocesses.

In complying with the Desires of many, and with the Dictates of Philantrophy, I hope, I may procure my Medicinal Receipts and Processes the more favourable Reception, if I shew, that I might justly have a peculiar and personal Repugnancy to this Work. For many may think it strange, as I my self have been prone to do, that I should presume to recommend Medicines to others, who for divers Years, have been so infirm and sickly my self. And some 'tis like will upbraid me with, *Medice, Cura teipsum*. But on this occasion,

The Author's Preface.

occasion, I may represent, that being the thirteenth or fourteenth Child of a Mother, that was not above 42 or 43 Years old when she dyed of a Consumption, 'tis no wonder I have not inherited a robust, or healthy Constitution. Many also have said, in my Excuse, as they think, that I brought my self to so much sickness by over-much Study. But I must add, that tho' both the forementioned Causes concurr'd, yet I impute my infirm condition more to a third, then to both together. For the grand Original of the Mischief that have for many Years afflicted me, was a Fall from an unruly Horse into a deep place, by which I was so bruised, that I feel the bad Effects of it to this day. For this Mischance happening in Ireland, and I being forc'd to take a long Journey, before I was well recovered, the bad Weather I met with, and the as bad Accommodation in Irish Inns, and the mistake of an unskilful or drunken Guide, who made me wander almost all Night upon some Wild Mountains, put me into a Fever and a Dropsie, (viz. an Anasarca:) For a compleat Cure of which I pass'd into England and came to London; but in so unlucky a time, that an ill-condition'd Fever rag'd there, and seiz'd on me among many others; and tho' through God's goodness, I at length recovered, yet left me exceeding weak for a great while after;

The Author's Preface.

after; and then for a farewell, it cast me into a violent Quotidian or double Tertian Ague, with a sens^e of decay in my Eyes, which during my long Sickness I had exercis'd too much upon Critical Books stuff'd with Hebrew, and other Eastern Characters: I will not urge that divers have wonder'd that a Person in such bad Circumstances has by the help of Care and Medicines (for they forget what ought to be ascrib'd to God) should be able to hold out so long against them. But this after the foregoing Relation may well be said, that it need be no great wonder, if after such a train of Mischiefs, which was succeeded by a Scorbutick Cholick that struck into my Limbs, and deprived me of the use of my Hands and Feet for many Months, I have not enjoy'd much Health, notwithstanding my being acquainted with several Choice Medicines; especially since divers of these I dare not use, because by long sitting, when I had the Palsie, I got the Stone, voiding some large ones (as well as making bloody Water) and by that Disease so great a tenderneſs in my Kidneys, that I can bear no Diureticks, tho' of the milder sort, and that I am forc'd to forbear several Remedies for my other Distempers, that I know to be good ones; and amongst them, divers, that by God's Blessing, I have successfully try'd on others. This short Nar-

The Author's Preface.

native may, I hope, suffice to shew that my Personal Maladies and Sicknings cannot rightly infer the inefficacy of the Medicines I impart or recommended; and if it shew That, it will do all that was aim'd at by this Representation.

If some Receipts or Processes (for I hope they will not be many) should happen to be met with in the following Collection, that may be also found either in some Printed Book or other, 'tis hoped an indulgent Reader will either excuse or pardon that Venial Fault, especially if we consider, First, That neither Physick nor Chymistry being my Profession, I did not think my self oblig'd to peruse any sort of Medicinal Books, and therefore may well be suppos'd to be unacquainted with a great many of them, much more with many of their Receipts and Processes. And indeed I find by some of the latter Printed Catalogues of Books written about the Physicians Art, that there is a multitude of them, which when I wrote, I had never seen, or perhaps so much as heard of. Secondly, That 'tis so usual for Authors, especially that Writ either Systems or Collections, to set down store of Prescriptions dictated by their Conjectures, not their Tryals, and yet without giving a distinct Character of almost any of them in particular: That if I had met therewith
some

The Author's Preface.

Some of the same that I am speaking of, I should not have selected them from a great number of other undistinguish'd ones: And 'tis easie to observe, that there is a great deal of difference betwixt being told by an Author, that many things, and among the rest, but not before them, this or that Drug, or Receipt is good for such a Disease, and to have particular notice given of it; and not only to be confirm'd that 'tis good, but to be told how good it is, and possibly also that it may be usefully employ'd in other Distempers besides those for which 'tis prescrib'd in the Printed Book.

The most of these Receipts are intended chiefly for the use of those that live in the Country, in Places where Physicians are scarce, if at all, to be had, especially by Poor People. And because very frequently a Labouring-Man, or a Handicrafts-Man, or some Tradesman has a whole Family depending upon him, being maintain'd by his Pains and Industry, and yet is disabled to help himself and them, not by any Internal, and oftentimes Accidental Maladies; such as Bruises, Strains; Cuts, Tumors, Aches, Burns, and the like; I have been careful to furnish this final Collection with a pretty number of good Receipts, obtain'd most of them from able Surgeons and Practitioners

The Author's Preface.

ners for these External Accidents, that those poor Upholders of Families, who cannot find or Fee a Surgeon, or a Doctor, may be cheaply reliev'd without either of them.

The Author's
INTRODUCTION
To the First Volume.

THE following Prescriptions are a part of a Collection of *Receipts* and *Processes*, that from Time to Time have been recommended to me by the Experience of others, or approv'd by my own: *Receipts* that being Parable or Cheap, may easily be made serviceable to poor Country People.

For Medicines so Simple, and for the most part so Cheap, I have found all of them to be good in their kind: And though I think most of them safer than many other Medicines that are in great Request, yet I do not pretend that these should play the Part of Medicines and Physicians too; but that they may be usefully employed by one who knows how to administer them discreetly.

I distinguish them into three Classes or Orders, annexing to the Title of each particular Medicine one of the Three first Letters of the Alphabet; whereof *A*, is the Mark of a Remedy of the highest Classes of these, Recommended as very considerable and efficacious in its kind. *B*, Denotes a second or inferior sort, but yet to be valuable for their good Operation. *C*, Belongs to those Remedies that are of the lowest Order, tho' good enough not to be despised.

Those *Receipts*, which were my own, are expressed in my own Terms; so also those which I received from others by word of Mouth: But them which were imparted to me in Writing, though I my self would not have worded them, as they did that I had them from, yet I oftentimes made a Scruple to Correct or Alter their Expressions, tho' not suitable to the Current Style of the Formularies of *Receipts*, being more concerned that the Meaning should be close kept to, than the Style rectified.

THE

THE TABLE

OF THE

First and Second Volume.

A.

A ches	
Ach, or Strain	
Aches Scorbutical	50, 50, 50, 51
Aches and Pricking-Pains	51
Acidities to Cure	10, 55
Acidities in the Stomach	55
After-Birth to bring away	8, 11
Affection of the Nerves	114
Agues	3, 8, 13, 52, 53, 165, 166
Agues Tertian	8, 38, 54
Agues Quartan	53
Aguish Distempers	53
Ague-Plaster	114
Aloetick Pills	52
Anasarca	97
Anodyne Clyster	27
Antimonial Infusion	26
Antimonials for Leprosies and Fevers	33, 40, 49
Apoplexy	12
Appetite wanting	Arbitrarily

The INDEX.

Arthritick Pains 21, 25, 36, 100, 101, 102, 113
 Asthma 55, 56, 66, 71

B Balsam for Wounds 147
 Bloody-Flux 34, 35, 75, 94, 95, 96
 Blood to Stanch 9, 58, 60, 167
 Blood to Swatten 10
 Blood extravasated 59
 Blood-shot Eye 78, 79, 81
 Bloody Water 151
 Blindness 86
 Blisters to draw 63, 64
 Bittings of Mad-Dogs 114
 Bittings of Vipers 146
 Bowels to strengthen 8
 Black Jaundice 23
 Breathing difficult 55, 56
 Breast fleggy 57
 Breast Ulcerated 13, 160
 Breast afflicted with Cold 66
 Broken Belly 18, 21
 Bruise 15, 57, 65, 127
 Burns 43, 60, 61, 62
 Bone 156

C Cancer not broken 34, 64
 Chilblains 26, 85
 Children griped 98
 Childrens Jaundice 36
 Chir-Cough 39
 Children to bring away 8, 11
 Child-bearing to cleanse after it 29
 Clouded Eyes 86
 Clyster Anodine 97
 Clyster for Fluxes 155
 Coagulated Blood 57
 Colick 27, 40, 44, 71, 72, 73, 74, 131
 Colick

The INDEX.

Colick Scorbutick	56, 131
Colds	30, 66, 143
Convulsive Asthma	71
Contusion	15, 57, 65
Costiveness	67, 71
Consumption	7, 66
Coughs	1, 17, 76, 68
Corns	69, 70
Convulsive Fits	70, 71, 73
Convulsions	6, 11, 70, 71, 73, 93, 157
Contusion of the Eye	77, 81, 89, 123
Contracture	113, 120
Continual Fevers	25, 26
Courses stop'd	144
Cramp	9, 75
Cuts and Wounds	145, 146, 148, 149
Cankers in the Mouth, &c.	167

D.

D edition of Quick-Silver	41
Defluxion in the Eyes	80, 84, 87, 88
Diseases from Obstructions	7, 20, 39
Difficulty of Hearing	20
Diuretick Medicine	32
Distemper Aguish	93
Difficulty of Breathing	55, 56
Digestive Ointment	76
Diabetes	76, 143
Diarrhea	76, 95, 96, 154
Drink for the Scurvy	32
Drink for continual Fevers	93
Drink for Fevers	25, 93
Drink for Cholicks	72
Drink for the Sight	104, 124
Drink for the Stone	129, 130
Drink to correct sharp Humour	104
Dropsies	52, 75, 154
Dropsy Anasarca	24

D.

The INDEX.

<i>Dulness of Hearing</i>	104
<i>Dysentery</i>	4, 10, 30, 35, 75, 94, 95, 96
<i>E.</i>	
<i>E Lestuary for the Sights</i>	89
<i>Elixir Salutis</i>	92
<i>Epilepsie</i>	39, 91, 92, 153
<i>Eriffpelar</i>	80
<i>Evil</i>	4
<i>Excoriation</i>	16, 121
<i>External Piles</i>	32
<i>Experiments for a weak Sight</i>	38, 89, 112, 123, 124, 151
<i>External Remedy for Fevers</i>	41
<i>Eyes to Cure</i>	11, 37, 78, 79, 81, 167
<i>Eye-Medicament</i>	77
<i>Eye-Lids pained</i>	80, 83, 181
<i>Eye Clouded</i>	86
<i>Eye Rheumatic</i>	80, 84, 87, 88
<i>Eye Plaister</i>	86
<i>Eye-water</i>	78, 79, 82, 84, 85, 86, 88, 90, 150, 162
<i>F.</i>	
<i>F Alling-Sickness</i>	39, 91, 92, 153
<i>Fevers</i>	41, 93
<i>Fevers continual</i>	25, 26
<i>Films in the Eyes</i>	11, 84
<i>Films to clear</i>	11, 84, 80
<i>Fits of Agues</i>	13
<i>Fits of the Gout</i>	21, 25, 36, 100, 101, 102, 103
<i>Fits of the Mother</i>	24
<i>Fits Apopleckick</i>	33, 40, 48
<i>Fits of the Stone</i>	5
<i>Fraggy Breasts</i>	57
<i>Flux Common</i>	14, 20, 30, 76, 95, 96, 154
<i>Flux Bloody</i>	4, 30, 35, 75, 94, 95, 96
<i>Flux of the Whites</i>	90, 150
<i>Fluxes sharp</i>	70
<i>Fundament falling</i>	96
<i>French</i>	

The INDEX.

French-Pox 117
Fresh Strain 18, 19, 26, 43, 126, 127, 128

G Argle 111
Gangrene 126, 127, 128

Gout 21, 25, 36, 100, 115, 162

Gonorrhoea 99, 99, 102

Gripes 14, 98, 125

Gravel 24, 39, 128, 129, 130, 132, 161

Gums to strengthen 102

Gums Scorbutick 135

Gunpowder to remove 128

H Hemorrhoids 6, 9, 14, 32, 43, 104, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971, 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000

Heart-Burnings 103

Head-Powder 103

Hearing hurt 103

Hearing difficult 103

Heat in the Eyes 103

Heat of the Stomach 103

Hoarseness 103

Humor in the Eyes 103

Hurt in the Eyes 103

Hydrophobia 103

Hysterical Vapours 103

Hollow aching Tooth 103

Humor of the Kings-Evil correct 4, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971, 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000

I Jaundice Yellow 3, 4, 36, 110, 111, 103, 104

Jaundice Black 16

Inflammation 16

Inflammation of Ulcers 16

Internal Piles 16

Incontinency of Urine 16

Issue raw to make 16

Issue to Cure 16

K

The INDEX.

K.

K idneys pained	112, 113
Kidneys stopped	111
Kings-Evil to Cure	4, 113, 152, 153
Kings Boil cured with Lime-water	142

L.

L axation of a Part	115
Lime-water to make	7, 152
Lime-water for the Kings-Boil	42
Lime-water for Obstructions	7
Liquor for Ulcers and Wounds	145
Lips Inflamed and Ulcerated	16
Leprosy	26
Lungs pained	113
Loosness	14, 20, 30, 76
Lungs Obstructed	39

M.

M ad Dogs biting	114
Marks of Gun-powder to remove	122
Menses stop	146
Medicine for the Stone	24, 39, 128, 129
Medicine for a Strain	26, 43
Medicine to cleanse the Womb	29
Medicine for a Sore-Throat	40, 43, 137
Medicine for the Colick	31, 74, 131
Medicine for a Cancer	34
Milk to increase	113, 114
Mother-Fire	24
Mouth Sore	142
Mutts	160

N.

N erves affected	114
Nurse good for the Colick	44
Noses bleeding	58
Nurses Milk to encrease	114
Nephritic Tincture for the Stone	264
	Obstinate

The INDEX.

O Bstinate Tumor of the Knee	119
Obstructions	7, 20, 29
Oil of Turpentine mixt with Tobacco-Ointment	
and Balls of Sulphur for the Piles	43
Old Aches	50
Ophthalmicks	70, 81, 86
Ophthalmick-water	78, 79, 82, 84, 85, 86, 88, 89
Outward Contusions	115, 117, 119
Ointment for the Gout	100
For Worms in Children	106
P	
Pains Scorbuitick	51, 56, 115, 125
Pain of the Teeth	
Pain of the Stone	105
Pain in the Side	51
Pain in the Eye-Lid	83
Palsie	11, 118
Pearl in the Eye	78
Pericarpium	80, 87
Phlyctena in the Eye	88
Pimples within the Eye-Lids	130
Plaster for the Eyes	86, 87, 88
Plaster for Agues	53, 86, 87
Plaster for Corns	60
Plaster to discuss Tumors	112
Pleurisie	30, 118, 119
Piles 6, 9, 14, 32, 43, 104, 105, 106, 107, 108, 109, 114	
Pills of Aloes	114
Pricking pains	51
Prolapsus Uteri	36
Pimples in the Eye-Lids	181
Pissing-Blood	151
Powder for the Sight	103, 123
Pox, or French-Pox	117
Purge for Children	139
Q	

THE INDEX.

Q	Quartan-Ague	26, 65
Q	Quick-Silver against Worms	14, 20, 30, 76, 94
R	Remedy for Chilblains	18, 19, 24, 30
R	Remedy for Fluxes	43, 60, 61, 62
R	Recent Strain	39, 143, 144
R	Redness of the Eyes	1, 17, 35
R	Recent Burn	118, 120
R	Ref to cause	18, 21
R	Retention of Urine	99, 99, 102
R	Rheums	1038
R	Rheumatism	51, 56, 113, 115
R	Rupture	32, 121, 135
R	Running-Gout	101
R	Running of the Reins	50, 50, 50, 51
R	Roughness of Lips	61, 62
S	Scorbutick Pains	31, 99
S	Scurvy	80, 104
S	Scorbutick Gout	2, 142, 144
S	Scorbutick Cholick	51
S	Scorbutick Aches	89, 122, 123, 124
S	Sealding	33, 89, 122, 124, 151
S	Sharp Humors	119
S	Sharp Humors in the Eyes	121
S	Sharpness of Urine	22
S	Sides pained	31, 34, 40, 44, 99, 138, 139, 140, 141
S	Sight to strengthen	82
S	Sight weak	72
S	Small-Pox	111
S	Skin rough	Stiches
S	Sores	
S	Sore Throat	
S	Solution of Continuity in the Eye	
S	Specifick for Cholicks	
S	Specifick for the Jaundice	

The INDEX.

S	Stiches	57
	Stenching Blood	58
	Stomach heat	45, 53
	Stomach Tincture	45
	Stomach Plaster	125
	Stomach to strengthen	12, 124, 125
	Stone 1, 5, 24, 39, 128, 130, 134, 154, 159, 162	
	Strains 18, 19, 26, 43, 126, 127, 128	
	Strengthen the Gums	35
	Strengthen the Sight	122, 123
	Strengthening Plaster W	19, 25
	Strengthening the Stomach	124, 125
	Strengthening the Bowels	8, 19
	Stryck-Water	58, 60
	Syrup for Rheums	35
T.		
T	Teeth to make Firm	35, 134
	Teeth to Fasten	133, 134, 135, 136
	Testars	141
	Tenesmus	69, 142
	Terms stop	144
	Tertian-Agüe	8, 38, 54
	Teeth to make Sound	17
	Throat Sore 31, 34, 40, 44, 99, 138, 139, 140	
	Thrush in Children	142, 163
	Tickling Rheum	17
	Tooth-Ach 2, 17, 131, 132, 133	
	Tooth hollow	133
	Tumors	137, 161
	Tumors to Discuss and Ripen	22, 137
	Tumor in the Eye	88
	Tumor in the Throat	137, 138
	Tumor in the Knee	138
U.		
V	Apoys Hysterical	104
	Vipers biting	146
U	Ulcers	22, 145, 146
		Ulcers

The INDEX.

12

Ulcers of the Breast
 Ulcers of the Womb
 Voiding Blood
 Vertigo
 Vomiting
 Urine sharp
 Urine stop
 Urine running away
 Uteri prolapsus

W.

Wash for the Itch
 Waters for Ulcers
 Water Ophthalmick
 Warts
 Water Styptick
 Weakness of the Joints
 Weakness in the Hands
 Weak-sight
 Whites in Women
 Whistloe to Cure
 Womens Breasts Flaggy
 Women in Labor
 Womb to Cleanse
 Womb Ulcerated
 Worms in Children
 Wounds
 Wounds bleeding
 Wound Drink
 Wrist-Plaster for Agues
 Wine made Artificially

Y.

Yellow Jaundice

3, 4, 36, 100, 111, 149

DECAD.

Vol. I.



I. For Coughs, especially such as proceed from
thin Rheums.

Take of choice Olibanum finely powdered, from one Scruple to half a Dram, and mix carefully with it an equal Weight of Sugar-candy, (white or brown) or, in want of that, of fine Sugar; and let the Patient take it at Bed-time in the Pap of an Apple, or some other proper Addicament, for several Nights together: If it be found needful, it may be taken at any other time, when the Stomach is empty.

II. To give Ease in the Pains of the Stone, even
that of the Bladder.

Take the transparent Sparr that grows upon the Veins of Ledd-Oar, and having reduc'd it to fine Powder, give from half a Dram to a whole Dram of it at a time, in a moderate Draught of some convenient Vehicle.

B

N. B.

2 Mr. Boyle's Receipts. Vol. I.

N. B. Though there be (at least in most of our English Mines) two Teguments, as it were, of the Veins of Ledd, that grow close together, yet that which the Diggers name *Cawk*, which is white and opacous, is not the Medicine I mean, but the Transparent, or at least Semi-Diaphanous, which easily breaks into smooth Fragments, and in the Fire cleaves into several pieces, that are wont to be smooth, and prettily shaped.

III. For Sharpness of Urine.

TAKE of the dry stuff that divides the Lobes of the Kernels of Walnuts, beat them to Powder, and of this give about half a Dram at a time, in a draught of White-wine or Posset-drink made with it, or in any other convenient Liqueur.

IV. To appease the violent Pains of the Tooth-Ach.

MAKE up a Scruple of *Pilula Mastichina*, and half a Grain of *Laudanum* into two or three Pills for the Patient to take at Bed-time.

IVol. I. *Mr. Boyle's Receipts.*

V. *For Agues.*

Take Sale of Card. Benedi^{ct} and Salt of
Wormwood and 15 Grains, Tartar Vi-
trifid half a Scruple; mix them, and give
them in a few Spoonfuls of Rhenish-wine, or
of some other convenient Vehicle, either be-
fore the Fit, or at some other time when the
Stomach is empty.

VI. *For the Yellow-Jaundice.*

Take an Ounce of Castile-Soap (the elder
the better) slice it thin, put it into a
Pint of Small-beer cold, let it on the Fire, let
it boil gently half away, after boiling some time
scum it once; then strain it through a small
Sieve, warm it, and drink it all in a Morning
fasting; take a small Lump of Sugar after it,
and fast two or three Hours. The Party may
walk about his Business, and eat his accustom'd
Meals. If at any time he drinks Wine, let it be
White-wine. N. B. If he be far gone in the
Distemper, two or three days after he may
take it once or twice more, and no oftener.
Refrain all other Medicines; it will keep a
Week or longer.

VII. For the Jaundice.

TAKE two or three Ounces of *Semen Can-*
abiz (*Hemp-seed*) and boil them till
 the Seeds (some of them) begin to burst, and a
 little longer, in a sufficient quantity of New
 Milk, to make one good Draught; which the
 Patient is to take warm, renewing it, if need
 be, for some days together.

VIII. For the Dysentery.

TAKE *Pigs-dung*, dry it, and burn it to
 grey (not white) Ashes; of these give
 about half a Dram for a Dose, drinking after
 them about three Spoonfuls of Wine-Vi-
 negar.

IX. For the King's-Evil.

TAKE *Turtle-bone* uncalcin'd, and having
 scrap'd off the Outside or colour'd part,
 dry the white part; and of this finely pow-
 der'd, give half a Dram for a Dose in *Aqua*
Mallow.

X. A Safe and Easie Medicine in Fits of the Stone.

Take Sack, or, in want of that, Claret-
wine, and by shaking, or otherwise, mix
with it, as well as you can, an equal quantity
of Oyl of Walnuts; and of this Mixture, give
from 4 or 6, to 8 or 10 Ounces at a time, as a
Clyster.

Take Rhenish Wine, which is the best
that is to be had, and mix with it an equal
quantity of Oyl of Walnuts; and of this
Mixture, give from 4 or 6, to 8 or 10 Ounces
at a time, as a Clyster.

Take the Powder of Bark, and mix with it
an equal quantity of Rhenish Wine; and of
this Mixture, give from 4 or 6, to 8 or 10
Ounces at a time, as a Clyster.

DECAD II.

I. For Convulsions, especially in Children.

TAKE *Earth-Worms*, wash them well in *White-wine* to cleanse them, but so as that they may not die in the Wine: Then upon hollow Tiles, or between them, dry the Worms with a moderate Heat, and no further than that they may be conveniently reduced to Powder; to one Ounce of which add a pretty Number of Grains of *Ambergrise*, both to perfume the Powder (whose scent of it self is rank) and to make the Medicine the more efficacious. The Dose is from one Dram to a Dram and half in any convenient Vehicle.

II. For the Piles:

TAKE the Powder of *Earth-worms* prepar'd as in the former Receipt (but leaving out the *Ambergrise*) and incorporate it exactly with.

Vol. I. Mr. Boyle's Receipts.

7

with as much Hens-grease as will serve to make it up into an Ointment: Apply this to the Part affected, whose Pains it usually much and safely mitigates.

III. To make Lime-water useful in divers Distempers.

TAKE one pound of good Quick-lime, and slack it in a Gallon of warm Water, and let it stand till all that will subside, be settled at the bottom, and (separation being made) the Water swim clear at the top: (At which time it will often happen, that a kind of thin and brittle Substance, almost like Ice, will cover the Surface of the Liquor;) As soon as the Water is thus sufficiently impregnated, delay not to pour it off wantonly, and keep it well stopp'd for use.

IV. A Lime-water for Obstructions and Consumptions.

TAKE a Gallon of Lime-water made as above, and infuse in it cold Sassafras, Licuorice, and Anniseeds, of each four Ounces, adding thereto half a pound of choice Currants, or the like quantity of Sic'd Raisins of the Sun: The Dose of this compound Lime-water, is four or five Ounces to be taken twice a day.

B. 4

V. 40

V. *An Annulet against Agues, especially Tertian.*

TAKE a handful of *Groundsel*, shred and cut it small, put it into a square Paper Bag of about four Inches every way, pricking that side that is to be next the Skin, full of large holes; and cover it with some *Sarcenet* or fine *Linnen*, that nothing may fall out. Let the Patient wear this upon the Pit of his Stomach, renewing it two hours before every Fit.

VI. *For Women in Labour to bring away the Child.*

TAKE about one Dram of choice *Myrrh*, and having reduc'd it to fine Powder, let the Patient take it in a Draught of *Rhenish Wine* or *Sack*; or if you would have the Liquor less active, *White-wine*, *Posset-drink*, or some other temperate Vehicle.

VII. *For strengthening the Bowels.*

TAKE *Cloves* or *Chives* (nor *Bulbs*) of *Garlick*, and let the Patient from time to time swallow one or two, without chewing.

VIII. *An*

VIII. *An Amulet against the Cramp.*

TAKE the Root of *Morchoucan*, and having reduc'd it to Powder, fill with this Powder a little square Bag or Sacker of Sarcenet, or some such slight stuff; which Bag is to be about three inches square, and to be hung by a String about the Patient's Neck, so that it may reach to the Pit of the Stomach, and immediately touch the Skin.

IX. *For Scorching of Blood, especially in Wounds.*

TAKE those round Mushrooms that Bounists call *Cropius Lupi* (in English *Puff-Balls*) when they are full ripe (which is in Autumn) and breaking them warily, save carefully the Powder that will fly up, and the rest that remains in their Cavities; and strew this Powder all over the Part affected, binding it on, or proceeding further, if need be, according to Art.

X. *For Tumours and Pains of the Hemorrhoids, not too much inflamed.*

LET the Patient dip his Finger in *Balsam of Sulphur*, made with Oyl of Turpentine, and with his Finger so besmeared, anoint the Tumors, whether external or internal, once or twice a day.

DECAD III.

For the Dysentery and other sharp Fluxes.

Take the Stalks, and Leaves of the Herb called in Latin *Coniza Medina*, (in English *Flea-bane*) dry it gently till it be reducible to Powder; of this Powder give about one dram at a time, twice or thrice a day, in any convenient Vehicle; or else incorporate it in Conserve of Red Roses,

To sweeten the Blood, and cure divers Disorders caused by its Acidity.

Take Coral, the clearest and reddest you can get; reduce it (by exactly grinding it on a Porphyry, or Marble-Stone) to an impalpable Powder. Of this Magistery made without Acids, give the Patient once or twice a day (as need shall require) a large dose, viz. ordinarily about one dram at a time, or from two Scruples to five. N. B. Let him long continue the Use of it.

III. To clear the Eyes, even from Films.

Take Paracelsus's *Zobebum Occidentale* (viz. Human Dung) of a good Colour and Consistence, dry it slowly till it be pulverable: Then reduce it into an impalpable Powder; which is to be blown once, twice, or thrice a day, as occasion shall require, into the Patient's Eyes.

IV. For Convulsions in Children.

Give the Patient from 2, 3, or 4, to 5, 6, or 7 Grains, according to the Child's Age, of the true *Volatile Salt of Amber*, in any proper Vehicle. N. B. This not so efficacious in full grown Persons.

V. To bring away the After-Birth.

Give about 30 drops, or any Number between 25 and 35, of good Essential (as Chymists call it) Oyl of Juniper, in a good draught of any convenient Vehicle.

VI. To strengthen the Stomach, and help the want of Appetite.

Make the Root of *Gentian* (sound and not superannuated) pulverable, with no more waste of the moisture than is necessary. Reduce these to powder, of which let the Patient take from 12 or 15 Grains, 10 double that quantity (or more if need be) twice or thrice a day. . N. B. It may be taken on an empty Stomach, or, if that cannot conveniently be done, at Meal-times. To correct the Bitterness, one may add to it powder'd Sugar, or make it up with some fit Conserve, or mix it with a Syrup. It is very good, not only for want of Appetite, but for Obstructions. And I (R. B.) have usually given it in Vertiginous Affections of the Brain, and to lessen, if not quite take away, the Fits of Agues, and even Quartans. But in this last Case the Dose must be considerably augmented. One may also, if one pleases, instead of the Powder, give the Extract drawn with fair Water, and for those that like that Form, made up into Pills with a sufficient quantity of powder'd Tumerick, or the like proper Additament; to which I have sometimes added some Grains of Salt of *Wormwood* with good succels, in Fluxes that proceeded from Crudities and Indigestion. Where the Winter-season, or the Patient's cold Constitution invite, or the Medicine is to be long kept, I chuse rather to make the Extract with Wine moderately strong, than with Water.

VII. For

Labelle Powder you can give of this Powder
VII. For Ulcers in the Breast, and elsewhere.

TAKE Millepides (in English by some called *Wood-lice*, by others *Sow*) and having washed them clean, with a little White-wine, and dry'd them with a Linnen Cloth, beat them very well in a Glass or Marble Mortar (for they ought not to be touched with any thing of Metal) and give the first time as much Juice as you can by strong Expression obtain from five or six of them. This Juice may be given in small Ale or White-wine, in which the next time you may give as much as can be squeez'd out of eight or nine Millepides, and so you may continue, increasing the number that you employ of them by two or three at a time, till it amount to Twenty five or Thirty; and if need be, to Forty or more, for one taking. And note, That if upon pounding of these Insects, you find the Mass they afford too dry, as it now and then happens, you may dilute it with a little White-wine or Ale, to be well agitated with it, that being penetrated, and so softned, with the Liquor, the Mass may the better part with its Juice.

VIII. For taking off the Fits of Agues.

TAKE good Common Brimstone (not *Flares Sulphuris*) and having reduc'd them by passing them through a very fine Sieve, to the
 Sub-

subtleſt Powder you can ; give of this Powder one dram and half, or two drams, either made up into a *Bolus* with a little good Honey, or elſe in any appropriated Vehicle ; let it be given at the uſual times, and reiterated once or twice, if need be, eſpecially if the Fits ſhould return.

IX. *For Fluxes, eſpecially accompany'd with Grippings.*

TAKE of Crude *Lapis Calaminaris* finely powder'd, two Scruples, of *White Chalk* one Scruple, mix them exactly, and give them in a Spoonful or two of New Milk twice, or if the caſe be urgent, thrice a day.

X. *For the Pains of the Piles.*

TAKE of *Myrrh*, *Olibanum*, and common *Frankincenſe*, of each a like quantity, having powder'd them, mix them very well, and let the Patient receive the Fume of this Mixture, caſt upon a Chaſſen-diſh with Embers, in a Cloſe-ſtool, for about a quarter of an hour (leſs or more, as he needs it, and is able to bear it.)

DECAD IV.

I. For an Outward Confusion.

A Pply to the Part affected, skam'd or purified Honey, spread upon Cap-Paper, to be kept on with some convenient Plaister, or the like Bandage, and shifted once or twice a day.

II. Another of the same.

BEat *Aloes Succotrina*. (or else *Hepatica*) to fine Powder; then pour on it as much Rose-water as you guess may dissolve a great part of it. This done, stir them well for a while, and when the Mixture is settled, pour off the Liquor, and in it dip Linnen Rags, which being applied to the Part affected, will soon stick to it, and seldom need be remov'd till the Patient be reliev'd; and then to get them off, the Rags

must be well wetted with warm Water, which will soften and loosen the adhering *Aloes*.

III. *For a Slighter Excoriation.*

Melt Mutton-Suet taken from about the Kidneys, and freed from its superfluous Fibres or Strings, and to about two Ounces of this, add little by little about 16 or 18 drops (sometimes 8 or 10 may serve) of Oyl (not *Ethereal Spirit*) of Turpentine: spread this Mixture on a Linnen Cloth, and by binding or otherwise, keep it upon the Part affected.

IV. *For an Excoriation, when the True Cutis is affected.*

Take *Prunella* (in English *Self-head*) and having pounded it very well in a Marble or Glass Mortar (not one of Metal) apply it to the Part affected, renewing it but seldom and not without need.

V. *To take off the Pain and Inflammation of Ulcers in the Legs and elsewhere.*

Take a Quart of Water, boyl about so much *White-bread*, as in ordinary Years may be found

Vol. I. Mr. Boyle's Receipts 17

found in a half-penny-Loaf; then add to it two Ounces of good *Sheep-Suet* cut very small; and when that is boild a little, add to it one Ounce of finely powder'd *Resin*, and a little well scart'd *Brimstone*: Of these make a *Cara-plasm*, which is to be kept constantly on the Part affected, and shifted once or twice a day, as need shall require.

VI. For a Cough, especially accompany'd with tickling Rheum.

TAKE equal Parts of finely powderd *Olibanum* and *Venice-Treacle*, incorporate them exactly, and of this Mass form Pills of what bigness you please. Of these let the Patient take about half a Dram at Bed-time, or if need be, one Scruple (or more) twice a day.

VII. To prevent the Tooth-Ach, and keep the Teeth sound.

LET the Patient frequently rub his Teeth moderately with the Ashes that remain in Tobacco-Pipes, after the rest of the Body hath been consumed in Smoak; sometimes after washing (if need be) his Mouth with fair Water not too cold.

VIII. For a Rupture, especially in a Child, or Young Person.

TAKE of that Geranium or Cranes-bill, that is commonly call'd *Columbinum*, reduce the Root and Leaves to fine Powder, and of this let the Patient take about half a Spoonful at Night and Morning for three or four Weeks together, washing it down each time with some Spoonfuls of Red Wine.

IX. For the Heart-burning, as they call it.

TAKE from 15 or 20, to 30 or 40 Grains of Crabs-eyes (known commonly in the Shops by the Name of *Lapides Cancrorum*) reduced to very fine Powder, and either take it alone, or in any convenient Conserve or Syrup. 'Tis for the most part best to take this Medicine when the Stomach is empty.

X. For a Strain.

TAKE the strongest Vinegar you can get and boil in it a convenient quantity of Wheat-Bran, till you have brought it to the consistence of a Poulter's. Apply this as early as may be to the Part affected, and renew it when it begins to grow dry.

DECAD V.

I. For a Recent Strain.

Take *Warmwood* and pound it very well in a Mortar of Stone or Glass; then put into it as much of the *Whites of Egg* beaten to Water, as may serve to make it up into such a Consistence as may be applied like a Poulter's to the Part affected.

II. A Strengthening Plaster after a Strain, or when there is any Weakness in the Joynt.

Melt down together, and incorporate very well, two parts of *Diapalma*, and one part of *Emplastum ad Herniam*; spread this Mixture (but not very thick) upon Leather, and lay it to the Joynt to be strengthened.

Black

III. *For Loosnesses.*

BOyl a convenient quantity of Cork in Spring-water, till the Liqueur taste strong thereof; Of this Decoction let the Patient drink a moderate Draught from time to time, till he finds himself reliev'd by it.

IV. *For Obstructions, and divers Diseases proceeding thence.*

LET the Patient drink, every Morning fasting, a moderate Draught of his own Urine newly made, and (if it can conveniently be) whilst 'tis yet warm, forbearing Food for an hour or two after it.

V. *For Difficulty of Hearing from a cold Cause.*

OUT of a Bulbe or Root of Garlick, chuse a Chive of a convenient bigness; then having passed a fine piece of Thread or Silk through one end of it, that thereby it may be pull'd out at pleasure, crush it a little between your Fingers, and having anointed it all over with Oyl of Bitter, (or for want of that, Sweet) Almonds, put it into the Cavity of the Patient's Ear at Bed-time, and draw it out the next Morning, stopping the Ear afterwards with Black

Black Wool ; but if need require, this Operation is to be reiterated with fresh Garlick for some days successively.

VI. For Ruptures in the Belly, especially in Children.

HAVING well cleansed the Roots of *Sigillum Sabmonis*, scrape one Ounce of 'em into a Quart of Broth, and let the Patient take a Mess, or a Portenger full of it for his Breakfast; or else give half a Dram, or two Scruples of the Powder of it at a time in any convenient Vehicle.

VII. To give check to Fits of the Gout, and in some measure to prevent them.

TAKE three Ounces of *Sarsaparilla* slic'd and cut thin; to these add an equal weight of *Rasins of the Sun*, rubb'd very clean, but not broken; Put both these Ingredients into three Quarts of Spring-water, and let the Vessel stand in a moderate Heat, that the Liquor may simmer for many Hours, yet without busting most part of the *Rasins*; keep this Decoction well stop'd, and let the Patient use it for his only Drink, till he need it no longer.

VIII. A Water for Ulcers and Sores.

TAKE a Solution of *Venetian Sublimato*, and having made with very good *Quick-time* as strong a *Lime-water* as you can (so that, if it be possible, it may bear an Egg) drop this upon the dissolv'd *Sublimato*, till it will precipitate no more reddish Stuff at all; (which will not so soon be done as one that hath not try'd will imagine:) as soon as you perceive that the Liquors act no longer visibly upon one another, pour the Mixture into a Filter of Cap-Paper, which retaining the *Orange-colour'd Precipitate* will transmit an indifferently clear Liquor; Which is to be in a Glass Vial kept stopp'd for its proper Use; namely, that the Part affected may be therewith wash'd from time to time, and, if need be, kept covered with double Linen Cloths wetted in the same Liquor.

IX. A Plaster to Discuss Tumors, and Ripen them if it cannot Discuss them.

TAKE of *Yellow Wax*, *Frankincense* and *Resin*, of each four Ounces, or a sufficient quantity, melt them together gently, and being strained, make up the Mass into a Roll for Use.

X. For the Black Jaundice it self.

Take a Spoonful of Honey, boil it gently, and scum it, till it come to a good Consistence: then add of *Wheat-flour* and *Saffron* (reduced to a Powder) as much of each as you may take upon the Point of a Knife; and having mixt all well, put it over the Coals again, until it lose its smell: afterwards you may put it into a little Stone or Earthen Pot, and keep it for Use; which is, that the Patient take the quantity of a Pea, and anoint the Navel, and fill the Cavity thereof with it; repeating the Application for some Days together, when the Stomach is empty, and abstaining from Meat and Drink about two Hours after the Medicine is used.

DECAD VI.

I Take of the Seed of *Fliawood*, and give of it about as much as will lie upon a Shilling, either whole or grossly bruised, in any convenient Vehicle.

II. For Fits of the Mother.

Dissolve store of *Sea-Salt* in the best *Wine-Vinegar*, and in this dip a soft Linnen Cloth, which being folded so as to make 3 or 4 Doubles, is to be applled somewhat warm to the Soles of the Patient's Feet, and kept on till the Fit be over.

III. *A Choice Plaister to strengthen the Joints after the Gout, and hasten the going off of the Pain.*

TAKE of Paracelsus and Diapalma and melt them and incorporate them exactly together, and spread the Mixture very thin upon fine Leather, to be us'd as a Plaister to the Part affected.

IV. *A very good Drink in continual Fevers.*

MAKE a Decoction of the Leaves of Rue in fair Water, till the Liquor taste pretty strong of the Plant: This being strain'd, is to be made somewhat palatable with Liquorice, or a little Sugar, or Aromatick Body: To half a Pint of this add about 10 Drops of Spirit (not Oyl) of Vitriol: Let the Patient use this for his ordinary Drink.

V. *A good Drink to be frequently used in Fevers, especially continual ones.*

GIVE in half a Pint of some small convenient Drink, half an Ounce of Harts-horn, burnt to great whiteness; which is to be

26 *Mr. Boyle's Receipts.* Vol. I.

a little boyled in the Liquor; and this, thus alter'd, is to be given from time to time.

VI. *An easie Medicine for a fresh Strain.*

Make up the Clay with which the Bunges of Barrells are wont to be stopp'd, with as much Vinegar as will bring it to the Consistence of an indifferently stiff, Cataplasme: Then warm it a little, and apply it to the Part affected.

VII. *A Remedy much used for Chilblains.*

Take a Turnep, roast it well under the Embers, and beat it to a Poulstice; then apply it very hot to the part affected; and keep it on (if need be) for 3 or 4 days, in that time shifting it twice or thrice, if occasion require.

VIII. *A Simple Antimonial Remedy, that has often done much Good even in the Leprosie, and all continual Fevers.*

Take Crude Antimony, well chosen and powdered; of this give about one, two or three Scruples Morning and Evening, according

Vol. I. *Mr. Boyle's Receipts.* 27

ding to the Age of the Patient, in a little Syrup of Clove-Gilly-Flowers, or any such Vehicle, or else mix'd with fine Sugar, enough to make it somewhat palatable. This may be continued for 4 or 5 Months, if need require; and if the first Dose prove beneficial to the Patient, in Cases not urgent, a Scruple or half a Dram may serve the turn, nor need the Exhibition be continued for so long a time.

IX. *For the Cholick and divers other Distempers.*

TAKE four or five Balls of fresh *Stone-Horse-Dung*, and let them steep for about a quarter of an Hour (or less) in a Pint of White-wine, in a Vessel well stopp'd, that the Liquor may be richly impregnated with the more volatile and subtil Parts of the *Dung*; strain this, and give of it from a quarter to half a Pint, or some Ounces more at a time; the Patient having a care not to take cold after it.

X. *An often experienced Antimonial Infusion.*

TAKE one Ounce of Powder'd Antimony tied up in a little Bag of clean Linnen, and hang it in a Gallon of Beer or Ale that is brought from the Brew-house, and is yet scarce fit to be drawn out, much less to be drunk.

Of this Liquor, when tis ripe, let the Patient make use for his ordinary Drink; only having a care, that if by Age or Accident it be perceived to grow sowre, that Vessel then be left off, for fear, lest the Acidity of the Liquor corroding the *Antimony*, might make it Vomitive.

IX. For the Control and Direction of the

the Patent having a claim not to take on a half a Pint, or four Quarts more at a time, and give of it from a quantity of the more solid and substantial part of the liquor, say 1000, and mix with that water, wine, or other liquid, in a glass of quantity of the Mouth (or less) in a Pint of a Day, and let them stand for about a

8 Take one ounce of Powd. of Nutmeg
tied up in a little Bag of clean Linen,
and hang it in a Gallon of Beer or Ale
brought from the Brew-house and it will
be so be drawn out, and will be good

D E C A D VII.

I. An easy Medoime to cleanse the Womb, especially after Child-bearing.

TAKE a large white Onion, of about four Ounces in weight, if you can get so big a one, and boyl it in about a Pint of Water, with any thing to make a very thin Broth, till a third Part, or more, of the Liquor be consumed: Of this Broth, which may be made a little palatable with Nutmeg, &c. the Patient is to take six or eight Ounces twice or thrice a day.

II. An expeditious Wash that quickly cures the Itch.

TAKE strong Quick-Lime one Pound, and put to a Gallon of Spring-Water; let them lie together for some Hours, and then warily pour off the clearer, filter the rest, and take two Ounces of Quick silver, tied up in a

Linnen Bag, and hang it in the Liquor, and boil it for half an hour or more ; then pour off the clear Liquor once more, and wash the Hands only with it twice, or at most thrice, a day.

III. *A Remedy often used, with success in Fluxes, and even Dysenteries.*

TAKE fresh Roots of *Bistort*, cut them into thin Slices, and moisten them well with fair *Water* and *Wine*, to make them more soft and succulent ; then press out the Juice as strongly as you can. And of this give about three or four Spoonfuls mingled with half a dozen Spoonfuls or somewhat more, of *Red Wine*, or some other convenient Liquor.

IV. *A good Medicine for a sore Throat.*

TAKE the White of a *New-laid Egg*, and by beating it, reduce it into *Water* ; and with this *Water* mix diligently so much Conserve of *Red Roses* as will reduce it to a soft Mass ; whereof the Patient is to let a little bit at a time melt leisurely in his Mouth.

V. *A choice Medicine for a sore Throat.*

TAKE a piece of *greasie Linnen Cloth*, of such a bigness, as that being doubled, it may make a Bag in form of a Stay, to reach from one side of the Throat to the other, and contain as much Matter, as may make it of the thickness of an Inch or more: This Bag being fill'd with *common Salt*, is to be heated thoroughly, and apply'd to the Part affected as war mas the Patient can conveniently endure; and within two hours after, or when it begins to grow too cold, another like it and well heated, is to be substituted in its room; and whilst this is cooling, the other may be heated, and made ready for use: So that the Part affected may be always kept in a considerable degree of Warmth, for about 48 hours, if the Remedy be so long needed.

VI. *An often experienced Medicine for the Cholick, especially produced by sharp Humours.*

TAKE a Quart of *Claret*, and put into the Vessel about two Ounces of *Nettle-seeds*, stop the Bottle, and keep it in boiling Water, till the Water has made three or four warms, to assist the Wines Impregnation with the finer part of the Seeds: Of this Liquor let the Patient take a small Draught once or twice a day.

VII. To appease the Pain of the Hemorrhoids,
whether internal or external.

TAKE two parts of Flower of Sulphur, and
one part of Sugar very finely powder'd,
mix them exactly together, and make them
up with a sufficient quantity of Mucilage or
Gum Tragacanth, into Lozenges of about a
Dram apiece : Of which you may give one at
a time, thrice a day, or if need be, 4 or 5
times.

VIII. To make an excellent Drink for the
Scurvy.

TAKE two Handfuls of Water-Trefoil, and
let it work in about 8 Gallons of Wort
instead of Hops; or of Small Ale or Wort, made
for it ; and let the Patient use it for all, or for
a great part of his ordinary Drink.

IX. To make an easie Diuretick.

PEEL off the Inner Skin of an Egg-shell,
then beat the Shell to a very fine Pow-
der : Give about a Scruple of it at a time in
any convenient Vehicle.

DECAD VIII.

I. A choice Medicine for a sore Throat.

TAKE *Housteek*, and having lightly beaten it in a Glass or Stone-Mortar, press out the Juice hard between two Plates; to this Juice put almost an equal quantity of *Virgin-Honey*, mix them well, and add to the Mixture a little *Burnt Allum*, as much as is requisite to give it a discernible Alluminous Taste: Let the Patient take this from time to time, with a *Liquorish Stick*, or some such thing.

II. An approved Medicine for a Cancer not broken.

TAKE *dulcify'd Colcothar*, and with Cream of *Whites of Eggs*, beaten to a Water, bring it to the Consistence of a Cataplasm; which ought to be made large, and spread about the Thickness of Half a Crown, and applied warm to the Part affected, shifting it at least once a day.

III. To

III. To make a very good Syrup for thin Rheims.

TAKE Syrup of Fuzubes, Syrup of dried Roses, and Syrup of Corn Poppy-Flowers, of each a like quantity, mix and use them as the necessity of the Sick requires.

IV. For the Dysentery and Pleurisy.

BGRate to fine powder the dry'd Pizzle of a Stag, and give of it as much as will lie upon a Shilling, or thereabouts, once or twice a day, in any convenient Vehicle.

V. To Strengthen the Gums, and make the Feet grow fine.

TAKE Catechu, Terra Japonica, or Japonian Earth, and dissolve as much as you can of it in a Pint of Claret, or Red Wine; then decant the Liquor warily from the subsiding Fœces, and let the Patient now and then wash his Mouth with it, especially at Bed-time.

VI. For a Hoarseness upon a Cold.

TAKE three Ounces of Hyssop Water, sweeten it with Sugar-Candy; then beat well into it the Yolk of one Egg, and drink it at a Draught.

VII. A

VII. *Neboice Medicine for the Jaundice in Children.*

Take half an Ounce of choice *Rhubarb* made into Powder: incorporate with it exactly by long beating, two Handfulls of well chosen and cleansed *Curran*s. Of this Electuary let the Patient take every morning about the quantity of a Nutmeg, for several days together.

VIII. *A rare Medicine to take away Gouty, or other Arthritic Pains,*

Take highly rectify'd Spirit of Man's Urine, and anoint the Part with it, the Cold being just taken off, once or twice the first day, and no longer, unless the Pain continue.

IX. *For a Prolapsus Uteri.*

A Pply to the Patient's Navel a pretty large *Cupping-Glass*; but let it not stay on too long, nor above a quarter of an hour, for fear of injuring the Part it covers, especially the Navel-string.

X. *To*

X. To allay Heat in the Eye proceeding from
sharp Humours.

BEat the White of an Egg into a Water, in
which dissolve a pretty quantity of Re-
fined Leaf-Sugar, and then drop some of. in
into the Patient's Eye.

I. An Experienced Medicines for strengthening
the Sight.

I Take of the bright lower French Wine
and fine Sugar, all reduced to Pow-
der of each an Ounce, Mix these ve-
getables, one Ounce (at most) mix these ve-
getables well together and take of the Composition
from a Dish, so two or three times in a

DECAD

II. An Experienced Medicines for Treating the

the Powder is well together, and with about six

Grains of Salt: Give this in two or three
Spoonfuls of White wine, before at the usual

III. For

DECAD IX.

I. *An Experienced Medicine for strengthening a Weak Sight.*

TAKE of Eye-Bright, Sweet Fennel-Seed, and fine Sugar, all reduc'd to Powder, of each an Ounce, Nutmeg also pulveriz'd, one Dram (at most;) mix these very well together, and take of the Composition from a Dram, to two or more, from time to time.

II. *An often try'd Medicine for Tertian Agues.*

TAKE Crude Allum and Nutmeg finely scraped, of each about half a Dram, mix the Powders well together, and with about six Grains of Saffron: Give this in two or three Spoonfuls of White-wine Vinegar at the usual time.

III. For

III. *For Stuffings of the Lungs, and the Chink Cough.*

Make Syrup of Penny-Royal, or of Ground Ivy moderately Tare with Oyl of Virenia; and of this let the Patient take very leisurely about a quarter of a Spoonful from time to time.

IV. *For the Falling-sickness in Children.*

Take half a Dram of choice Amber, finely powder'd, and give it for six or seven Weeks together, once a day, when the Stomach is empty, in about four Ounces of good White-Wine.

V. *An approv'd Medicine to drive the Stone, and cure Suppression of Urin, proceeding from it.*

Take the Roots of Wild Garlick (by some Country People call'd Crow Garlick) wipe them very clean, Ramp them very well in a Mortar of Stone or Glass, and strain out the Juice; with which make a moderate Draught of good White-wine considerably strong and let the Patient take it once or twice a day.

VI. *An*

VI. An Experienced Medicine for sore Throat.

TAKE of Scabius-Water six Ounces, of
Wine-Vinegar a small Spoonful, of Mustard-seed beaten, and of Honey, of each a Spoonful; stir and shake them very well together; and then filter the Mixture, and keep it for Use.

VII. An often experienced external Remedy in Apoplestick Fiss.

TAKE a Cupping-Glass (without Scarification) to the Nape of the Neck, and another to each of the Shoulders, and let them stick on a competent time.

VIII. A safe, but approved Medicine for the Cholick.

TAKE about half a Dram of Mastick, and mix it with the Yolk of a new-laid Egg, and give it the Patient once or twice a day.

IX. To appease the Heat of Fevers by an External Remedy.

CApply to the Soles of the Feet a Mixture or thin Cataplasim made of the Leaves of Tobacco, it to be cut to fill a Pipe with beaten up with as much of the freshest Currans you can get, at will bring the Tobacco to the Consistence of a Poultice.

X. The Medicine that is in such request in Italy against the Worms in Children.

Infuse one Dram of clean Quick Silver all Night, in about two Ounces of the Water of Goats Rue, distill'd the common way in a cold Scill: And afterwards strain and filter it, to sever it from all Dregs that may happen in the making it. This quantity is given for one Dose.

DE

DECAD X.

I. *A choice Medicine for a Whittloe.*

TAKE *Shell Snails*, and beat the pulpy part of them very well, with a convenient quantity of fine chopt *Parsly*, which is to be applied warm to the affected part, and shifted two or three times a day.

II. *A Simple but Useful Lime-water good for the Kings-Evil, and divers other Causes.*

TAKE half a Pound of good *Quick-lime*, and put it into one Gallon of *Spring-water*, and infuse it for Twenty four Hours; then decant the Liquor, and let the Patient drink a good Draught of it two or three times a day, or he may use it for his ordinary Drink; this Infusion may be coloured with *Saffron* or *Red Sanders*; and if need be, to make it stronger, add more *Lime*, and warm the water and keep it well stopd.

III. *An*

III. *An Excellent Medicine for a fresh Screin.*

TAKE four Ounces of *Bean-Flower*, two Ounces of *Wine-Vinegar*; of these make a Cataplasim to be apply'd a little warm to the Part affected; but if this should prove something too sharp (as in some cases it may) then take two drams of *Litarge*, and boil it a little in the *Vinegar* before you put in the *Bean-flower*.

IV. *For the Piles.*

TAKE Balsam of *Sulphur* made with Oil of *Turpentine*, Ointment of *Tobacco*, equal Parts, incorporate them well, and anoint the grieved Place therewith.

V. *For a Burn.*

MINGLE *Lime-water* with *Linsced-Oil*, by beating them together with a Spoon, and with a Feather dress the Burn several times a day.

VI. *For a Fresh Screin.*

BOIL *Bran* in *Wine-Vinegar*, to the consistency of a Poulis, apply it warm, and renew the Poulis once in twelve hours, for two or three times.

VII. *An*

VII. *An Experienced Medicine for the Cholick,*

TAKE good Nitre one Ounce, and rub it well in a clean Mortar of Glas or Stone, then grind with it half a Scruple or more of fine Saffron, and of this Mixture, give about half a Dram for a Dose, in three or four Ounces of cold Spring-water.

VIII. *To make an Issue raw, that begins to heal up.*

TAKE of Lapis Infernalis one Ounce, of Crown Soap an Ounce and half, Chalk finely powdered six Drams, mix them all together carefully, and keep them close stop't, except when you mean to use them.

IX. *For a Sore Throat.*

MAKE a Plaister of Paracelsus, three or four Fingers broad, and length enough to reach almost from one Ear to the other, and apply it to the part affected, so that it may touch the Throat as much as may be.

X. *For heat about the Orifice of the Stomach.*

Make a Syrup with the Juice of House-
Leek and Sugar, and give about one
Spoonful of it from time to time.

A Stomachical Tincture.

Take *Agrimony*, two Drams, small *Centory*
Tops one Dram, *Coriander Seeds* bruised
one Scruple, *Sassafras Shavings* and *Bark*, one
Dram, *Gentian-Root* half a Dram, *Zedoary-Root* ten Grains; pour upon these three quarters
of a Pint of boiling Spring-Water, cover it,
and let it steep twelve hours, then strain it,
and put it in a Bottle; then drop a drop of
Oyl of *Cinnamon*, upon a lump of *Sugar*, and
put it into the Liquor. The Dose is three
Spoonfuls twice a day an hour or two before
Meals.

The End of the First Volume;

X. For the first time the Order of the Arrow.

1870

3. 1. 1934

Spontaneous a day or more or two before
put it into the Lard. The Dole is three
Oyl of Camellia, open a pint of wine, and
and put it in a Bottle, then drop a drop of
and let it steep twelve hours, then strain it
of a pint of boiling Spring-Water, cover it,
then re-steam; pour upon that three quarters
Dram, Cloves-Greek half a Dram, Sassa-
one scruple, Sassafras and Nutt, one
Dram each, then one Dram, Cloves-Greek half
T. A. C. Sassafras, two Drams, Nutt, Cloves-
Greece half a Dram, Cloves-Greek half a Dram.

Medicinal Experiments.

O R, A

COLLECTION

O F

Choice and Safe Remedies

Very Useful in all FAMILIES.

Medicinal Experimentes.

OF A

COLLECTION

OF

Choice and Safe Remedies

Very Useful in all FAMILIES.

2. Spread thinly upon Silk or very fine Knap-
 leather, the Remedy as directed above,
 and let it lie upon the aching Part as long as
 it is needful.

COLLECTION

3. For an old Flegm or Strain.

Choice Remedies.

The Second Volume.

1. A Powerful Remedy in Apoplectick Fits.

Take the Herb Mastick, and distill by an
 Alembick with a Copper Body an Es-
 sential Oyl, of which with such a Pipe
 or Quill that one end may be open'd and stop'd
 at pleasure (the other still remaining open)
 blow up some drops, first into one of the Pati-
 ent's Nostrils, and a while after into the other

2. *A good Plaister for Aches, especially Scorbutical.*

Spread thinly upon Slinks or very fine Kids-Leather, the *Emplastrum de Mucilaginis*, and let it lie upon the aching Part as long as there is need.

3. *For an old Ach or Strain.*

Take of *Lucatella's Balsam* one Ounce, of *Oyl of Turpentine* one Dram, incorporate them very well with a gentle Heat, and anoint the Part affected therewith, wearing on it a piece of unwash'd Flannen besmear'd with the same Ointment.

4. *For Scorbutick Aches, especially about the Share-Bone.*

Take two parts of *Palm-Oyl*, and one of *Oyl of Camomile* (to which if you please you may add a little *Ointment of Elder*) mix these exactly, and anoint the Part affected.

5. *A Powerful Remedy for Scorbutick Aches.*

Take to one Ounce of *Oyl of Turpentine*, one Dram or two of the *Volatile Salt of Harts-Horn*,

Horn, or as much as being well ground with it in a Mortar of Glais or Marble, will bring it to the consistence of a kind of Oyntment, with which the cold being taken off, the part affected is to be lightly anointed.

6. *A very easie Medicine for light Scorbutick Aches or Pains.*

ANoint the pained Part from time to time with Fasting-Spirit; and if you will have the Medicine a little stronger, the Patient may put *Rock-Allum* to the bigness of a small Pea into his Mouth before he employs his Spirit.

7. *For Aches and pricking Pains in the Sides or elsewhere.*

With a sufficient quantity of clean Sulphur finely powder'd, mix diligently as much *Venice-Treacle* as will bring it to the consistence for Pills. Of this Mixture you may give the quantity of a Pistol-Bullet twice, or at most, thrice a day, drinking any convenient Liquor after it.

8. *An Experienced Remedy for an Anasarca, or General Disease of the whole Body.*

FRY freshly gather'd Rue with Oyl of Wal-nuts, till it become fit to be apply'd hot as a Cataplasm or Poultis to the Navel; and keep it on that part some hours, renewing it once or twice a day, if need require.

9. *An External Medicine often successfully try'd for Agues.*

TAKE 3, 7, or 9 (for 'tis pretended it must be an odd Number) of the Roots of Ribwort, and having made them clean, put them into a little Bag of Sarsenet or fine Linnen, and let the Patient wear it upon the Nape of his Neck, renewing it within 2, 3, or 4 days if Need require.

10. *A try'd Remedy for Agues.*

TAKE of the Bark of *Sassafras-Root*, and of *Virginian Snake-weed*, both in Powder, of each 10 Grains; and with half a Dram, or two Scruples of *Mitbridate* or *Vemice-Treacle*, or as much as will give it a due consistence, make a *Bolus* to be taken the usual Hours.

11. *A choice Medicine for Agulth Distempers.*

TAKE of Salt Wormwood 15 Grains, Crabs-eyes, or Powder of Crabs Claws simple 8 or 10 Grains; mix these well, and give them in two or three Spoonfuls of some Cordial Water.

12. *An Excellent Wrist-Plaister for Agues.*

TAKE Wax, and spread it to about the thicknes of a Crown-piece of Silver, and of a convenient breadth and length to make an entire Wrist-Plaister; upon this spread and display as well as you can the Leaves of the tops of Rue, not yet fully open'd by time, so that they may cover the whole Plaister as well as you can make them do. Then apply this Emplaister, and let it lie on several days consecutively.

13. *An often try'd Medicine for Agues.*

TAKE Ribwort, gather the Leaves as near the Root as you can in a dry Morning, wipe them cleap, but do not wash them; then dry them carefully, till you may reduce them to Powder. Of this Powder give from one Dram to two at most, mix with one Dram of *Conserve of Roses*, or the Crumbs of White-bread, or the

54 *Mr. Boyle's Receipts. Vol. II.*

Yolk of an Egg or two. N. B. You may before you dry the Leaves, distil a Water out of some of them, and make an Extract out of others with Spirit of Wine, or which is better, with Spirit of Dew. They are both good for the same Disease that the Powder is. The Dose of the Water is one Ounce, or an Ounce and half at the usual times; and that of the Extract about one Dram in some Ounces of White-Wine.

14. *An Excellent Medicine for Agues, especially Tertians.*

Give as much of well-condition'd *Virginian Snake-Root* reduc'd to fine Powder, as will lie upon a Shilling, in a Cup of Sherry just before the beginning of the cold Fit, repeating it once or twice if it need to be used oftener.

15. *For a Tertian Ague.*

Take of the Root of *Angelica* grated, or otherwise made into Powder, and give of it from half a dram to a dram, in any convenient Vehicle at the usual times (*viz.* about 2 hours before the cold Fit.)

16. *A Medicine with which a Quartan was cur'd, that could not be cured with Jesuits Bark.*

TAKE one Dram of the black tips of Crabs-Claws, and having reduc'd them to exceeding fine Powder, let the Patient take it in any convenient Vehicle or Conserve, twice or thrice, as he would take the *Cortex*, without intermitting any day.

17. *An easie Remedy, which long continu'd, does much destroy Acidities or Heart-burnings in the Stomach.*

TAKE half a Dram at least of finely powder'd red Coral, and give it from time to time in any convenient Vehicle, till the Patient be relieved.

18. *A very often tried Remedy for the Asthma.*

TAKE Soap-boilers Lees (made with Pot-Ashes and Quick-Lime) one Part, Spirit of Wine rectified two parts; set them in digestion (to unite them well) and then add some Drops (at discretion) Chymical Oil of Carraways, and if you please of Anniseeds too. — The Dose in younger Persons is about 10 Drops, in elder ones, from half a dram to one dram, in some convenient Vehicle.

19. *An Excellent Medicine for a Dry or Con-*
pulsive Asthma.

Take choice Saffron, reduce it (by rubbing it in a Stone or Glafs Mortar) to a kind of Powder, and with any convenient Mixture, give 8 or 10 Grains of it in the form of Pills at Bed-time.

20. *An Experienced Remedy for Difficulty of*
Breathing.

Take of choice *Castoreum* dry'd enough to be powder'd 2, or 3, or at most 4 Grains, mix this with 10 or 11 Grains of *Castoreum's* Powder reduc'd to very fine Powder; mix up these with some little Syrup or Conserve, and when the Patient has taken it, let him wash it down with the Mixture, consisting of five drams of Penny-royal Water, and half a dram, or at most two drams of Briony-water Compound.

31. *An Approved Medicine for inveterate Scor-*
burick Cholicks, and Pains of the Bowels.

Take English Barley, and having well wash'd it, boil it in a sufficient quantity of fresh Spring-water till it be just ready to burst: Then pour off the clear upon the yellow part of the Rinds of Lemons, freshly cut off from the white part,

part, and put them into a Bottle, which being carefully stopp'd, the Liquor is to be kept so for Use, which is, that the Patient make it his constant Drink.

22. To reduce flabby Breasts to a good shape and consistence.

TAKE green Hemlock well bruised and reduced to a kind of Cataplasme or Poultice, which is to be apply'd (the cold being first taken off) to the Parts 'tis to work upon; and to be kept on till it hath performed what was intended, shifting it once a day.

23. An easie but useful Remedy for a fresh Bruise

TAKE fresh Butter and Parsley, of each a sufficient quantity, and having chopt the Herb, mix it very well with the Butter, to the consistence of a Cataplasme (which is to be apply'd warm) to the newly bruised Part.

24. For Coagulated Blood, or a Bruise.

TAKE Black soft Soap, and with a sufficient quantity of soft Crumbs of White-Bread very well mixt with it, make a Paste, which is to be laid on the Part with a Linnen Rag, and

kept bound upon it for some hours, that it may have time to resolve the congeal'd Blood, and bring the confus'd Part from a livid to a red Colour, which will much hasten and facilitate the restoring it to its former State.

25. *To stench Blood falling from the Nose, by a Simple held in ones hand.*

LET the Patient hold Knot-Grass and Solomon's-Seal in his hand till it grow warm there, or longer if need be.

26. *An Excellent Remedy to stench Blood in any part of the Body.*

TAKE Plantane-Water two Ounces, Barley-Cinnamon-Water, six Drams, Spirit of Vinegar one Ounce, Dragons-Blood half a dram, Syrup of Myrles five Drams; mix and make a Julep, of which let the Patient take Three Spoonfuls every Hour.

27. *The Styptick Water for stopping of Blood in any Part of the Body.*

TAKE One Pound of Excellent Quick-Lime, and put it into a clear Earthen Pot, pour upon it five or six pounds of Fountain-Water, cover

cover the Pot close, and let it lie to infuse about an hour without touching it, then after stir it with a stick for a little time; then let it lie as before for 24 hours, sometimes stirring it, in the end you shall let it settle to a Sediment; the Water being very clear above, pour it off by inclination without stirring: Take of this Water one Pound, which being put into a Vial, you shall add to it a Dram and half of Sublimate finely powdered, then shake very well all together, so that the Powder may dissolve, and be of an Orange colour, as more reddish than yellow, and in the end clear and limpid, because the red Powder will precipitate to the bottom. Your Water being clarified, you must separate the Water from the Grounds into another Vessel, without troubling the Sediments: and to the Water you shall add one Dram of Oyl of Vitriol, and an Ounce of *Saccharum Saturni*. Shake all together, that they may mix the better, afterwards let all settle, and pour off the clear Water, and keep it for your use.

28. A choice Medicine to resolve extravasated Blood.

GRate or Rasp the Root of Burdock, and spreading the Powder upon a Linnen Cloth, bind it quite round the part affected, renewing it twice a day!

To make an excellent Stiptick for stopping of
 any kind of Bleeding, such as a wound in the
 head, or elsewhere, sometimes flowing in
 abundance.

TAKE Hungarian Vitriol, Allom, of each half
 a Pound, Phlegm of Vitriol ten Pounds :
 Boil to a Dissolution of the Vitriol and Allom;
 being cold, filter it through brown Paper, and
 if any Crystals stick, separate the Liquor from
 them, adding to each Pound one ounce of Oyl
 of Vitriol. Dip Cloths into this Liquor, and
 apply them to the Part affected.

30. An often try'd Stiptick to Stanch Blood,
 especially in Wounds.

TAKE Colcohar as it comes out of the Re-ort,
 and having powdered it, roll Tents of Lint
 in it, and apply them to the Orifices of the
 greater Vessels, and employ other usual means
 to empresse the Vessel upon the Tent, and to fill
 the Cavity of the Wound, partly with Colco-
 har too.

31. A very often experienced Remedy for Burns.

TAKE two parts of Oyl of Walnut, and one of
 Honey, mix them well together over a gentle
 Fire, and when they are thoroughly incorpora-
 ted, dip a Feather in the Mixture, and anoint
 therewith the Part affected, so as the Oyntment
 may

may touch it immediately, and then strew on
some Powder of *Celery*, or *Spiken-wort*, and
keep the Part quiet, and defend it from the
Air.

32. *An easie Medicine, and common enough, but
useful against Burns.*

Take Onions and beat them into a soft Mass,
and apply them as speedily as you can to
the Part affected, and keep them on it, till they
begin to grow dryish, and then if need be, shift
them, and apply fresh ones.

33. *For a Recent Burn.*

Take Onions a sufficient quantity, and beat
them very well with common Salt finely
powdered into a Mash, that may be applied as
a *Caraplast* (the cold being first taken off) to
the Part affected: and renewing it, if need be,
till the Impression of the Fire be taken out.

34. *An excellent Ointment for Burns, and
Scaldings.*

Take of the inner Rind of Elder-Tree, and
of fresh Sheeps dung, without any adhe-
ring Straws or Fowlness, of each one Handful,
and

62 *Mr. Boyle's Receipts. Vol. II.*

and with fresh Butter or Oyl, make thereof an Oynment, to be applied as is usual in such Distempers.

35. *An easy and approv'd Remedy for Burns, especially Recent ones.*

TAKE a sufficient quantity of Adders-Tongue, and boil it softly in Linseed-Oyl till the Liquor be strongly impregnated with the Herb, then strain it, and keep it stopp'd for use.

36. *An excellent Oynment for Burns and Scaldings.*

TAKE of Saccarum Saturni half a Dram, of the sharpest Vinegar four Ounces, make a Solution of the former in the latter, and add to this Solution drop by drop (often stirring or shaking them together) as much Oyl of Elder as will serve to reduce the Mixture into the form of a Nutritum or Oynment.

37. *A slow but innocent way of making Blisters without Cantharides.*

TAKE Crows-foot, and putting to a handful of it about half a spoonful of Mustard; beat them very well together to the consistence of

of a Poultis, put this to the thickness of ones little Finger into a cover of a Box, cut shallow, and of about the breadth of the Palm of ones Hand (though this cover be less necessary than convenient) and cutting a hole of the wideness of the Box in a Plaister of *Diapalma* or the like, to make it stick, you must apply it to the part, and let it lie on 12 or 14 hours, because it works as well more slowly than *Cantharides*, as more safely and innocently.

38 A good Medicine to raise Blisters.

TAKE *Cantharides* reduced into Powder, and upon half an Ounce of this put two or three Ounces of good Spirit of Wine, let them lie together four or five days, that the Spirit may acquire a good Tincture, then filter it, and dip into it a piece of Linnen Cloth 6, 7, or 8 times double, and of the figure and largeness that you desire. This Cloth being thoroughly wetted and cover'd with a *Melilot* Plaister, or one of *Diachylum*, or some other that will stick, to keep it on, must be applied to the Part. At the end of five or six hours you may take off your Plaister, and the Linnen Cloth, and find your work done.

39. To raise a Blister without Cantharides.

THE Seed of *Clematis perovina* being bound hard upon any part, will in an hour, or at most two, have an Operation like that of another Veficatory, as far as its Contact reaches.

40. An Useful Medicine for Costiveness.

TAKE Virgin-Honey a sufficient quantity, and mix exactly with it as much finely powder'd *Cremor Tartari* as will suffice to bring it to the consistence of a somewhat soft Electuary, of which the Patient may take upon the point of a Knife the bigness of an Almond (more or less) as upon tryal you shall see cause.

41. For a Cancer in the Breast.

TAKE of the Warts that grow on the hinder Legs of a (Stone) Horse, dry them gently till you can reduce them to a Powder, of which you may give half a Dram for a Dose in any convenient Vehicle.

42. *A Potent Medicine for Contusions, and divers other Affections.*

TAKE *Alcohole* of Wine, and dissolve in it as much pure *Camphire* as you easily can, and keep it very close stoppt, till you have occasion to use it. Then moisten thorowly with it some thin pieces of Linnen or Flannel, and apply them luke-warm; and likewise you may with a rag dippt in it, apply it to the Eye-lids, having a care that none of it get into the Eye it self, since there it would cause grear Smart. It may also be very usefully apply'd to Burns, and yet more to Contrusions.

43. *A try'd Medicine for Chilblains.*

TAKE pretty thick Parings freshly cut off from Turnips, and hold them to the fire till they be very crisp, then apply them to the unbroken Tumors or Blisters, as hot as the Patient can endure it, and keep them on a competent time, and put on new if need requite. They will cause the peccant Matter to transpire, or otherwise waste without breaking the Blisters.

44. *To make a very nourishing Aliment, that hath recovered divers in Consumptions.*

TAKE 8 or 10 Craw-fishes (or, if they be not of the largest size, a dozen) boil them (after the blackest Gut or String is taken out) in Barley-water, till they become very red; then take them out, and beat them long, Shells and all, in a Marble or Glass Mortar, to a soft Mash, and in a Press strongly squeeze out the Juice; which may be given either alone, or mixt with about an equal Part of Chicken-broth, or some such convenient Alimental Liquor.

45. *A Vulgar, but often Approved Remedy for a Cold, especially that affects the Breast.*

TAKE a Sheet, or half a Sheet *pro re nata*, of brown Paper, of as even a Texture as you can get, and anoint it over evenly and very well with the eldest Tallow, or Candle-grease you can procure, so that the Paper may be thoroughly penetrated by it. Then cover it thinly with Nutmeg, as you were to rub the Spice upon a Toast, and clap it warm to the Pit of the Stomach, that it may reach a good way, both above it and beneath it.

46. *An experienc'd Medicine for Coughs.*

BOil good Turnips in Water, and having expressed the Juice, mix it with as much finely powder'd Sugar-candy as will bring it into a kind of a Syrup, of which let the Patient swallow a little as slowly as he can from time to time.

47. *A good Medicine for Asthmatick Coughs.*

TAKE two Ounces of Oyl of Sweet Almonds freshly drawn, and put them upon one Dram of Flowers of Brimstone: keep them for a Fortnight in digestion in a moderate Heat, and then decant off the Oyl, or pass it through a clean Linen Rag to keep back the Brimstone: Of this Liquor give a Spoonful or Two at a time.

48. *An easie Medicine, which cured not long since a Gentlewoman that had taken much Physick for a Consumptive Cough.*

TAKE 8, 10, or 12 well chosen Raisins of the Sun, and having slit them open, take out the little Kernels, and stuff the Raisins with the tops or small tender Leaves of Rue: and let the Patient take them, either as they are, or in the form

form of a *Bolus*, or the like, pretty early in the Morning, fasting after them two or three hours at least, if he cannot conveniently fast till Noon.

49. *A potent Medicine (for those that can bear it) to ripen Coughs, and hasten the Expectoration of Phlegm.*

TAKE Onions, cut them into slices, and fry them with fresh Butter, as if you were to eat them, then take them out of the Frying-Pan, and boil them with new Milk, till it be well impregnated with them, and they be made tender: Of this Mixture let the Patient take a moderate quantity from time to time.

50. *An excellent Remedy for a Cough.*

TAKE of Virgin-Honey two Ounces, of Red Roses, warily dry'd and finely powdered half an Ounce of choice Sulphur very well sifted two Drams, of good Benjamin reduc'd to fine Powder one Dram; beat and mix all these very well; and of this let the Patient take the Mixture from time to time.

51. A Plaster to prevent Corns.

Take yellow Bees-wax 4 Ounces, Verdigrise exactly powdered and sifted one Ounce, the *Caput Mortuum* of the Scull of a Man one Dram. Incorporate them well with boiling them a little, and make thereof a Plaister according to Art.

52. An Effectual Plaister for softening and loosning Corns.

Spread a Plaister of Gum *Amoniacum*, (not too thick) without being dissolv'd in Vinegar, and applying it to the Part affected, let it lie on, till it have sufficiently done the designed work of Emolition.

53. A Powerful (but smart) Remedy for Corns.

Evaporate the strongly exprest Juice of Radishes to the consistence of a soft Plaister, to be applied to the part affected, and shifted as often as it grows dry. *N. B.* 'Twill sometimes smart for a while at first, but afterwards 'twill do its work.

Take the Liver of a Hare (if it hath been killed, it may be the better) and hang it in a C

54. *A good Remedy for Corns of the Feet:*

TAKE the Yeast of Beer (not Ale) and spreading it upon a Linnen-Rag, or other Cloth, apply it to the Part affected, renewing it once a day.

55. *An Excellent Remedy that has cured many Children of Convulsive Fits.*

TAKE two or three drops of (Chymical) Oyl of Rosemary, and put it into half an Ounce of Sack in an Ounce Bottle; stop the Vial, and let it be well shaken to make a whitish Mixture of the Liquors just before you give it. Or else in a half-pint Bottle or Vial, put four Ounces of Sack, or some appropriated Liquor, and drop into it Forty Drops of the forementioned Oyl; and when ever you are to give the Medicine, shake the Vial well stoppt, and presently give of the whitish Mixture a Child's little Spoonful.

56. *A Successful Medicine for Convulsive Fits and Hysterical Vapours (as they call them) or Fits of the Mother.*

TAKE the Liver of a Hare (if it hath been hunted, it may be the better) and hang it up

up in a dry place till it be somewhat fryable, having a care that it putrifie not; of this reduced to Powder, let the Patient take two or three Scruples at a time in any convenient Vehicle.

57. *An excellent Medecine for dry or Conuiffive Asthma's and also for Costiveness.*

Give at Bed-time 8 or ten Grains of thioice Saffron, pulverized grossly in a little Syrup or Conserve, as of Violets, &c. to embody it with.

58. *An excellent Mixture for Fits of the Cholick, and some kinds of Convulsions.*

TAke one Ounce of Flowers of Sulphur, and as much Sugar-candy; grind them very well together in a Glasse or Stone Mortar, and upon this quantity drop thirty drops of Oyl of Carraway-seeds, as much of Oyl of Orange, and as much of the Oyl of Anniseeds: Incorporate these well, and of the Mixture give about 20 or 30 Grains for a Dose.

59. *An incomparable Medicine for the Cholick.*

THE yellow Peel of Oranges being reduc'd to Powder, give from half a Dram to two Scruples of it in any convenient Vehicle.

60. *To make good Purging Drink for the Cholick.*

TAKE two Ounces of Rhubarb, four Ounces of Gentian, and a quart of good Anniseed-water, let the Roots infuse along in it, and give the Patient about two Spoonfuls at a time as often as need requires.

61. *An almost Specifick Remedy for a Fit of the Cholick.*

TAKE about half a Dram of express'd Oyl of Nutmegs (usually sold in the Shops for East-Indian Oyl of Mace.) Dissolve this in some Spoonfuls of good Wine, which the Patient is to take as hot as conveniently he can.

69. *An uncommon, but try'd Remedy for Cholicks (without much Matter) and good in Fits of the Mother.*

TAKE good Ginger dry, and instead of powdering it, cut it into as thin slices as you easily can: With these fill a Tobacco-pipe, and take the Smoak as you would that of Tobacco. Do this twice, thrice, or four times a day, but especially at Bed-time, and in the Morning.

63. *An excellent Medicine for Convulsive Cholicks.*

TAKE of the Volatile Salt of Pigeons-Dung two or three Grains, or somewhat more (not exceeding five or six in all) mix these with a Scruple or half a Dram of the same Dung crude, but well and slowly dry'd, and finely powder'd. Give this Mixture for one Dose in some Spoonfuls of any convenient Vehicle.

64. *For the Cholick, or Pains in the Sides.*

TAKE two Balls of fresh Horse-dung, and infuse them for 12 hours (if haste require, 3 or 4 may serve the turn) in good White-wine, in a close Vessel; then strain the Liquor, and let the Patient take five or six Ounces of it at a time.

65. *For the Cholick.*

BOyl about one Ounce of the Seeds of the black stinging Nettles, in about a quart or more of good Claret-Wine; then strain the Decoction, and give of it a Wine-glass full at a time, two or three times a day, or as often as need requires.

66. *An excellent Medicine for the Cholick.*

TAKE of Doctor Stephens's Water half a Pint, Plague-water half a pint, Juniper-Berry-water half a Pint, Powder of Rhubarb two Ounces; mingle these together, shake the Bottle when you take any of it, and take about four spoonfuls at a time.

67. *For the Cramp.*

TAKE the Leaves of Rosemary, chop them very small, and sew them so in fine Linnen or Sarinet, as to make a kind of Garter of them to be tied about the Patients bare Leg.

68. *To take off the Pain of the Cramp.*

TAKE of the Ointment of Populeon two parts, Oyl of Spike one part; mix them, and with

with the Mixture anoint well or chafe the Part affected.

D.

69. *A Remedy by which an Hydropical Merchant was cur'd.*

Give about half a Dram or two Scruples for a Dose, of yellow transparent Amber, twice or thrice a day in any convenient Vehicle.

70. *An Experienced Medicine for a Dysentery, or Bloody-Flux.*

Give about three Ounces of the Juice of Ground-Ivy, mixt with one Ounce of the Juice of Plantane, once or twice a day.

71. *For to stop a Dysentery, or Bloody-Flux*

USE the Powder of *Crepitus Lupi*, or Full-Balls, made up with some Conserve of Roses, or other convenient Additament, into Pills. Of this Mixture give in *Dysentery*, as much at a time, as contains from about a Scruple, to about half a Dram of the Powder.

72. *An oasse, but very often try'd Digestive, so
be used instead of Basilicum.*

TAKE two Ounces of good *Venice Turpentine*, and incorporate very well with it the Yolks of two fresh Eggs, and then add to it (at discretion) a little Spirit of Wine; with this dress the part Morning and Evening, laying it on thicker, if the part be near some Nerve or other dryer part, and less thick if it be fleshy or moist.

73. *A good Medicine for Incontinency of Urine,
and the beginning a Diabetes.*

CUT off the Necks of well-blown Sheeps-Bladders, of the remaining Membranes put up pretty store one over another into a cover'd Pot, where being dry'd gently, and yet sufficiently, in a Baker's Oven, take them out and pulverize them well. The Dose is as much as will lie upon a large Groat, or small Sixpence.

74. *For a Diarrhiza, Loosness, or Flux of the
Belly.*

MIX up 15 Grains, or if the Distemper be but slight, 10 Grains, of powdered *Rhubarb*, with half a Dram of *Dioscoridum*, and let the

the Patient take it either going to Bed, or early in the Morning after his first Sleep.

75. *For a Contusion in the Eye.*

TAKE the Crumb of White-bread, and diligently incorporate with black soft Soap as much of it as will make a somewhat soft Paste; and then with your Thumbs make a little Cake (as it were) of it, and apply to the bruised part, the Eye being first shut, and blind it so that it may lye on for some hours, or a day if need be. But this ought to be used with Caution.

76. *An Excellent Medicine for clammy Humors of the Eyes.*

TAKE New Milk, and let it stand till it hath got a little Cream upon it, then let the Patient when he is in Bed, take up with his Finger a little of the Cream (and not of Milk) and shutting his Eye-lids, besmear his Eyes with it, having a care that very little or none get into his Eyes, because it would make them smart; let the Cream lie on till the next Morning, and in case the Patient chance to wake in the Night, he may, if he finds cause, lay on a little more, and wash all off in the morning.

77. *A somewhat sharp, but often try'd Medicine to take off the Pearl on the Eye.*

Take of the Juice of Celandine, and mix with it about an equal Part of pure Honey; and of this Mixture employ a drop, or at most two, at a time, letting it fall upon the Part affected Morning and Evening.

78. *An easie Remedy for a Recent's Blood-shot Eye.*

Take a Rotten Apple, and as many Tops of Wormwood, as being well beaten together with it, will make a Mass of the consistence of a Cataplasim; warm this a little, and put a sufficient quantity of it into a thin and clean Linnen Rag, and let the Patient keep it upon the Part affected all Night, the next morning wash it off with some red Rose-Water, or the like Liquor.

79. *To make a choice Ophthalmick Water to preserve the Eyes and Sight.*

Take of the distill'd Water of Rue, Celandine and Vervain, of each one Ounce; mix them, and infuse in them two Drams of *Crocus Metallorum*, exquisitely ground for a Week

Week or ten days ; then very carefully filter the Infusion, that none of the Atoms of Powder pass thorow the Liquor. Of this let fall into the Eye a drop or two, Morning and Evening, having a care not to shake the Glass, when you employ the Liquor, lest some unheeded Dust may have escaped the Filter, and be raised.

80. *For a slight Ophthalmia, or Blood-shot Eye.*

SHAKE half a Dram of diligently prepared Tutty into an Ounce of Red Rose-water, and drop it often into the Eye.

81. *An Experienced Eye-water for an Inflammation and Tumor of the Eye.*

TAKE of Prepared Tutty half an Ounce, the Water of white Roses and of Frog-Spaw, and also of the best Canary Wine (not distill'd) of each two Ounces, of *Aqua Mirabilis* half an Ounce : Mix these well, and drop a very little at a time into the Patient's Eyes.

82. *An odd and often try'd Medicine for an E-*
retypelas.

TAKE the Blood of a hunted Hare whilst tis yet warm, and drench thorowly in it clean Linnen Rags, which are to be dry'd in the Wind or free Air, and then kept in a dry place for use: Lay a good piece of Linnen thus stained upon the part affected, and either by binding it on, or covering it with some silken or other Cloth, whose edges have some sticking Plaister, keep it from falling off, and renew it from day to day, if there be need. N. B. If it be grown too stiff with long keeping, you may soften it with a little Sprinkling of fair Water.

83. *An experienced Water for Sharp and Slimy*
Humours in the Eyes and Eye-Lids.

TAKE of prepared Turry half an Ounce, prepared Coral and Pearl of each half a Scruple, *Trochisci-Albi Ras.* five or six Grains, Red Rose-Water, and Succory-Water, of each an Ounce and half; mix them well, and if you will have the Medicine stronger, you may put three or four Grains of Aloes into it.

84. *A Choice Remedy for an Ophthalmia, or
Blood-shot Eyes.*

TAKE of the Juice of Houfleeck two parts, Dai-
sies and Ground-Ivy, of each one part; mix
these Juices together, and to about two Spoon-
fuls of the Mixture, put five or six drops of
clarified Honey: Let the Juices depurate them-
selves by residence, and then in some small Sil-
ver Vessel clarify them, and of this mixture
let fall a drop or two into the Eye 3 or 4 times
a Day. N. B. But if the Inflammation be not
so great, but there is more need of Absperſion,
use more of the Juice of Ground-Ivy, and less
of that of Houfleeck.

85. *For a light Stroke or Contuſion of the Eye.*

TAKE two Ounces of *Betony-water*, and three
drops of *clarified Honey*, mix them well
together, and drop them into the Eye three or
four times a day; the Composition must be
made fresh every second and third day.

86. *A Potent, but Smarting Medicine for things
growing on the Eye.*

TAKE white Paper, and let it flame away up-
on a clean Pewter Platter, till there re-
main so much Oyl behind as you think you

shall need; blow off the Cinders of the Papers, and with a little of your Spittle mix by your Finger with the Oyl, make up a kind of Ointment; which being taken up with a Feather, is to be apply'd once or twice a day, as need shall require (and as the Patient can well bear) to the affected Eye; Which course is to be continued till the Cure be compleated.

87. *For Hurts that make the Solution of Continuity in the Eye.*

TAKE two Ounces of *Celandine-water*, and put to it 2, 3 or 4 Drops of good clarified Honey, enough to give the Water a faint taste: With this dress the Eye at least twice (if not thrice) a day. But the Mixture must be made fresh once in two or three days, or else it will grow sourish.

88. *An Excellent and very often tried Eye-water, especially for outward Affections of the Eye.*

TAKE of *Plantane-Leaves* 4 Ounces, and of *Strawbery-Leaves* as much; digest these for 24 hours in a Pound of good *White-wine*: Then distil them to dryness in a Glass Head and Body in a *Balneo Mariae*. The Liquor that is thus obtained put into a very clean Brass (not Copper),

Copper) Vessel, and let it stand there some hours, till it have acquired a manifest, but not a very deep blue Tincture, and then put to it (when pour'd on) an equal weight of White Rose-water distilled after the common way: Shake these together, and let fall one Drop into the internal Corner of the Eye, the Patient stooping backward, and shutting his Eye-lids for a Minute or two, that the Water may disperse on the Eye, and that the quickness of the Lignor, which may make him weep, may be less prejudice him.

89. *To make a useful Medicine for Pain or Itching in the Eye-lids, or on that account in the Eyes.*

Take half a Spoonful of French Barley (after the first Water it was put into over the Fire is cast away) and boil it softly for a little while in a Pint of Spring-water, seasonably putting to it a good Pugil of dry'd Damask-Rose-leaves. (N. B.) Sometimes you may add if you please a few Red Rose-leaves, or Melilot-flowers, or both.) With this Lignor foment the Part with a soft Sponge for a pretty while, in the Morning, and at Night, having a care that it be applied pretty hot, or at least warm.

90. To make an Excellent Eye-water for Redness and light Films, &c. in the Eye.

Make some Lime-Water, by pouring a Gallon of scalding hot Water upon a pound or somewhat more of Quick-lime; stir them together, and after some Hours decant warily that which is clear. And to a Pound of this Water, put half an Ounce (and no more) of choice Verdigrise pulverized: and in a very moderate Heat extract a Tincture of a fine, but somewhat dilute, Saphirine Colour (but it ought not to be too deep). Decant this very warily, and let a drop or two of it at a time fall into the Eye, as often as need requires.

91. An Excellent Remedy to stop a Violent Disruption in the Eye.

Take red Sage and Rue, of each one handful, a Spoonful of fine Wheat-flower, and the White of a new-laid Egg beaten to Water, mix these very well, and spread them upon very thin Leather or black Silk, and apply it to the Temples; it is to be about the bigness of a Silver Crown at least.

92. An excellent Remedy for Red Eyes, made
such by a Diffusion of a hot or soare Humor.

TAKE the tops of Rosemary about one dram,
and beat them up with one or two ounces
of Rotten Pearmain or Pippin, or if those
cannot be had, with the like Weight of the
soft part of the same Apples that are found.
And when by exquisite Beating, you have re-
duced these things to a Cataplasm, apply them
(the cold being first taken off) to the Part af-
fected, binding it thereupon, and letting it lie
all Night.

93. An Eye-water.

TAKE Houfe Snails, and beat them in their
Shells, and grate them with about an
equal quantity of Juice of Oelandine; draw off
the Water in a cold or Pewter Still (such as is
used for Rose-water) and keep the Liquor that
will come over close stopp'd for your Use.

94. *The Lady Fitz-harding's Eye-Water, which lately cur'd an almost blind Person, whose Eyes look'd like Glass.*

Lady Fitz-harding's Eye-Water.

TAKE three Spoonfuls of White Rose-Water, as much Eye-bright Water, and as much sifted White Sugar-candy as will lie on a Three-pence, and the same quantity of fine Aloes sifted and put to the Water, and shak'd together, and drop a few drops every Night going to Bed.

95. *A Pericarpium, or Wrist-Plaister, that often-times frees the Patients from flying Clouds in the Eyes, and sometimes lesser Specks, especially if Recent.*

TAKE of Rue, Camomile, Hemlock, each half a handful, of Bay-Salt two Spoonfuls, one or two ounces of Leaven; Incorporate these well together, and make thereof Pericarpia, to be apply'd, to the Patients Wrists, and kept on, till growing dry, they become troublesome.

96. *An Excellent Medicine for hot Defluxions, on the Eyes.*

TAKE of prepar'd Tutty half an Ounce, White Rose-water and Frogs spawn-water carefully drawn in very good Canary Wine, of each two Ounces, of *Aqua Mirabilis* half an Ounce; mix these well together, and let fall two or three drops into the Patient's Eye (especially at Bed-time).

97. *An easie but useful Eye-water to keep the Eye cool and moderately dry.*

TAKE two Ounces of Succory-water, half a Dram of prepar'd Tutty, shake them well, and keep them together for use.

98. *An often try'd Pericarpium, or Wrist-Plaster for defluxions and Fumes in the Eyes.*

TAKE Rue, Camomile, Hemlock, Wormwood, of each half a handful, Bay-Salt pulveriz'd about two spoonfuls, sour Dough about an Ounce; mix all these together very diligently, moistning them from time to time with Elder-Vinegar, to a consistence fit for *Pericarpia*, one of which is to be apply'd to the Wrist of that side on which the Part affected is, and to be renewed if there be occasion.

99. For a Phlyctena, or little Tumor in the
carneous Tunicles of the Eyes.

Take the Decoction of Mucilages that is pro-
per for Phlyctena, and dress the Eye from
time to time to ripen the Tumor; Then open
it with a Lancet, and squeeze out all the Mat-
ter; and lastly, cleanse and heal the Part with
Honey. N. B. But when the Tumor is begin-
ning, or not great, you may, in want of the
Decoction of Mucilages, dress the Eye with
the Mixture, of equal parts of the Water of
Melilot, Camomile and Betony.

100. A Plaster to strengthen the Eyes, and stop
Defluents on them.

Take of Frankincense 2 Ounces, Olibanum
and Mastick, each half a Dram; mix
these well, and reduce them into fine Powder,
of which a convenient quantity is to be melt-
ed and spread upon black Ribbon, or some such
thing with a hot Knife or Spatula, and so pre-
sently applied to the Temples.

101. An often experienced Medicine for little
Strokes or Contusions in the Eye.

Take Betony-water three Ounces and five
drops of clarify'd Honey, mix them and
drop a little of the Mixture from time to time
into the Patient's Eye. N. B. Take Succory-
water, Crumbs of White-bread, a little Saffron,
and sometimes a little Honey, for sharp Hu-
mours in the Eye-lids, and burns or small specks
(of the Eye) four Grains of Roman Vitriol to
four Ounces of Water, of either Rose-water,
Succory-water, or Fennel-water, &c.

102. A good Electuary to strengthen the Sight.

Take Conserva of Borage and Betony, of each
an Ounce and half, Venice-Turacke two
Drams, Species Diopis, Dairrhodon abbatis,
Dianthion Santalon, of each half a Dram, Tor-
tar Vitriolate a Scruple, Diacorallion, a Dram
and half, Oyl of Fennel seven drops, Syrup of
Violets and Coral, of each a sufficient quanti-
ty; mix and make an Electuary.

Take Conserva of the whole Plant except the
Root, and having stirred it to chop it a little
and then a Root, and still it is in Rain-
When

103. *A Choice Medicine for an Ophthalmia Sicca.*

TAKE of the Leaves of Fennel, Hyssop, Celandine, Berony, and *Carduus* of each half a handful, or a whole handful; of Linseeds, Quince-seeds, Fennugreek, and Flea-wort, of each half a Dram, of French Barley one Ounce: Boyl all these a little in two quarts of fair water, and half a pint of white-wine. Let the Patient hold his Head (well fitted with a Napkin for the purpose) over the Pumes for about a quarter of an hour.

104. *For a Film, or other such thing growing in the Eye.*

TAKE of Crude Roch-Allom two parts. Turmeric one part, and refined Sugar three parts. Pulverize each of these seperately, then mix them exactly, and warily blow in into the Patient's Eye from time to time, as need shall require.

105. *To make an Excellent as well as Famous Eye-water.*

TAKE Celandine (the whole Plant except the Root) and having shred it or chopt it a little, put it into a Retort, and distil it in Balneo. When

When all the Liquor is come over, empty the Vessel, and put in it as much as the fresh Plant, and distil the Liquor from it to make it more strong of the Plant. Put this Liquor once more upon new or fresh Celandine, and distil in *Balns* as before; and keep this well-impregnated water close stoppt. 'Tis to be outwardly us'd in the Dose of two, or three, or four drops at a time.

106. *A Medicine for Hurts in the Eye.*

TAKE Succory-water and crumbs of white-bread, enough to bring it almost to a consistence; then add a little Saffron to tinge and quicken it, and sometimes also you may put to it a little Honey, to make it more cleansing and healing. Apply it (if need be) with Plagets of Flax to the part affected.

107. *A Remedy that hath cured the Epileptic;*

Give daily half a Dram at a time of choice and very finely powder'd Amber, in any convenient Vehicle for about six weeks together.

re 2. Elixir.

TAKE of the Seeds of Anise, Sweet-Fennel, Coriander and Parsley, of each 2 Ounces; of Liquorish scrap'd, wash'd and bruised, and choice Leaves of Senna, of each likewise two Ounces; of Raisins of the Sun, rub'd clean and bruised one Pound; of Elecampane-Roots and *Guaiacum*-Wood, of each one Ounce. Mix these Ingredients, and pour on them 2 quarts of *Aqua Vita*, or *English Spirits* (for Brandy is too hot a Liquor.) Let these infuse together 48 hours. Then put them all in a Hair Bag, and press them strongly in an Apothecary's Press, and if there be need, pass what is strained, through an *Hippocras*-Bag after the Liquor is settled. Keep this in Bottles well stop'd in a cool place, and give of it two or three Spoonfuls at a time, in the Morning fasting, and if need require, at Bed-time.

109. *An Experienced Remedy for Convulsions and Epilepsies in Children.*

TAKE about half a Dram, or from one Scruple or two, or somewhat more, of well-chosen and very finely powdered Amber, Native Cinnabar 10 Grains; mix them, and of this sweetned with some powdered Sugar, or other fit thing that may give it a Relish; let the Patient take twice a day (at least for most days) during

during six Weeks, unless he fully recovers before that time. And however, he is to take it for two or three days before each New and Full Moon, for some Months successively.

A New and Excellent Mixture for the Cure of the Scurvy.

Take a quart of Spring Water, and having

given it a walm or two, put to it one

Ounce at least of Harts-Horn calcin'd to perfect

whiteness, and when the Mixture is cold,

put to it three Ounces of Syrup made of the

Juice of Lemons; shake this Mixture; when

you will use it, shake it well, and let the Patient

take of it a moderate draught several

times in the Day and Night.

A New and Excellent Mixture for the Cure of the Scurvy.

Take a quart of Spring Water, and having

given it a walm or two, put to it one

Ounce at least of Harts-Horn calcin'd to perfect

whiteness, and when the Mixture is cold,

put to it three Ounces of Syrup made of the

Juice of Lemons; shake this Mixture; when

you will use it, shake it well, and let the Patient

take of it a moderate draught several

times in the Day and Night.

A New and Excellent Mixture for the Cure of the Scurvy.

Take a quart of Spring Water, and having

given it a walm or two, put to it one

Ounce at least of Harts-Horn calcin'd to perfect

whiteness, and when the Mixture is cold,

put to it three Ounces of Syrup made of the

110. *An Excellent Drink in Fevers, even Malignant.*

Take a quart of Spring Water, and having

given it a walm or two, put to it one

Ounce at least of Harts-Horn calcin'd to perfect

whiteness, and when the Mixture is cold,

put to it three Ounces of Syrup made of the

Juice of Lemons; shake this Mixture; when

you will use it, shake it well, and let the Patient

take of it a moderate draught several

times in the Day and Night.

A New and Excellent Mixture for the Cure of the Scurvy.

Take a quart of Spring Water, and having

given it a walm or two, put to it one

Ounce at least of Harts-Horn calcin'd to perfect

whiteness, and when the Mixture is cold,

put to it three Ounces of Syrup made of the

Juice of Lemons; shake this Mixture; when

you will use it, shake it well, and let the Patient

take of it a moderate draught several

times in the Day and Night.

A New and Excellent Mixture for the Cure of the Scurvy.

Take a quart of Spring Water, and having

given it a walm or two, put to it one

112. *An Excellent Remedy for Dysenterical Fluxes.*

TAKE good *Venice* Turpentine, and with a very gentle heat evaporate so much of it, that when 'tis cold, it may be but little short of Coagulation. This yet soft, but not fluid Substance, incorporate with fine Sugar, enough to make it up into Pills, whereof give in the Morning fasting, as many as will amount from a Scruple to half a Dram, or two Scruples, or a whole Dram of the Turpentine, besides the Sugar.

113. *An uncommon but experienc'd Remedy for Dysenterical Fluxes.*

TAKE the Bone of the Thigh of a hang'd Man (perhaps another may serve, but this was still made use of) Calcine it to whiteness, and having purg'd the Patient with an Antimonial Medicine, give him one Dram of this white Powder for one Dose, in some good Cordial, whether Conserve or Liquor.

114. *For the Dysentery, and Fluxes caused by
sharp Humors.*

TAKE from half a Dram to one Dram of *Mercurius Dulcis*, and as much either of Fine Sugar or Sugar-candy, and with some Purgative or other, let the Patient take it once a day, with care that none of it remain in his Mouth, or stick in his Throat.

115. *An often try'd Medicine for Fluxes of the
Belly, though Bloody ones.*

GIVE for a Dose in any convenient Vehicle, as much powdered or grated Pizzle of a Hart or Deer, as will lie upon an ordinary Half-Crown Piece.

116. *An Effected Medicine for Dysenterical and
other Fluxes.*

TAKE of a Hare the Skin, Liver, Gall, and all the Parts, except the Muscles; and having dry'd them so far (and no further) as that they may be conveniently reduced to Powder. Give of this Powder, from about two Scruples to one Dram, in any convenient Vehicle.

117. *An Experienc'd Remedy for sharp Fluxes
of the Belly.*

TAKE a pint of new Milk, and dissolve in it
two Ounces of Loaf Sugar, and at length
about the bigness of a Walnut of good Mithri-
date; give this mixture moderately warm for
a Clyster, to be reiterated if there be occasi-
on.

118. *To stop Fluxes and Whites.*

FOR Fluxes you may in divers cases give
the Patient from time to time a moderate
quantity of a Decoction of half an Ounce of
Ising-glass, in about a pint of new Milk.

119. *An easie Medicine for Fluxes, especially
those caused by sharp Humours.*

INstead of Butter take well condition'd Oyl-
Olive, and thorowly drench therewith a
good Toast, and let the Patient eat it.

120. *For a Bloody-Flux.*

Take half an ounce of *London-Treacle*, an ounce, or an ounce and half of *Conserve of Red Roses*; mix them together with some *Syrup of Clove-Gilly-Flowers*, or *Syrup of Citrons*, and keep them thus mixt in a Pot cover'd for your Use. Take of this about the Quantity of a Walnut at Night, and in the Morning for two days, fasting two hours before and after, intermit then a day, and take it again in the like manner.

121. *A try'd Medicine for the falling down of the Fundament.*

Take some *Ginger*, and having carefully slic'd it, put it in a little Pan, heat it by clear and well-kindled Coals, and let the Patient receive the Fume of it, cast on by little in a kind of Close-stool, or some equivalent Seat, where the lower part of the Body may be well cover'd for about half a quarter of an hour at a time.

G.

122. *A Medicine for a light incipient Gangrene.*

A Fire having lightly scarrify'd the Part affected, apply as hot as the Patient can well bear it, a Cataplasm made of strong Brandy, and the Pith or Crum of White-bread, shifting it three or four times a day, or somewhat oftener, if need be.

N. B. Some use Turnips boil'd, and made Unctuous with a little fresh Hog-Lard to resolve the hard Tumors of Womens Breasts.

123. *A Choice Anodine Clyster.*

TAKE Marsh-Mallow Roots half an ounce, Leaves of the same Mallows, Mullin, of each one handful, Camomile-Flowers two Pugsils: Boil them in a sufficient quantity of Water to ten ounces, Yolks of two Eggs, and Oyl of Camomile an Ounce and half: Mix and make a Clyster for easing Pain.

124. *A Right, but often try'd Medicine for the Gripping of the Guts.*

TAKE about a quarter of a pint of Brandy, and having made a Toast of Bread (not too fine and white) throw it in very hot into the Liquor, and as soon as it is thoroughly drenched under the Patient take it out, and eat it hot; and this may be repeated, if there be need, two or three times a day.

125. *An often try'd Remedy for the Gripes in Little Children.*

TAKE of Oyl of Nutmegs, and of Worm-wood, of each a little quantity, mingle them well, and with the Mixture a little warmed, anoint the Patient's Navil, and the Pit of the Stomach.

126. *To make an Excellent Gargle.*

TAKE six Ounces of Scabious-Water, one Spoonful of Mustard, one Spoonful of Honey, and one Spoonful of Vinegar; grind all these very well together in a Marble or Glass Mortar till you have reduced them to a liquid mixture, which is to be used as a Gargle.

127. *A choice Gargle for a sore Throat.*

TO four ounces of Plantane-water add three or four spoonfuls of Red Rose-water, and mix very well with these the White of an Egg beaten to a Glair, or Water: Sweeten this Mixture with a small spoonful of white Sugar-candy, or in want of that, as much very fine Loaf-Sugar. Let the Patient gargle this as often as need requires.

128. *An Experienced Medicine for a Gonorrhœa.*

TAKE two ounces of ripe Laurel-Berries, and infuse them for a day in a quart of good White-wine: Of this let the Patient drink about two or three spoonfuls twice a day for a pretty while together; only once in three days (or thereabouts) intermitting, that he may take some gentle purging Medicine.

129. *For a Gonorrhœa.*

TAKE choice Mastich a sufficient quantity, and having very finely beaten and search'd it, take about half an ounce of it at a time in the Yolk of a new-laid Egg, washing it down, if it be thought needful, in any convenient Liquor.

130. *An Excellent Remedy to take off the Pains
of the Gout.*

TAKE Minium or Red-Ledd ground fine,
half a pound, Oyl of Earth-worms one
pound, or a sufficient quantity: Boil them to
the consistency of a hard or solid Emplaster,
without burning: Afterwards add of Cam-
phire two ounces, dissolved in Oyl of Earth-
worms, so much as may make an Emplaster
of a just consistency.

131. *An Excellent Ointment in the Gout.*

TAKE Barbadoes-Tar, and Palm-Oyl, of each
a like quantity, melt them together in no
more Fire than is needful to make them incor-
porate well; with this mixture warm, the
Part is to be anointed, and warily chafed.

132. *A slight, but Effectual Medicine to appease
Gouty Pains.*

TAKE Linseed well condition'd, and with a
little Water, beat 'em in a Marble or Glass
Mortar, rubbing them very well, that the Me-
dullary part may be separated in some mea-
sure from the Husk, and may make the Water
considerably white. In this Liquor dip clean
Rags, and when they are thorowly wetted, ap-
ply

ply them somewhat warm to the part affected, shifting them, if need be, once in an hour, or at most in two.

133. *A speedy Remedy to take off Arthritick or Gout-pains.*

Take good Spirit of *Sal. Armeniac*, and with a Feather dip't in it moisten gently all the Part, or Parts affected.

134. *A Medicine that almost presently appeases the pains of the Gout.*

Take of black Soap four Ounces, choice Wood-foot finely sifted about a Dram and half, and add to these about half the Yolk of an Egg: Incorporate them diligently together, and spreading the Mixture somewhat thin, apply it (the cold being first taken off) by way of Cataplasm to the Part affected.

Take I understand well indeed with a little Water, beat one in a Mortar or Glass, and rubbing them very well together, the said pair may be separated in some measure from the Husk, and may make the Water completely white. In this manner the clear Rage and when they are thoroughly mixed, and

135. *A homely, but often try'd Medicine to appease the pains of Scorbucal Running Gouts.*

TAKE Earth-worms cleans'd, and having fill'd an earthen Pot with them, and luted on a cover very well, set it into an Oven with a Batch of Bread, and let it stand there till the Oven be cold. Then take out the Pot, and having remov'd the cover, you will find the Matter turn'd into a gross Liquor all scented. Strain this with expression, and keep it stop'd for use, which is, to rub therewith the part affected with a warm hand once or twice a day. N. B. If the smell be offensive, you may put to it a few drops of Oyl of Rhodium, or some other Odoriferous one, to correct it.

136. *An Excellent Remedy for the Gonorrhoea.*

TAKE of choice Amber, and of Mastich both reduc'd to very fine Powder, and very well mixt, equal parts, and of this Mixture give half a Dram at a time in a proper Vehicle, or in a draught of Chocolate; Continue this for three Weeks or a Month, if need require, purging the day before you begin to take it, and once every Week afterwards, especially when you leave off the use of the Powder.

137. To appease the Pains of the Gour, and by degrees lessen the Fits.

Take one part of *Sal Armoniac*, and 3 parts of Spirit of Wine, neither of them too well rectify'd : shake them together, (and if you please digest them a while) and having dip't old but clean Linnen Rags in the mixture, apply them to the Part affected, shifting them now and then, as need shall require.

138. To make an Excellent Cephalick, or Head powder, good also for the Eyes.

Take the Leaves of Flowers of Betony, Marjoram and Damask-Roses ; also the Flowers of Sage and Rosemary, all at discretion. To these add the Powder of *Lignum Aloe*, and some Seeds of *Nigella Ramana*. Reduce all these to Powder, to be used as a Hair-powder when the Patient goes to Bed.

139. *An useful Drink to be frequently employ'd
to correct sharp Humors.*

TAKE two ounces of choice Barley (*English
or French*) well wash'd from its Dust and
Sordres : Boil this in a quart or more of Spring
water till the Grains begin to burst. Then
strain the Decoction thro' a clean Cloth, and
let the Patient use it at Meals and other times
for his ordinary Drink.

140. *An Experienced Medicine for Dulness of
Hearing, and Hysterical Affections.*

THE Juice of red Onions is excellent for
Diseases of the Ears, and for Deafness in
its beginning. N. B. Betony-Roots also won-
derfully prevail against all Affections of the
Womb.

141. *An Experienced Medicine for the Pains of
the Hemorrhoids.*

TAKE the Sole of an Old Shoe, worn by
some Man that walks much, cut it in
pieces, and burn it, not to white or grey Ashes,
but to a fryable and tender Coat; reduce this
to impalpable Powder, and then with a suffici-
ent quantity of unsalted Lard, make it into an
F 5 Unguent,

Unguent, wherewith the Part affected is to be anointed from time to time.

142. For the Hemorrhoids.

Make a Suppository of Hogs-Lard or Bacon, or instead of that employ Goose-grease made up into the same form.

143. For the Hemorrhoids.

IN the Yolk of an Egg, or a little of some convenient Syrup or Conserve, give from half a Dram, or two Scruples, or one Dram, or somewhat more of Flower of Brimstone, once, or if the case be urgent, twice a day. The Powder may be also given in Milk to those that like it better than Sweet Vehicles.

144. A Choice Internal Remedy for Painful Hemorrhoids.

TAKE about two Scruples of choice Sulphur, vive, and mix it with a little Sugar to make it relish, and give that Dose once, or at most twice a day.

145. *A very choice Medicine for the Pain and Tumors of the Hemorrhoids.*

TAKE fresh Leeks (the whole Plant) shred them small, and fry them well with fresh Butter, till they be fit to be brought to the consistence of a Cataplasim or Poultris, that is to be apply'd very warm to the Part affected and to be renewed from time to time, as need shall require.

146. *An Useful Medicine for the Pain of the Hemorrhoids.*

MAKE up Flower of Brimstone, and an equal weight, or a double of fine Sugar, with a Solution of Gum-Dragon, into Tablets that may weigh about a Dram apiece; of those that contain the most Sulphur you may give one twice a Day, but of the other fort much oftner, if need require.

147. *A choice Remedy for the Pain of the Hemorrhoids.*

TAKE Album Græcum, or White Dogs-turd, reduce'd to an impalpable Powder, mix it up with a sufficient quantity of Goose-grease, and by grinding it well in a Leaden Mortar, reduce

reduce it to a black Oyntment, to be apply'd moderately warm to the part affected.

148. *An Experienced Remedy for Unbroken Hemorrhoids.*

Take calcin'd Oyster-shells, and incorporate them with as much Honey as will make up the Powder into an Ointment, with which the Part affected is to be tenderly anointed from time to time.

149. *For the Hemorrhoids, a very successful try'd Medicine.*

Take Maiden-Leeks (as some call those that grow without having been transplanted) and casting away the green part, make of the bulbous part and a sufficient quantity of whole Oatmeal a Caudle, whereof let the Patient eat plentifully.

150. *A Choice Drink for the Pain of the Hemorrhoids.*

Take Yarrow, and boil an handful of it in about a Pint and an half of Posset-drink, in a covered Vessel, till it be strong of the Plant, and

and of this Decoction let the Patient drink
pretty plentifully from time to time.

131. *An Excellent Remedy for the Pain in the
Hæmorrhoids.*

Take of Mastick, Olibanum, Aloes and Myrrh,
of each a like quantity, powder and mix
them very well; then lay, or strew a sufficient
quantity of this upon a Pledget of Lint or
Cotton, moisten'd thoroughly with Spirit of
Wine, over a few well-kindled Coals, that the
Powder may melt, and be clapt hot to the Pit
of the Stomach, or Navel.

132. *A Medicine for the Pain of the Hæmor-
rhoids.*

Take a quart, or at least, a pint of New Milk,
and Boil it well for a while, and then tak-
ing it off the Fire, presently put it into a Close-
stool in some open-mouth'd Vessel, and let the
Patient sit over the Fume of it.

153. *An excellent Medicine to cure the Boils
of the Hemorrhoids.*

TAKE two fresh Eggs, and roast them pretty hard, then peel off the Shells and mince them. To these add two Pippins, the Core being first taken out, that must be roasted in pap; mix these, and incorporate them very well with the Eggs, reducing all to a kind of Cataplasm, which is to be apply'd very warm, if not very hot, to the Part affected.

154. *A Choice Medicine for Pains of the Hemorrhoids.*

TAKE half a Dram of good Flower of Brimstone, and boil it a little in New Milk, and let the Patient take fasting in the morning both the Liquor and the Powder, for many days successively. And if need be, the like Dose may be taken between 4 and 5 in the Afternoon. Also one may make up the like quantity of Flores, with a little Fine Sugar and Gum Tragacanth, into Tablets or Lozenges, to be taken instead of the Powder and Milk.

155. *An Experienced Liquor to cure the Itch in the Hands or Face, without Mercury or Sulphur.*

TAKE a handful of the Roots of Elecampane, and as much of sharp-pointed Dock, shred them small, and boil them in two quart of Spring-water till the Consumption of a Pint. Then strain the Liquor, and with it let the Patient wash his Hands or other parts affected once (or at most) twice a day.

156. *An Experienced Magnetical Cure of the Yellow-Jaundice.*

TAKE the Gall-Bladder of a Sheep, and near the top, without emptying the Liquor, make a small hole, at which put in two or three drops of the Patient's warm Urine; then tye up the upper part of the Bladder, and hang it in the free Air till it dry up, &c.

157. *A homely, but not ineffectual Medicine for the Yellow-Jaundice.*

GIVE about half a dram of the white Part of Hens-dung dry'd, and mix'd with a little Sugar in a few Spoonfuls of White-wine.

153. *An excellent Medicin^e against the Pains of the Hemorrhoids.*

TAKE two fresh Eggs, and roast them pretty hard, then peel off the Shells and mince them. To these add two Pippins, the Core being first taken out, that must be roasted as pap; mix these, and incorporate them very well with the Eggs, reducing all to a kind of Cataplasm, which is to be apply'd very warm, if not very hot, to the Part affected.

154. *A Choice Medicine for Pains of the Hemorrhoids.*

TAKE half a Dram of good Flower of Brimstone, and boil it a little in New Milk, and let the Patient take fasting in the morning both the Liquor and the Powder, for many days successively. And if need be, the like Dose may be taken between 4 and 5 in the Afternoon. Also one may make up the like quantity of Flores, with a little Fine Sugar and Gum Tragacanth, into Tablets or Lozenges, to be taken instead of the Powder and Milk.

155. An Experienced Liquor to cure the Itch
in the Hands or Face, without Mercury or
Sulphur.

TAke a handful of the Roots of Elecampane,
and as much of sharp-pointed Dock, shred
them small, and boil them in two quartes of
Spring-water till the Consumption of a Pint.
Then strain the Liquor, and with it let the Pa-
tient wash his Hands or other parts affected
once (or at most) twice a day.

156. An Experienced Magnetical Cure of the
Yellow-Jaundice.

TAke the Gall-Bladder of a Sheep, and near
the top, without emptying the Liquor,
make a small hole, at which put in two or three
drops of the Patient's warm Urine; then tye
up the upper part of the Bladder, and hang it
in the free Air till it dry up, &c.

157. A homely, but not ineffectual Medicine for
the Yellow-Jaundice.

GIve about half a dram of the white Part of
Hens-dung dry'd and mix'd with a little
Sugar in a few Spoonfuls of White-wine.

158. *A Medicine almost Specifick for the Yellow-Jaundice.*

Take of clean Filings of Steel a sufficient quantity, and to make them grind the better, mix with them some Loaf-Sugar; grind them long with great Exactness; for in that consists the chief Secret of this Medicine. Of this impalpable powder give about half a dram for a Dose (besides the Sugar) and if need be, give it twice or thrice a day, in any convenient Vehicle.

159. *A Specifick Remedy for the Yellow-Jaundice.*

Take one part of good Saffron dry'd enough to be rubb'd in a Glas Mortar into Powder, and incorporate it well with four parts of choice Turmerick. In the mean time take a handful of fresh Sheeps-dung, and let it steep in about a quart of strong Ale in a moderate heat, till the Liquor be fully impregnated with the Virtue of the Dung. Then strain it lightly through a Linnen Cloth, into a Pint of it, or as large a draught within the limit as the Patient can well take; give about half a Dram of the forementioned mixt Powder. This do in the morning fasting, and in the Evening about Bed-time, giving also another Dose the morning after the first.

K.

160. *The Great Medicine of a Famous Emperick
for the King's-Evil.*

Give for a good while together a pretty
strong Decoction of Devils-bit.

161. *To mitigate Pains in the Kidneys.*

Take Oyl of Scorpions, and Oyl of Bees-
wax, of each a like quantity; mix 'em
well, and with this Mixture moderately warm
anoint the pained Kidney.

162. *An effectual Remedy for Stoppage in the
Kidneys.*

Give in any convenient Liquor about a do-
zen Grains of Salt of Amber for a Dose.

M

L.

163. A pleasant Medicine to appease Scorbutick
Pains in the Limbs.

Take liquid *Syrax*, spread it thin upon
Sclink, or some very fine Kids Leather,
and keep it upon the Part affected till it dry
up of it self, or till the Patient has no more
need of it.

164. An Experienced though simple Medicine
for a Contracture produc'd by keeping of
Limbs too long in an unusuall Posture.

A Noint well once or twice a day, the Part
affected with Dogs-grease, chaffing it in
with a warm hand, and keeping the part warm
afterwards.

M.

165. A good Medicine to increase Milk to those
that give Suck.

Make Pottage with Lentils (which many
distinguish not from Vetches) and let
the Patient use freely of it.

166. And

166. Another Medicine to increase Milk in
 Nurses.

Take Earth-worms, wash them well, free-
 ing them carefully from their Excrements
 and from all adhering Earth and Filth. Then
 dry them so as they may not stink and yet be
 pulverable. Of these reduced to Powder, give
 half a Dram or two Scruples for a Dose, in
 Wine or any other proper Vehicle. (it is also
 good for the Stomach and Liver.)

167. A Remedy by which many Dogs bitten by a
 Mad-Dog, have been all of them preserved
 from running Mad.

Take three Plants (i. e. Roots and Leaves)
 of that Herb which is called Rose-Plan-
 tane, or by some Star-Plantane, and having
 clopt it small with a convenient quantity of
 Butter, let the bitten Dog take in the first day
 the second day give him five plants order'd as
 before and the next day seven. *Lychm. Sala-
 mantica Clus.*

Take the Patient's own Urine moderately
 warm, and with Rags dip in it, and apply
 to the Part affected, and then apply
 them with frequent repetition. This do it need
 be three or four times a day, and if the Tumour
 be

168. *A good Remedy for divers Affections of the Genus Nervosum, or Nervous System.*

TAKE of the fresh Roots of the Male Piony one ounce, of the Seeds of the same Plant two drams, and with a sufficient quantity of the Syrup of Piony, or some Conserve of the like nature, beat them up into an Electuary (which is best done not long before you mean to make use of it) of which the Patient may take the quantity of a small Nutmeg, or more if need be twice a day, and if occasion requires it, thrice.

169. *Aloetick Pills that do scarce at all occasion*
(I have used the Piles.)

TAKE of the Frankfort Angelical Pills, and give of them from one Scruple or half a Dram, or two Scruples, or more for a Dose.

170. *A Medicine for the Pain and Tumor of the Piles.*

TAKE the Patient's own Urine moderately warm, and with Rags dipt in it foment for a while the Parts affected, and then anoint them with *Unguent Populeum*. This do if need be, three or four times a day, and if the Tumors be

be internal, you may then inject a little of the forementioned Urine.

171. *An Excellent Remedy for Scorbutick and other Pains in the Limbs.*

Take red and unsophisticated Oyl of Peter, and anoint therewith from time to time the Part affected.

172. *An easie but excellent Poultis to appease Pains and Aches, even Arthritick or Gout-Pains.*

Take Onions, and boil or stew them in Water, till they be soft enough to make a Poultis; then drain away the Water, and beat them, and having spread them to a good thickness upon a Linnen Cloth, apply them as hot as the Patient can well bear, let them keep them on all Night.

173. *To strengthen a Part weakened by Subluxation.*

Spread *Emplastrum Divinum* upon soft Leather, and apply it, keeping it on for some time.

174. A somewhat rough Emetick, by which the French-Pox has been often cur'd.

Take good Mercury Sublimate, and Mithri-date or Venice-Treacle, of each one Ounce, mix them together, and put them into a quart of Spring-water; set them in Balneo to dissolve in a close Vessel; and of this Liquor well-settled, let the Patient take about half a spoonful, or if need be, a spoonful, but never above a spoonful and a half in four Ounces of small Ale warm, fasting in the Morning, and once in the Afternoon or Evening, the Stomach being empty. Every second day intermit, and give a gentle Purge.

175. A choice Medicine for the Palsie.

Take Sarsaparilla a Pound and half, Bark of Guajacum, China in Chips, of each two Ounces and a half: Boyl all in six Pints of water to a consumption of a third part: At the end add Raisins of the Sun stoned four Ounces, Liquorish bruised one Dram, fat Figs number twelve, boyl and strain it. Of this let the Diseased drink warm, as their ordinary Drink.

176. For a weakness in the hands, arising from Palfie, or an ill cur'd Rheumatism.

Take the tops of Rosemary, and bruising them a little, make them up into a Ball of the bigness of a small Orange, or a large Walnut with the green Husk on. Let the Patient often roll one of these Balls between his hands, and for divers hours in a day grasp one of them in the hand affected, that it may grow hot there, and transmit its *Effluvia*, into the part. Continue this course as long as the Distemper requires.

177. A Choice External Remedy for Paralytick Affections.

Make a strong decoction of Rosemary-leaves (or Flowers if the Season afford them) and let the patient hold the part affected for a good while at a time in the liquor kept very warm. If after several trials this Medicine prove not effectual enough, take ten drops Oyl of Worms, and mix with it well four or five drops Oyl of Turpentine; and with this Mixture well warm'd, anoint the Part from time to time, or else let the Patient keep the part for a good while together, for more than once or twice if need require in warm Rain-water (to dissolve the Scorbutick Salts.)

171. To take off little Pimples, or grating In-
equalities within the Eye-lids.

Take one Spoonful of Eye-bright Water, one
Spoonful of Plantane-Water, and half a
Spoonful of good Red Rose-water; mix these
and put to them about 15 Grains of choice
Turry finely prepared; shake them together,
and then let the Powder fall to the bottom, and
with the clear Liquor moisten the Eye several
times in a day, if it be found needful.

179. For the Pleurisie.

CUT green Broom-rops short, and fill there-
with a Skillet or Pipkin of a Pint and an
half; then fill it up with Ale; boil it softly till
it be wasted to two or three Spoonfuls, it will
look black like Treacle, and be thick. When 'tis
enough, and cold, add as much Mixturade as a
Nutmeg, and mingle it well, and give it the
party warm in Bed; and let him sweat three
Hours or more after it, by adding some Cloaths.
If it help not at first, repeat it next day, or the
second not to fail.

180. *An Experienc'd (and by some good Authors Excellent) Medicine for the Pleurisie.*

TAKE as many fresh Balls of Stone-Horse Dung, as the Horse in good case may disburden himself of at one time; cover these, whilst they are warm, with good White-wine; let them stand a little to act on one another, and then press out gently through a clean Linnen Cloth, as much Liquor or Juice as the Mixture will readily afford; and of this (somewhat warm) give a moderate draught from time to time, as need shall require.

181. *A very often Experienc'd Medicine for the Small-Pox (especially in Children.)*

TAKE the little Balls of fresh Sheeps-dung, and having freed them from straw and dust, and other things foreign to them, put an handful of them thus cleans'd into a quart of good White wine, and in a Vessel well stopp'd, let them infuse in a moderate heat for a Night, or till the Liquor be well impregnated with the taste and colour of them. Strain this Infusion, and give of it warm about a spoonful at a time, once in two or three hours, or oftner if need require. N. B. In case of Necessity, the Infusion may be much sooner made, by putting into the Wine a greater proportion of the Sheeps-dung.

R.

182. *A Successful Remedy for a kind of Rheumatism, and a Contracture of the Limbs that followed upon it.*

TAKE the inward Bark (that which grows next the Wood) of an Elder-Tree, cut or tear it into small bits, and with them loosely plac'd fill about a third part of a Bottle. Then pour in as much small Ale or Beer as will fill up the remaining part of the Vessel, stop it well till the Liquor be strong of the Infusion. And of this let the Patient drink a good draught once or twice a day, or if he can well bear it, let him bear it as a Diet-drink.

183. *An approv'd outward Medicine to cause Rest without Opiates.*

TAKE of Rose-water 8 Ounces, good Wine 4 Ounces, strong Vinegar 2 Ounces; mix these well, and having warm'd stupes in them, foment therewith the part affected, laying them on but moderately warm, but taking them off when they begin to grow cold: This fomenting may last between a quarter and half an hour before the Patient should compose himself to Rest.

S.

184. *A choice and diversify'd Medicine for the Scurvy.*

FROM the freshly gather'd tops of Fir a little bruis'd, abstract Spirit of Wine, or at least good *Nants* Brandy, and with this Liquor draw a deep Tincture from other fresh tops, of which Tincture redure some part into an Extract, whereof to form Pills; keep these, the Tincture, and the impregnated Liquor apart, to be employ'd seperately or conjointly, as occasion may require.

185. *For an Excoriation, and for preternatural Tenderness of any part of the Skin.*

TAKE *Unguentum Diapompholigos*, and spread it thinly upon Lint, which must be apply'd to the part affected, and kept on by a Bandage or some sticking Plaister.

186. *To take off the heat and roughness of the Skin, especially on the Lips.*

A Noint the Part affected with fresh (or at least not too stale) Cream.

187. *To take out the Marks of Gun-powder, shot into the Skin or Face, or elsewhere.*

TAke fresh Cow-dung, and having warm'd it a little, apply it as a thin Poultis to the part affected, renewing it from time to time as occasion shall require.

188. *An Excellent Medicine to strengthen a weak Sight.*

TAke Eye-bright, Penny-royal, Rue, Celandine, Lovage, Saxifrage, of each half a handful, Blew-bottle-Flowers, Fennel-seeds, Parsley-seeds, of each half a Dram, Grains of Paradise one Dram, Hyssop, Organy, Willow-leaves, each half an Ounce, Galingal three Drams, Ginger half a Dram, Cinnamon one Dram, Sugar half an Ounce. Let them be finely powder'd, and very well mixt together. Take of this Powder one Scruple, or half a Dram every day with your Dinner.

189. *A distilled Water for strengthening the Sight.*

TAke Rosemary-Flowers, Sage, Betony, Rue, and Succory, of each one handful. Infuse these in two quarts of good Sack, distil them in

a

a Copper Alembick. The Dose is a moderate spoonful.

196. *A Choice Medicine, which I have several times used for a light Stroke or Contusion of the Eye.*

PUT to two Ounces of *Carduus*-Water, or that of *Berony*, three or four drops of *Honey*, use it every three hours. (But have a care not to keep it above a day or two, lest it grow sour.)

197. *A much commended Powder to strengthen the Sight.*

POWDER of Eye-bright one Ounce, ordinary Fennel-seed in Powder half an Ounce, powder of Nutmegs half a quarter of an Ounce, double refin'd Sugar two Ounces. All these being finely powder'd and sifted, are to be mixt together, and taken as much as will lye on a Shilling at a time, as often as you please. The Powder is to be taken dry, and kept in a Box close shut in some dry place. This has done great Cures in dimness of Sight, and Rheums in the Eyes.

192. *To make a Drink to be taken like Tea, for strengthening the Sight.*

TO a quart of Water ready to boyl, put in half a handful of Eye-bright, and then let the Liquor boyl but one walm or two, before you take it off to drink instead of Tea.

193. *A rare Water to strengthen the Sight.*

TAKE Clary, and distil it in a cold Still; and of the Water, let the Patient take every Morning, and if need be, every Night going to Bed, from two or three spoonfuls to six, either alone, or sweetned with a little Sugar; let him also with the same Water unsweetn'd, bath or wash the parts affected in the Morning, and at Bed-time; and if need be, once or twice more every day.

194. *An Excellent External Medicine to strengthen the Stomach.*

TAKE Wormwood, Mint, and Mug-wort, and by beating them well in a stone or glass Mortar, make a Cataplasm, to be apply'd somewhat warm to the Stomach, and kept upon it for a pretty while.

195. *An*

195. *An often try'd Remedy to strengthen the Stomach, and also to take off Gripping Pains in or near it. ('Tis good also for Cold.)*

TAKE *Emplastrum Stomacum* of the London Dispensatory, and drop upon it five or six drops of Oyl of Cinnamon, rubbing it well over with your Finger, and so apply it to the Patient's Stomach, and after three or four days, or as soon as it grows dry, remove it, and having scrap'd the Plaister, and warm'd it on the wrong side, let fall some drops of the Oyl of Cinnamon upon it, or more drops of the Cordial Spirit, and apply it again.

196. *An Excellent Plaister to strengthen the Stomach and Chest.*

TAKE of Cinnamon, Nutmegs, Cloves, and Mace, of each a sufficient quantity, powder them well, and strew some of the Powder all over the bottom of a Deal Box of a convenient length and breadth, and fit it with a cover to shut close; upon this Powder lay a piece of clean Flannel well dry'd, and strew it over thinly with some of the same Powder; then lay on another piece of the like Flannel of the same Dimensions with the former, and upon that likewise, if need be, a little more Powder. This done, shut the Box till the time of use, and then

take out one of the pieces of Flannel, and having lightly dusted off the Powder, lay it on the Patient's Breast, Stomach, and Belly, and let it lye on there for some days. When you perceive its Verrue begin to languish, you must substitute for it the other piece of Flannel, and put the first in the Box to receive new Virtue, and so proceed alternatively as long as you need the Medicine, adding now and then some fresh Powder, if Necessity require. *Note*, That each piece of Flannel ought to be long and large enough to cover the Breast, and to reach from about the Paps to the Navel, or lower.

197. *For a Recent Strain.*

TAKE a pint or more of Claret-Wine, and boyl in it for a little while, in a close Vessel, about a handful of Red Rose-Leaves, till the Liqueur be strong of the Plant. In this well heated dip a piece of Linnen or Flannel, and wringing out the moisture, double it, and apply it hot to the part affected, using a Fillet, or some such thing to keep it on.

198. *My Lord Bacon's Experienc'd Medicine for a Recent Strain or Bruise.*

TAKE a good handful of fresh Wormwood, and boyl it in a sufficient quantity of strong Ale to the softness of a Poultis; then take it off the fire, and when you apply it, which you should do whilst 'tis very hot, put to it a spoonful or two of good common Brandy.

199. *A choice Plaster for a Recent Strain.*

TAKE equal parts of the Plaisters called *Dialpa* and *Oxyroceum*, and make of them a compounded Plaster, to be spread upon thin Leather, and apply'd to the part affected, and to be renewed, if need be, twice a day.

200. *An approved Medicine for a Recent Strain.*

APPly seasonably a Cataplasim made of Bran boyl'd in good Vinegar, till it be soft enough to make a Poultis.

201. *A slight but choise Remedy for a recent Strain.*

Take two spoonfulls of Vinegar, and beat in-
to it very well the white of an Egg, and
spreading it upon Flax or Tow, apply it to, and
keep it on the part affected.

202. *A parable but excellent Medicine in the Fits of the Stone.*

Take somewhat less than a handful of red
Chick-Pease, or Cicers, and boyl them
softly in a quart of Spring-water till the Li-
quor be red, and well impregnated with the
Seeds: strain this Decoction, and sweeten it
with Syrup of Marsh-Mallows, out of which
all the stronger Diureticks are left.

203. *For the Stone.*

Take a quart or half a pint of simple Ar-
mart-Water, sweeten it with a little Su-
gar, or some convenient Syrup, and Aromatize
it with a little Nutmeg scrap'd, and give this
Mixture for one Dose.

204. *For*

204. *For the Stone and Gravel in the Reins and Bladder.*

TAKE equal weights of common *Danew*-seeds, and of Burdock-seed, and having mixt these together; put one Ounce of the Mixture to a Gallon of small Ale; and let the Patient use it as a constant Drink.

205. *A good Liquor to use as Drink in a long Fit of the Stone.*

MAKE Posset-drink of three or four parts at most of Milk, and one of White-Wine. Into two quarts of Posset-drink scrape or thinly slice a Nutmeg and a half, or two Nutmegs; add a little Juice of Lemon to your Palate, and if you please, sweeten it a little with Syrup of Marsh-Mallows. Take of this Drink a pretty quantity at a time, and use it often in a day.

206. *A good Medicine for the Stone.*

TAKE a pint or a quart of Ale, somewhat new, sweeten it with pure Honey, and boyl it to the consumption of about one half, skimming it well from time to time. Then dissolve in it the Yolk of a new-laid Egg; and let the Patient drink a good draught of this Mixture once or twice a day, till he find relief thereby.

207. *A Choice Medicine in an actual Fit of the Stone.*

TAKE the Decoction made according to the *London Dispensatory* for the Syrup of Marsh-Mallows, with this difference, That to the same quantity of Water, you must take but half the quantities of each of the Ingredients. Let this corrected Decoction be well clarify'd, and let the Patient take it warm 6, 8, or 10 Ounces at a draught, from time to time, as need shall require.

 208. *The Stone, and the Cure. Taken out of the History of the Barbadoes, written by Rich. Lygon, Gent. p. 118, 119.*

AFter the stoppage of Urine more than fourteen days, the following Medicine did not only break, but brought away all the Stones and Gravel. And about three Weeks after, the like Pains returning, the same Medicine did the like effect within ten hours after the taking thereof.

Take the Pizzle of a green Turtle (or Tortoise) which lives in the Sea, dry it with a moderate heat; pound it in a Mortar to powder, and take of this as much as will lye upon a Shilling, in Beer, Ale, White-Wine, or the like; and in a very short time it will do the Cure. These are to be had easily, both at the *Charibee*

ribee and Lucanick Islands, where these Fishes abound.

209. *A good Medicine in Pains of the Stone, or Cholick.*

Take half a pint of good Saller-Oyl, and as much good Sack (or if that cannot be had, good Claret-Wine) shake them very well together, and give them moderately warm for a Clyster.

210. *To expel the Stone in a Fit.*

Take Crabs-eyes powder'd, and dissolve a large proportion of them in good White-wine Vinegar, and of this Drink let the Patient take from two spoonfuls to five or six at a time.

211. *An almost Specifick Remedy for the Tooth-ach.*

INto a quart of red Wine (or at least of Claret) put one Dram of Allom and another of Acorns, a Dram and half of Galls, and half a handful of good dry'd Rose-Leaves. Boil this to the consumption of near half, and then take

134 *Mr. Boyle's Receipts.* Vol. II.

ir from the Fire and strain it, and dissolve it in a Dram and half of *Acacia* cut into small bits, and with this Lignor a little hot, you must wash the part several times in a day.

212. *An uncommon, but not unuseful Remedy for the Tooth-Ach.*

LET the Patient lie on the Ear that is opposite to the part affected, and into the other Ear, drop two or three drops of the freshly expressed Juice of Rue a little warm, and stop the Ear lightly with fine black Wooll or Cotton.

213. *An odd, but very successful External Remedy for the Tooth-Ach.*

IN the declining of the Moon in *August*, take the Fruit called *Hipps*, viz. those of the Wild Brier, with all the Fuzey stuff that grows upon it; and lapping it up in a piece of thin Sarcenet, rye it upon the Arm that is on the same side with the part affected, and keep it on as long as there is need.

214. *For the Tooth-ach.*

TAKE a handful of Red Sage, and a handful of Clary; shred them small, and beat them, sprinkle them with *May-Dew*; then strain out the Juice, put it in a Glass Bottle, and set it in the Sun in a Window, and when you use it put three drops into a Spoon, and heat it over a Candle blood-warm, and drop it into the Ear, and let them eat a Crust of Bread wet either in Broth or Posset, and chew it up on the Teeth that ake.

215. *An approved Medicine for an aking Tooth that is hollow.*

TAKE two parts of common Pepper ground to fine Powder, and mix exactly with it one part of Sugar moderately fine over a gentle heat; form these into a small Pill of a shape and bigness fit for your purpose; and when your Stuff grows cold, it will harden, and may be apply'd when you please to the Part affected.

216. *An excellent Remedy to fasten Teeth.*

TAKE of burnt Allum, Acorns, of each one Dram, Galls a Dram and half, Red Roses half a handful. Beat all these together, and make

236 *Mr. Boyle's Receipts. Vol. II.*

make them boil in about a quart of good Red Wine, to the consumption of about a fourth part. Then strain the Decoction, and dissolve in the transmitted Liquor of good *Achatia* cut into very small bits half a Dram. With this Decoction the Mouth is to be wash'd several times in a day.

217. *To fasten the Teeth.*

PUT Mastick finely powder'd upon the end of an Handkerchief, rub your Teeth therewith twice or thrice in a day, and chew Mastick often. Also boil Pomegranate Flowers with Mint or Mastick, in Red or Claret Wine. Gargle or wash your mouth often with it.

218. *A Medicine prescrib'd to a great Prince (Charles the First) to fasten the Teeth.*

TAKE a Pint of Spring-water, and put to it four Ounces of Brandy; let the Patient wash his mouth with the Mixture of these every morning, and twice or thrice a day besides; and let him in the morning rowl for a little while, a bit of Roch-Allom to and fro in his mouth.

219. *A good Astringent Liquor to fasten the Teeth.*

TO four Ounces of Claret-Wine, or some other convenient *Menstruum* you may put to dissolve about four Drams of *Terra Japonica*.

220. *An Excellent Medicine to fasten the Teeth in Scorbutick Gums.*

TAKE of choice Bole-Armoniaek two drams, choice Myrrh (not lucid) one dram, Roch-Allom crude half a dram, Claret-Wine one Pint; boil these softly a little while together, and let the Patient use twice, thrice (or if need be oftner) in a day.

221. *To fasten Teeth, made loose by the Scurvy.*

ANoint the Parts affected with *Oleum Myrrhe* made by *Deliquium*, with Whites of Eggs, boil'd hard.

222. *A Lotion to fasten the Teeth.*

IN a quart of Spring-water Decoct for a while one Ounce of the best Terra Japonica reduc'd to gross Ponder. And then having filter'd the Decoction, keep it close stop'd for use.

223. *A good Astringent Liquor to fasten loose Teeth.*

IN a pint of Red Wine infuse about half an ounce of Terra Japonica, till as much as will be dissolved be taken up by the Liquor. Decant it from the Faces (if there be need) and keep it well stop'd for use.

224. *An Useful Liquor to fasten the Teeth, and prevent the Tooth-ach.*

TO a pint of Spring-water put half an ounce clean Sal Armoniack, and with the Solution of this Salt let the Patient wash his mouth from time to time.

225. *To make an Excellent Poultis to ripen Tumors.*

TAKE eight ounces of (fat) Figs, two ounces of white Lilly-Roots, and two ounces of Bean-Flower (or Meal :) Boil these together in Water, and reduce them to the consistence of a Poultis; which is to be spread to a good thickness, and laid warm enough upon the Part, and shifted as often as it begins to grow dry.

226. *An Excellent Medicine to relieve those that are troubled with Tumors in the Throat, and some other Parts.*

TO a quart of New Milk put a handful of Mallow-leaves, with as much of the Leaves of *Solanum*, or Nightshade; shred them small, let them boil, till the Herbs be tender as if they were to be eaten. Then put into the Milk as much Crumbs of White-bread, as being stirred well with the other Ingredients, will bring all to the consistence of a Poultis. This is to be spread upon a stay for the Throat, or some other thing fit to be applied to any other part affected, and is to be laid on as hot as the Patient can well endure it, and when it begins to grow cold, it is to be succeeded by fresh made very hot, and so long as the case shall require.

227. *A Medicine that lately cur'd an obstinate Tumor of the Knee, that had baffl'd some Chirurgeons.*

TAKE a green Colewort-Leaf with red Veins or Streaks, and having cut the Ribs flat, and almost level to the rest of the Leaf, bruise it with the Haft of a knife, or some such thing, apply it to the Part affected, renewing it once or twice a day.

228. *A Powerful and Experienced Topick for a Sore Throat.*

TAKE two new-laid Eggs roasted moderately hard, and the Pap of two well roasted Pippins; beat them well together, and add to them as much Curds of Posset made with Ale. Having incorporated them all very well, apply the mixture very warm to the Part affected, shifting it if need be, once in five or six hours.

229. *An approved Remedy for a Sore Throat.*

TAKE Verjuice of Grapes one Ounce, good Honey half an ounce, crude Allom about a Dram and half, and Sea-Salt half a Dram; Powder the Salts finely; and incorporate them very well with the Liquors into the form of a kind of Liniment. In this dip a long feather
or

or a piece of Rag tied about the end of a slender Stick (as of Liquorish) and with it touch the Part affected three, four, or five times; between each two times gargling with a Mixture of Plantane-water, and some Red Rose-water.

230. *A Choice External Remedy for a Sore Throat.*

Take *Millepedes*, Sows or Hogs-Lice alive, and sew them up between the foldings of a piece of Linnen, and apply them to the Throat in the form of a Stay, which is to be kept on all Nighr.

231. *An easie, but try'd Remedy for a Sore Throat.*

Take Bay-Salt dry'd, and having pounded it, put it into the folds of a Rag, in a sufficient quantity to make a Stay to be ty'd about the Throat, and apply it over Night as hot as the Patient can conveniently endure it.

232. *A Choice Remedy for a Sore Throat, especially if inflamed.*

TAKE a little handful of the Leaves of common Mallows, and eight or ten good Figs; boil these about a quarter of an hour in a Pint of New Milk, and let the Patient use it very hot and often.

233. *A homely, but experienced Medicine for a Sore Throat.*

TAKE about one Dram of *Album Grcoum*, or white Dogs Turd, burnt to perfect whiteness, and with about one ounce of Honey of Roses, or clarified Honey, make thereof a *Lingum* to be very slowly let down the Throat.

234. *A homely, but experienced Remedy for a Sore Throat.*

INto the Leg of a Worsted Stocking that has been long worn next to the Flesh, put in a sufficient quantity of good Sea-Salt exactly dried, or else decipated; and this Salt being put in warm, if not hot, the Stocking is to be tied about the Patient's Neck, and kept on all Night. And if by the next day the Distemper be not removed, you may apply fresh Salt (in the proportion) in the same Stocking as before, the Night following.

235. *A try'd Medicine for a Sore Throat, caus'd by acid Humors in the internal Parts of it.*

TAKE half a handful of the Leaves of common Mallows, and boil them in about a Pint of New Milk near half an hour; then let it run through a clean Cloth, and let the Patient use it a little warm three or four times a day as a Gargle; or else let him use it by holding it in his mouth, and letting some drops slowly slide down his Throat.

236. *An often Experienced Remedy for Tettars and the Itch.*

TAKE Flowers of Sulphur finely powder'd, Ginger and burnt Allom, each alike, save that of the Allom there must be somewhat less. Incorporate these with as much fresh Butter (without any Salt) as will bring them to the consistence of an Ointment: with this anoint the Part affected at Bed-time, as hot as the Patient can well endure it, and let it lay on all Night, wash it off in the Morning with Celandine-water well heated: and whilst you continue the use of this Medicine, take daily some Cordial, to keep the noxious Humour from being driven inwards. This will not fail to do the Work.

237. *A Choice Medicine for a Thrush in Young Children, or a Sore Mouth.*

TAKE an Egg, and put out the meat, then fill it with the Juice of Red Sage, and set it on hot Embers till it boil; then skim it whilst any skum doth arise. Then take as much Allom beaten as the bigness of a Pea or Bean, and half a spoonful of Honey, and let this be put in the Egg and boil it a little, and so take it off; and when 'tis cold, rub the Child's Mouth as oft as you see cause.

238. *An almost specifick Medicine for a Tenesmus.*

MIX Balsam of Sulphur made with Oyl of Turpentine, with Linseed-Oyl, or some other convenient Oyl, till the Balsam be thereby so far allay'd, that the Patient may well endure it; and then let him dip his Finger in it, and make use of it as a small Suppository two or three times, or if need be, oftener in a day.

U.

239. *An Excellent Emulsion to be used in sharpness of Urine, especially caused by Blistring Plaisters.*

TAKE Mallows two handfuls, Gum Araback two Drams, Barly-water a sufficient quantity; boyl all to a quart, to which add sweet Al.

I. Vol. II. Mr. Boyle's Receipts. 145

Almonds blanch'd one Ounce, of the four great cold Seeds, of each two Drams. Make an Emulsion, strain, and add two Ounces of Symp of Marsh-Mallows, of which drink at Pleasure.

240. A Powerful Medicine for Stoppage of Urine.

FRY Chervil with a sufficient quantity of Oyl of Walnuts, and apply a Cataplasim made of it very hot to the Navel (and if need be, to the Os Pubis) or Share-bone.

241. For a Retention of Urine.

TAKE Chervil, and with fresh Hogs-lard fry it well, and lay it very hot upon the Patient's Navil, and all the adjacent Parts, shifting it, if there be need, once or twice.

242. An useful Powder for such as cannot hold their Urine.

TAKE Root of the Male Piony, Yellow Amber, Red Coral, and choice Gum Araback, of each a sufficient quantity: Reduce them to fine Powder, mix them well, and let the Patient take of this Mixture from 10 to 20 Grains twice a day.

243. *An easie Medicine for sharpness of Urine, and for Obstruction of the Menfes, and their flowing too much, if the Distempers be not Ob-
stinate.*

Give about half an Ounce at a time of the newly exprest Juice of Ground-Ivy in any convenient Vehicle.

244. *An Old Lithotomist's Medicine for Sup-
pression of Urine, (given me by himself.)*

Give from about 50 Grains to one Dram for a Dose of the Pulvis Holandi, and if the Necessity be very urgent, you may give from one Dram, to four Scruples, or a Dram and half, not neglecting in the mean while other proper Remedies.

245. *For Suppression of Urine.*

Give about a Spoonful at a time of bruised Mustard-seed in any convenient Vehicle.

246. *A tryed Medicine for a Suppression of Urine
that is not very Obstinate.*

Dissolve half an Ounce of choice Castile-Soap in half a Pinne of White-wine, or some appropriated Liquor; pass the Solution through a Woollen Filter, that the more greasie parts may

Vol. II. *Mr. Boyle's Receipts.* 147

may rest behind, and the Liquor pass more clear; put to this five or six Grains of Saffron: Divide it into two Doses, whereof one is to be given some few hours after the other, if the first do not Operate well.

247. *A speedy Remedy for Fits of Vomiting.*

TAKE a large Nutmeg, grate off one half of it, and toast the flat side of the other, till the Oily part begin to ouze or sweat out; then clap it to the Pit of the Patient's Stomach as hot as he can well endure it, and let him keep it on whilst it continues warm, and then if need be, put on another.

248. *To make an Astringent Liquor, of great use in Ulcers and (same) Wounds.*

BOYL two Drams of choice Catechu, or *Japan Earth*, in a quart of Spring-water; pour off the clear, and with it by Injection, or otherwise dress the Ulcers or Wounds.

249. *For Outward Ulcers.*

TAKE the green Bark of Oak, and chop it altogether, both inside, and outside, into very small pieces. Upon these pour good Lime-water freshly made, and let them infuse in it till the Liquor has acquir'd a deep Tincture. With this dress the Ulcer once, and if need require twice a day.

250. *The Famous Scotch Empirical Medicine
for a Stubborn Ulcer.*

BURN to Ashes, but not too much, the gross stalks on which the red Colewort (not Cabbage) grows, and with any fit Additament, make thereof a Cataplasim to be apply'd to the Ulcer, and shift it at reasonable distances of time.

251. *A Remedy against the Bitings of Vipers,
and other Venomous Creatures.*

AS soon as ever one is bitten (for if the Poyson be diffus'd through the Mass of Blood, the Experiment may not succeed) a hot Iron may be held as near the Wound as the Patient can possible endure, till it has, as they speak, drawn out all the Poyson, which will sometimes adhere like a yellowish Spot to the Surface of the Iron.

252. *A Medicine against Voiding of Blood out
of several Parts.*

TAKE two Drams of Henbane-seed, and the like weight of white Poppy-seed; beat them up with an Ounce of Conserve of Red Roses, of which give to the quantity of a Nutmeg or Walnut.

Or, Take the express'd Juice of twelve handfuls of Plantane-Leaves, and six Ounces of fresh Comfrey-Roots, well beaten together with

Vol. II. *Mr. Boyle's Receipts.* 149

a convenient quantity of fine Sugar. These two Medicines have wonderful effects to stop Bleeding.

253. *A Simple but Powerful Remedy for fresh Wounds.*

TAKE the Juice of Celandine, and dress with it Recent Wounds and Cuts, instead of a Balsam.

254. *To make a Simple, but Excellent Balsam to stench the Blood of fresh Wounds newly made, and to heal them speedily.*

TAKE good Venice-Turpentine, and in a Limbeck, or some other convenient Vessel, distil off a good Part of it with a very moderate Fire, till there remains a thick Substance, yet not like Colophony, but of a Liquid and Balsamick Consistence. What you have distill'd off let aside for other uses, for the remaining Substance is what we now seek for, and is to be apply'd as a Balsam both *per se*, and with Plagets and other helps.

255. *An Excellent Wound-Drink.*

TAKE Harts-tongue, Liverwort, Wood-Bugle, Wood-Sage, Wood-Berony, Southernwood, Wormwood, Alehoof, Bugloss, Scabious, Ribwort, White-bottles, Mugwort, Comfrey, Mint, Agrimony,

Agimony, Strawberry and Violet-leaves, Cinquefoil, Daisie-Leaves, Roots, and Flowers, Wild Honey-suckles, Wild Angelica, Avena, Plantane, Clowns, Wound-wort, Haw-thorn-buds, Oak-buds, and Bramble-buds.

Gather these Herbs in *May*, or as many as can then be had; the Buds in *March* as soon as ever they put forth, before they come to Leaves; measure them, and take equal quantities of them, and dry them severally in the shade, and when thoroughly dryed put them up in Bags, and so keep them for use.

How to make the Drink.

Take one Gallon of Spring-water, one Pot-
tle of the best White-wine, add to this two
good handfuls of all the Herbs, mingled well
together being dryed; but if green, then one
good handful of each. Boyl them in a Pipkin
or Iron-Pot to the consumption of the half;
then strain it out, and put to the Liquor a quart
of Honey, and let it boyl again, and skim it,
and when it's cold, put it up into Bottles stopp'd
very close; then let the Patient drink thereof
Morning and Evening about a quarter of a Pint
at a time (some use only three Spoonfuls at a
time) fasting after taking of it one hour or two.
Observe, the Liverwort is ever best to be put
in green. If you make use of this for any
Sore or Ulcer in the Body, lay any Searchcloth
or Plaister to it, of *Unguentum Apostol.* or *Mi-
nium*, or such like, as they use for Wounds in
the Body, or a Plaister of Honey and Wax.

This.

This Drink is effectual for Sores old or new, Womens Breasts, purified Bones, causing them to scale; 'tis good for any Ach in the Stomach, for the King's-Evil it hath cured, also caused Bullets in the Flesh to come out, having long continued there. Sir Jo. Mince was healed by drinking of this, being wounded through the Loyns.

256. *A quick Remedy for a small and fresh Cut, or Wound.*

LET the Patient speedily plunge the hurt part into Brandy, and keep it there for a while, till the Pain, which will be excited, be extinguisht, or much abated: Or if the Part be unfit for this Operation, the Liquor may be apply'd to it immediately with a soft Sponge, &c.

257. *A good Vehicle for divers Remedies, and that 'tis it self useful against the Jaundies, and Worms in Children.*

THE distill'd Water of the Husks of Walnuts is a very good Vehicle in divers Diseases, particularly in Jaundies; 'tis a Cordial, and exceeding proper to be mixt with Julips in Fevers. 'Tis also an excellent Antivermifary, or Medicine against the Worms, especially for Children.

258. A Powerful Medicine for White Fluors,
(and the like Distempers.)

TAke a Pottle of Ale, and shred into it two
Ounces of white Iobthyocolla (Hinglafs,) and in a loosely stopr Vessel, let the Liquor
simper till about half is wasted; strain the rest,
and give of it two or three Ounces at a time
once or twice a day, as need shall require.

259. A tryed Medicine for an Ulcus Uteri.

TAke of true and choice Bitumen Judaicum,
or Asphaltum, and having reduc'd it to
very fine Powder, let the Patient take of it a-
bout a Dram at a time in any proper Vehicle;
once or twice a day.

260. An Excellent Water to preserve the Sight.

TO half an Ounce of Celandine-Water,
and two drams of Succory-water, mixt
together, put two or three drops of clarify'd
Honey, and shake them all together when you
are to use them. Of this Water let fall a drop
or two into the Eye once or twice a day. It
will not keep above three or four days, especi-
ally in Summer, and therefore must be often
renewed.

261. A tryed Medicine for a Whitlow.

TAKE House Snails and beat them, shells and all, in a Stone or Wooden Mortar, so long till they be reduc'd to the Consistence of a Cataplasm; which apply somewhat warm to the Part affected, and keep it on for 16 or 24 hours, renewing it then if need be.

262. A powerfully Dissolving Oyntment for Wounds and divers Tumors.

TAKE May Butter, and having melted it in moderate heat, mix with it very diligently, but by little and little, as much Oyl of Tartar *per deliq.* as will give it a sensible, but not a considerably strong taste.

263. An Experienced Remedy for Bloody Water.

TAKE Waters of the black Alder, of Mal-lows, of each three Ounces, Syrup of Comfrey one Ounce: mix them, and let the Patient take four spoonfuls immediately; and four or five times a day.

264. *To make a well-experimented Lime-Water.*

TAKE fresh Quick-lime 2 Pound, on which pour two Gallons of Water boyling hot; when they have stood together about 24 hours, pour off the clear, and into one Gallon of this, put of Aniseeds, Liquorish, and Sassafras thinly slic'd, of each four Ounces. Let them infuse for 24. or 48 hours in a cover'd Vessel; then take a pound and a half of *Smirna* Raisins (which some call great blew Currans) wash'd and stamp'd. Let these infuse for a few hours, and then pass the whole Mixture first through a Sieve, and then through a woollen Bag. The Dose is about a quarter of a pint warm twice a day.

265. *An Experienc'd Medicine to Correct the peccant Humour in the Kings-Evil.*

TAKE half an Ounce of Cattle-Bone dry'd, till it may be finely powder'd. Give this to the Patient for one Dose.

266. An Excellent and often try'd Glyster in Fluxes, especially in sharp Humors, and some other Distempers of the Bowels.

IN a Quart of New Milk boyl softly two small spoonful of grossly powder'd Rice, till it be brought to the consistence of Cream, then dissolve in it two Ounces of our Suet of Sheep-Kidneys, and having strain'd it to keep back the Fibres, give it at once for a Lavement.

267. A Cure for Schrophula's, and the Kings-Evil.

TAKE a handful of *Paronychia folio rutaceo*, called Rue Whirlow-grass, and by some, Felon-wort, boyl it every Morning in a quart of small Beer, strain it, and drink it for your ordinary Drink. It waxes the peccant Humor, appeases the Pains, discusses the unbroken Tumors, and heals the broken ones.

268. Against Epilepsies, or the Falling Sickness.

TAKE of the Powder of the true Misselroe of the Oak as much as will lye upon a Sixpence, early in the Morning, in Black Cherry-water, for some days near the Full Moon.

269. *A simple Remedy for the Stone.*

Take *Perficaria*, or *Asmarr*, as much as you please: Distil it in a common Rose-water Still, and give some Spoonfuls of it in or before the Fits.

270. *An Excellent Remedy against Fluxes.*

Take unsalted Butter, boyl it gently till a pretty part be consumed, skimming it diligently from time to time, whilst it stands over the Fire: Of this Butter melted give now and then a considerable quantity, as the Patient is able to bear it. This Medicine was very Successful in Ireland.

FINIS.

137
A
SUPPLEMENT

TO
Mr. Boyle's Collections

*Of Safe and Choice Remedies, taken
from his own Manuscripts, added to
the Fourth Edition, never Printed
before.*

271. *An excellent and often experienc'd Medi-
cine for Convulsions, especially in Children.*

TAKE a Pound of the true single Piony-
Roots, scrape and slice them as thin
as Paper into three Pints of White-
wine, infuse it all Night on Embers
in a Pipkin close cover'd and pasted up: In the
Morning strain it out hard, and put in a quar-
ter of an Ounce of Castor in fine Powder, an
Ounce of the best Spirit of Castor, 30 Grains
of the Moss of a Dead Man's Scull, and 30 Grains
of the Scull it self: Put all these into a strong
Glais that is very dry, and shake them half an
Hour with all your might. It may be given in
A Fir: A spoonful to a young Child; to a Man,
or

or a Woman a wine Glass; I usually mix Black Cherry-water with it.

272. *The Pills for the Dropsie that are much us'd by a Person, esteem'd for the Cures he has done on that Disease.*

TAKE Gambogia, Gum Ammoniacum, of each a Dram, and a half Diagridium, and Tartar Vitriolate a Dram, with Syrup of Buckthorn, make a Mass for Pills. Dose from 15 Grains to half a Dram.

273. *An easy but effectual Medicine for the roughness of the Lips, and to heal Parts that have the Scarf-Skin worn off.*

TAKE two Parts of Wax, and one of the freshest Butter, melt and incorporate them over a gentle Fire; and then let the mixture drop into small Cakes, upon a glaz'd Tile or a Plate (whether Pewter or Silver) dipt in Water, or else upon a piece of wetted white Paper.

274. *A good and try'd way to make an Artificial Wine, that is soon drinkable, and serves to keep the Body soluble.*

TAKE a Gallon of boiling Water, and pour it upon three Pounds of Raisins of the Sun, ston'd and well brui'd; by squeezing and pressing, get out the Juice as thorowly as you can from the Skins, &c. and having strain'd, put to it a Pound of brown Sugar Candy.

275. *A not unpleasant Purge for Children and Delicate Persons.*

IN the Yolk of an Egg dissolve, by rubbing them very well in a clean Glass or Stone Mortar, about six Grains of choice Resin of Jalap finely powdered, and when the Solution is made, incorporate with it little by little, two or three Ounces of Succory, or some other convenient water, which by this Operation, will be turned white, and make a kind of Emulsion, which you must sweeten at pleasure, either with fine Sugar, or some laxative Syrup, and give it in a Morning fasting. *Cum Custodia.*

276. *An Ingenious Chymist's Arcana for the Stone.*

TAKE Borax finely powder'd. and make it up with some choice Turpentine into Pills, whereof one Dose ought to contain from a Scruple to two Scruples; wash these down with some few Spoonfuls of the Tincture of *Lignum Nephriticum* made in Water, or of Cochineel, or if the Case be urgent, you may give from 20 to 30 Grains of the Borax, and about a 5th part of Myrrhe; dissolve in a couple of Spoonfuls of the Tincture of *Lignum Nephriticum*.

277. *An uncommon but try'd Medicine to make a quick Exfoliation of a Carious Bone.*

TAKE the Thigh-bone of a Hanged Person, (if it can be had of such a Body, else another may be substituted) and having burnt it

TO

to blackness, but not calcin'd it, reduce it to fine Powder, which is to be carefully strewed all over the Part to be Exfoliated, after some Drops of Chymical *Oleum Sabina*, have been employed to wet and soften the Part, and make the Powder stick well; this done, dress it up S. A. and 'twill seldom require a Third, if it do a Second Application.

278. *An Experienced Medicine for Madness (Mania) not very Obstinate.*

Take two Ounces of the Berries of Box, and infuse them warm in (a close Vessel) in a Quart of Claret, or red Wine for 48 Hours; then decant the Liquor, and put to it an equal quantity of the distill'd Water of Vervain, and of this mixture, let the Patient take six or eight Ounces at a time, and compose himself to Sweat and rest after it. This must be daily done for a pretty while together, if need requires.

279. *To Prevent a Gangreen upon a great Pain, and to Strengthen the Part.*

Take of Melilot Plaister, and Diapalma equal parts, and having melted and well incorporated them together, make there-of a thin Plaister; which being prickt full of Holes, is to be laid upon the inflamed or bruised Part, first lightly Scarify'd.

280. An excellent Plaster to disperse Tumors (even Scrophulous) that may be resolved, and ripning those that it cannot dissipate.

INcorporate exactly with the Emplastrum de Sapone, about a Fourth Part of Balsamum Sulphuris Terebinthinati, and use it as a Plaster for the above mention'd purposes. N. B. In want of this you may imploy Diachylon cum gummis, renewing it once in two or three Days.

281. A Parable Medicine to drive away Gravel and Small Stones.

TAKE the thick Skin, that is found in the Glizard of a Cock or Hen (but not a Capon) and having warily dried it till it be grown pulverable; give from a Scruple to two Scruple of it, in a Draught of any convenient Vehicle.

282. An Excellent Remedy for Whisloes on the Fingers.

TAKE a Reddish, or at least a blackish Snail of that Sort that has no House or Shell, and having beaten it in a Mortar that is not Meralline, to the Consistence of a Poultis, apply it to the Part affected, renewing it, if need be, once or twice, after it has been kept on for some Hours.

283. *To make one Spit out Rheum that swells the Gums, and therewith causeth the Tooth-ach.*

Dissolve a Spoonful of good Mustard in about a Pint of French Wine (Claret or White) and having warm'd it a little, let the Patient from time to time wash his Mouth with it, and hold it therein for a pretty while together.

284. *To give Ease in the Fit of the Gout.*

Take three parts of Oyl of Turpentine, and one of Chymical Oyl of Spike, shake them well together; with this mixture anoint the Parts lightly.

285. *An Excellent Eye-Water to preserve from Rheums, especially sharp ones.*

Take two Parts of Celandine and one of Eye-bright, and distil thence (N. B.) in Balneo, a Water or Liquor, which you must put upon Exquisitely pulveriz'd *Lapis Calamintarum*, and let them digest together in an exactly clos'd Vessel for some Weeks, adding before you use it, a third Part of Brandy, afterwards continue upon the Ponder as long as you imploy the Liquor.

286. To

286. *To make an Excellent and often try'd Medicine for the Stone, whether of the Kidnies or Bladders.*

TAKE of pure White-wine, or Rhenish-wine, and of Fennel-water each one Pint. Into this Mixture put half an Ounce of (Wood-Lice) alive and well cleansed, of a midling Size, and one Lemon slic'd; let them infuse in a Vessel well stop'd, for 3, 4, or 5 Days, and then let the Patient take about four Ounces at a time twice a Day.

287. *An almost Specifick Remedy for the Thrush in Children.*

TAKE Houseleek freshly gather'd, crush it well between two Plates, or otherwise till you have squeez'd out the Juice, mix this with live Honey, enough to make it somewhat sweet, and then put to it as much finely powder'd Roch-Alloni, as will give it a little tartness, put some of this Mixture with a Quill, or a Feather down the Patient's Throat, as far as conveniently may be; if there be need, the Part affected may be touch'd once more within an Hour after.

288. *For the Yellow Jaundice.*

TAKE Rhubarb two Drams, Saffron, Mace, of each a Dram, Hempseed one Handful; bruise:

bruise them, and put therein a Quart of White-Wine, and set it in a gentle heat to extract: then take Mornings and Evenings in an empty Stomach, about a quarter of a Pint, and when all is spent, pour on some more Wine upon the Ingredients, adding a little fresh Rhubarb and Saffron, and use it as before.

289. *An almost Specifick Medicine for Agues.*

TAKE Resin of Scammony twelve Grains, Diaphoretic Antimony, and Crystals of Tartar, of each eight Grains; mix these carefully, and give them for one Dose, an Hour before the Fit comes.

290. *To make a Nephritick Tincture, often found to relieve in the Stone.*

TAKE Oyster-shells, and calcine them till they be very white; of these take two Parts, and one of Rhenish-Wine-Tartar; pulverise these apart very well, and then mix them diligently; pour on the Mixture a little fair Water, and let the Ingredients work on each other, till the Conflict be over; then stir the Mixture with a Stick, and pour on some more Liquor; and when the Effervescence ceases, put on a little more, and so proceed till no Conflict be made. Evaporate to a kind of soft Mucilage; digest this a while, decant the Liquor and filter it, and you will have it, if it be not too Flegmatick, of a fine red Colour. Of this the Dose

Dose is from 10, or 15, to 30 Drops, or more, in any convenient Vehicle.

291. *An almost Specifick Medicine for Exulcerations in the Kidnies.*

Take Jet, and having reduc'd it to fine Powder, give of it about half a Dram for a Dose, in some good White-wine in the Morning fasting, and at Bed-time for some days together.

292. *An almost Specifick Medicine for the Jaundice.*

With Small Ale, or at least not very Strong, draw a deep green Tincture from fresh Sheeps Dung, and in a small draught of this, give from half a Dram to a Dram of a Powder'd Mixture, consisting of four Parts of Turmerick, and one of English Saffron. This Dose may be given twice, or if need be thrice a Day, having a care that the Patient whom it will dispose to Sweat, keep very warm, and so whilst the Operation lasts.

293. *An useful Medicinal Aliment for them that are troubled with Pains of the Stone.*

ET the Patient eat five or six Onions roasted, and sparingly butter'd, either in the Morning fasting, or at Meals, or at other times, if the Case be urgent. N. B. The distilled Water of

of Onions, is likewise of good use in the same Distemper.

294. *An experienced Oynment for the Worms in Children.*

Take Rue, Wormwood, and Savine, of each a Sufficient quantity, and with May, or other unsalted Butter, or else with fresh Hogs-lard, boil the Herbs softly, till you have brought the Mixture to be very Green. Then Strain it and Pot it up for use, when you implay it, anoint with it, first the Pit of the Stomach, and part of the Chest a little above it, and then after a while rub it pretty well upon, and all about the Navil.

295. *An often tryed Cataplasme to break a sore Breast, &c.*

TO the yolks of four Eggs, take four Ounces of live Honey, mix them by grinding well together, with about half a Pint of Red or Claret wine, and apply this mixture as a kind of Pulvis, to the Part affected.

296. *For an Ague.*

Take the Sur that is in a Baker's Chimney, and Mustard, and Rue, and White wine Vinegar, and Sallet-Oyl, and some white Pepper, and Ginger, and make a Poultice of it, and lay

T
pour
and
tient
or fo
strong
ful of

it to the Pulse of his or her Arms, and let it lie a Fortnight or three Weeks, if you will lay it on just before the Fit come.

297. *A very often experienced Medicine for Cankers in the Mouth, and elsewhere.*

TAKE Flowers of Sulphur one Ounce, Roch-Allom, crude and finely pulveriz'd, half an Ounce; mix these very well together, and incorporate them with as much good Honey, as will serve to bring the Mixture to the consistence of a Liniment, to be apply'd from time to time to the Part affected.

298. *An easie, but effectual Medicine to stop Bleeding in Wounds, and check some other Hemorrhages.*

STREW upon the Part, the Pouder of clear Rosin beaten very small.

299. *A very good Drink for Children, whose sore Eyes are suspected to be Scrophulous.*

TAKE of ground Ivy and Arch-Angel, (Leaves, Flowers and all) of each half an handful, pour on them a pint of boiling Spring-water, and proceed as in making of Coffee, let the Patient drink a Moderate Cup of this two, three, or four times a Day; but if you would have it stronger, you may put to a quarter of a Handful of each of these, two or three Drams of Pilewort

Pilewort Roots, which must be put to infuse all Night alone in the Water, which being thus impregnated, you must then boyl, and be used as before.

300. *For Scrophulous Humours of Children, Eyes (and other Parts.)*

TAKE Figwort, and put two handfuls of it to a Pottle of small Ale; of this give a quarter or half a Pint at a Dose. The Operation will be promoted by quenching seven or eight times in this Liquor a Gad of Steel, about eight or ten Inches long.

301. *Against a Vertigo.*

TAKE of Cyprus Roots two Ounces, of Anise-Seed half an Ounce; make of both a very fine Powder, and take as much as you can lay on a Sixpence, in a Spoonful of Wine, Beer, or Ale, when you go to Bed. This Medicine continued for five Nights, (besides other Patients,) cured a Woman, who for divers Years was troubled with a *Vertigo*, and had used all sorts of other Remedies, prescribed to her by London Physicians, to little or no purpose.

Medicinal Experiments:
OR, A
COLLECTION
OF
Choice Remedies,

Chiefly *Simple*, and easily prepar'd:
Useful in Families, and fitted for the
Service of Country-People.

By the Honourable R. BOYLE, Esq;
late Fellow of the Royal Society.

The Third and Last Volume.

Published from the Author's Original
Manuscripts.

The Fifth Edition Corrected.

Whereunto are Added,
Several other Useful Notes explicatory
of the same.

L O N D O N,
Printed for W. Innys, at the Prince's Arms
in St. Paul's Church-yard. 1712.

COLLECTION
OF
Choice Remedies

Chiefly & mostly for the relief of
Dysentery in Infants and the
Services of Country People

By the Hon. R. BOYLE
Esq. of the Hon. House of Commons
in Great Britain

Published from the Author's Original
Manuscript

The First Edition

Printed and Sold by J. B. ROBERTS
at the Sign of the Three Crowns
in the Strand

LONDON

Printed for J. B. ROBERTS
at the Sign of the Three Crowns
in the Strand

THE
PREFACE.

THE Honourable
Robert Boyle,
Esq; Deceased,
hath gratified the whole
Race of Mankind by his
Publick Labours. The
World may be divided in-
to the Learned and the
Unlearned Part thereof.
The former he much obli-
ged

A. 2

The Preface.

ged by his Elaborate Discourses on several Subjects : The latter, which are far more numerous, he hath condescended also to oblige, by consulting their Health in the ensuing Receipts. For, whereas the ordinary and inferior sort of Men either have not Ability (by reason of the Tenuity of their Estates) to reward Physicians ; or by reason of the Remoteness of their Habitations, have not
Op-

The Preface.

Opportunity to Consult them : Here they have Remedies provided to their Hands, and almost at their own Doors; some of which the Learned Collector had Experience of Himself; and others were recommended to him by credible Persons, who had Experienced their Benefit in themselves, or their Friends.

And tho' those ways of Probation might be sufficient to justifie their

A 3 Pub-

The Preface.

Publication ; yet such was the scrupulous Care and Zeal of this Author, that he would not suffer them to see the Light, till they had been first perused by some Eminent Physicians of his Acquaintance ; to whom he was pleased to commit the Supervisal of his Medicinal Receipts, both Galenical and Chymical.

This Century bears the Name of Parable Receipts ; because they
may

The Preface.

may be easily procured
and prepared by Country
People, as their respective
Diseases do require.

What comes forth in
the Name of Mr. Boyle,
and is genuinely His,
needs no farther Recom-
mendation.

His Ipse Dixit is suf-
ficient, and such are these
Prescripts, as being found
among his many other
Papers of like Import,
which in time may be
Published also.

The Preface.

I shall therefore only
recommend them and
their Success to the Bles-
sing of God, the alone
Giver, Preserver and
Restorer of Health.

J.W.

Ag
Ag
Ac
Ap
Ast
Aqu

THE
INDEX
TO THE
Third Part.

A.

	Page
A <i>After Birth to bring away</i>	6
<i>Ague to prevent or Cure</i>	8, 9, 52
<i>Agues Tertian</i>	9
<i>Ague</i>	21, 30
<i>Aching of a hollow Tooth</i>	25
<i>Apoplectic Fits</i>	28
<i>Asthmatic Distempers</i>	30, 55
<i>Aqua Ophthalmica</i>	42

A 5

B. Body

The INDEX

B

	Page
B ody bound to loosen	24, 54
Biting of a Viper	20
Blood-shot Eyes	4, 52
Blood to stench	7, 37, 39, 56
Burns	10, 37, 56
Burns recent	13
Breath shortness	22
Blood to sweeten	23
Bloody-Flux	3, 25, 38, 38
Belly-Fluxes	36
Blood Cleansing by Troches of Vipers	45
Burn or Scald in the Eye	4
Bruise of the Eye	52, 59

C Cata

The INDEX

	Page
C Ataract beginning	49
Cold newly taken, a good Medicine	1
Corns a try'd Medicine	7, 37, 56
Cholick	9
Cholick, a simple Remedy	11
Costiveness	24, 54
Convulsive Fits	35
Cholic, a Medicine	45
Cinamon Drink for Gripes	26
Courses to provoke	27
Contusion of the Eye	32, 46, 47

D

	Page
D Roppe	3, 51
Dentifrice Innocent	5, 52
Distempers of the Genus Nervosum	6
Dead	

The INDEX.

<i>Dead Child to bring away</i>	6
<i>Defluxions of Rheum</i>	8
<i>Deafness</i>	10
<i>Drink for the Scurvy</i>	13
<i>Drink for the King's-Evil</i>	16, 53
<i>Dysentery</i>	3, 25, 38, 38
<i>Dysenteric Fluxes</i>	38
<i>Defluxion in the Eyes.</i>	48
<i>Dry Inflammation</i>	50

E

	Page.
E yes that are foul, a good Water	2, 42
<i>Eyes inflamed</i>	4, 15, 26, 29, 39, 52, 54
<i>Eyes burnt or scalded</i>	4
<i>Electuary, Purging</i>	15
<i>Erysipelas</i>	33, 55
<i>Eye Water by a Famous French-man</i>	41
<i>Eye-Water, a Caution about the Vitriol</i>	46
<i>late</i>	Eye.

The INDEX.

<i>Eye-water famous</i>	57
<i>Eyes red</i>	26, 39, 50, 54, 57
<i>Eyes to strengthen subject to Rheums</i>	48, 58
<i>Eye-lids sore</i>	49
<i>Eyes bruised</i>	32, 46, 47
<i>Eyes dry</i>	43
<i>Eyes with hot and sharp Humours</i>	48
<i>Eyes pained</i>	50

F

	Page
F <i>Ilms of the Eyes</i>	47, 59
<i>Fluxes of the Belly</i>	3, 26, 36, 51,
	54
<i>Fits of a Furor Uterinus</i>	12
<i>Fits of the Head-ach</i>	22
<i>Fluor Albus in Women</i>	33
<i>Fumigation for Pains in the Eyes, and over dryness, and when one fears the beginning of a Cataract</i>	49
<i>Fits of the Mother</i>	6, 44
<i>Furor Uterinus to cure</i>	12
	G

The INDEX

G

	Page
G Ravel to expel	17, 53
G Gleetings a good Liquor	20
Gripes and Fluxes	26, 54
Gonorrhœa	32
Gums to fasten and help	5
Gums Scorbutick	46, 59

H

	Page
H Ead to clear	3
H Head-ach	11, 22
Hiccup in Fevers	ibid.
Hordeum on the Eye-lids	59
Hysterick Affections	6
Hæmours hot and sharp in the Eyes	48

The INDEX

I

	Page
I nflammations of the Eyes	15, 29, 52
Itch, a good medicine	23
Inflammation dry	50

K

	Page
K ings-Eyes, a useful Drink	36, 53,
	60
Kings Evil, an approved Remedy	18

L

	Page
L eprosie, a Specifick	31

M

The INDEX

M

	Page
M <i>Edicine for the Dropſie</i>	3
<i>Medicine for Hysterical Affections</i>	6
<i>Medicine for Genus Nervosum</i>	ibid.
<i>Medicine to cleanse the Womb</i>	12
<i>Medicine for the Tooth-ach</i>	14
<i>Menses ſuppreſſed</i>	27
<i>Medicine to kill Tetters</i>	31
<i>Medicine to prevent Dryneſs, and ſome other Diſaffections of the Eyes</i>	43
<i>Medicine for the Stone by a famous Emperic</i>	44
<i>Medicine for Fits of the Mother</i>	6,
	44
<i>Medicine for the Cholic</i>	45
<i>Medicine for Scorbutick Gums, and to ſaſten the Teeth</i>	46, 59

Medi-

The INDEX.

Medicine for a Stroke or Contusion of the Eyes	49
Another excellent Medicine for a Bruise in the Eye.	47

O

Oculorum Propter gravedinem & dolorem	Page 50
--	------------

P

Pain of the Teeth, from Rheum	Page 2,
Pain in the Eyes	25
Plaster preferred to the Soap plaster	50
Pericarpium for Agues	19
Pleurisie	9
Piles	25, 38
	36

Plaster

The INDEX.

Plaiſter to ſtrengthen the eyes and ſtop	
Defluxions	48
Powder Stiptick	7
Purging Electuary for Children	15

R

	Page
R Elaxation of the Uvula	40
Redneſs of the Eyes	26, 39, 50,
	54, 57
Remedy for an Ague	8, 21, 30
Rheums a powerful Medicine	8, 40
Remedy to take off Films, and ſuch like	
things from the Eyes	47, 59
Remedy for ſharp and hot Humours in	
the Eyes	48
Rheumatick pain of the Teeth	2
Running of the Reins to cure	32
Rheums to ſtop	40
Running of the Eyes	48, 48, 58

S

The INDEX

S

	Page
S Oap Plaister for the Gout	19
Sight to strengthen	12
Scurvy beginning	13
Stone in the Bladder	14
Strains Recent	29, 55
Sternutatory to clear the Head	3
Shortness of Breath	22
Scrophulous Ulcers	28
Sores and Ulcers	34
Scorbutick Gums	46, 59
Stroke of the Eyes	32, 59
Sleep wanting	34
Stenching of Blood	7, 37, 39, 56
Stone, a famous Medicine	44, 58, 60
Stoppage of Urine	17, 21

T

The INDEX.

T

	Page
T Erms to provoke	27
Teeth to fasten	5, 59
Tumours a Fomentation	ibid
Tooth-ach	8, 14, 19, 25
Tooth Hollow	19, 25
Teeth to fasten	46
Tumors from sharp Humours	5
Tetters to kill	31

U

	Page
U Rine to provoke	17, 53
Viper biting	20
Urine suppress'd	17, 21
Vapours of the Spleen	22
Ulcers an excellent medicine	24
Ulcers scrophulous	28
Uvula relaxed	40, 57
Ulcers and Sores	34
Vitriolate Eye-water	46

W Weak.

The INDEX.

W

	Page
W <i>Weakness to help</i>	45
<i>Womb Madness to cure</i>	12
<i>Womb to cleanse</i>	12
<i>Womb of a Puerpera, to cleanse</i>	6
<i>Wounds green to heal</i>	27
<i>Whites in Women</i>	33, 56

FINIS.

THE INDEX

Page

1. *Index to the*
2. *Index to the*
3. *Index to the*
4. *Index to the*
5. *Index to the*
6. *Index to the*
7. *Index to the*
8. *Index to the*
9. *Index to the*
10. *Index to the*

FINIS

the
a
L
fu
th
pu

THE
A
COLLECTION

O F

Choice and Safe
REMEDIES.

The Third Volume.

1. *A Good Medicine for a newly taken, though violent Cold.*

TAKE about four Ounces of Spring-water, and in a convenient Vessel, put to it three Leaves of good Tussilago (Colts-foot) and a Pugil of Maiden-hair, and a Stick of Liquorish, for bigness and length like the furthest Joynt of the little Finger: Make the Water warm, and when it is ready to boil, put in the forementioned Ingredients, (the
Li-

2 *Mr. Boyle's Receipts.* Vol. III.

Liquorish being first sic'd and minc'd, cover the Pot well; let it boil for a few Whalms, then take it off the Fire, and having presently strained it, let the Patient drink it hot like Tea, he being already in bed: do this three or four Nights consecutively, or till there be no more need of the Medicine.

2. *A good Water for the Eyes that are foul, and pained by sharp Humours.*

TAKE prepared Pearl and Coral, and one Scruple, *Aloes Cabalina*, finely powdered three Grains, Red Rose Water and Succory-water and one Ounce; mix them well; and if you would have the Mixture stronger, put in a very few grains of *Trochisci albi Rasis* in very fine Powder.

3. *A good Medicine for Pain of the Teeth that comes from Rheum.*

OF the Powder of white Helebores, put into a clean Linnen Rag, like a Nodule, of about the bigness of the largest sort of Peas, or somewhat greater; and let the Patient hold it between his Teeth, with his Head and Face somewhat inclined, that the Rheum may run freely out of his Mouth.

4. An Experienced Sternutatory to clear the Head.

LET the Patient snuff up in the Morning fasting, a small Spoonful, or less of the clarified Juice of *Hedera Terrestis*, i. e. Ground-Ivy, or of Beets, spitting out from time to time as much Liquor as comes into his Mouth.

5. An often try'd Remedy for the Dysentery and sharp Fluxes of the Belly.

GIVE from fifteen to twenty grains of carefully made *Mercurius Dulcis*, incorporated with about two Ounces of *Catholicon*, or else with about one Scruple of Toasted, or somewhat less of Untoasted Rhubarb.

See Numb. (1.)

6. A good, though uncommon, Medicine for the Dropsie.

TAKE Virginian Snake-weed a sufficient quantity; and having cut and slic'd it very small, infuse it into a competent Quantity of good Sack, till the Liquor be very strongly impregnated with the Plant. Of this Infusion

K

fusion let the Patient take three, four or five Spoonfuls at a time (or more if the case be urgent) when the Stomach is Empty.

See Numb. (2.)

7. *An often Experienced Medicine for Blood-shot, or inflamed Eyes.*

CUT a new-laid Egg boiled hard, into two halves (without taking out the Yolks) and apply one of these considerable warm, but not too hot, to the part affected, and keep it on for some Hours (six or eight, if it need so long.) *Note well,* To the same purpose you may apply with good effect, a Poultis made of a rotten Apple, the Cold being first quite taken off.

See Numb. (3.)

8. *An Excellent Remedy for a Burn or Scald in the Eye.*

TAKE Mucilages of Quince-seed, Fleawort, Linseed and Fenugreek-seed, of each one Scruple; boil it very lightly in four Ounces of Betony-water; filter it, and apply it to the Part.

9. *A good and innocent Dentifrice.*

TAKE Mastick and Dragons-blood of each a sufficient quantity; poulder them, and mix them together, and let the Patient use 'em as a Dentifrice.

See Numb. (4.)

10. *To correct the Laxity of the Gums, and fester the Teeth.*

TO a Pint of Red or Claret Wine, take about two Drams of Japan Earth, and having dissolved so much as you can, pour off the clear, and let the Patient wash his Mouth therewith from time to time.

11. *An uncommon, but Effectual Fomentation for Tumors, accompany'd with sharp Humours.*

TO a Gallon of Spring-Water, put as much dried Sage, as you judge will afford a Decoction strong enough of the herb. Into this, when it first grows hot, cast about two ounces or some drams of Castile-Soap, and let it dissolve there till your Decoction be complete,

K 2

pleat,

pleated. With this and Stupes, foment the Part for a good while together.

12. *A rare Medicine for Hysterical Affections, and several Distempers of the Genus Nervosum.*

TAKE one Ounce, or a sufficient Quantity of Volatile Salt of Harts-horn, (which need not be exactly pure) and drop on it as much Spirit of Tartar as will serve to satiate it, when the conflict is quite ceased. Digest the Mixture for a while, that it may acquire a red Colour, and keep it carefully stopp'd for Use, and give four or five Drops twice a Day in any convenient Vehicle.

13. *An often proved Remedy to bring away what is or should not be left in the Womb of a Parturient, though it were part of a Dead Child.*

WITH the Juice of Sheeps Sorrel, and some of the strong Infusion of the same Herb (unpress'd) in Water, and a sufficient quantity of Sugar, make a Syrup. Of which let the Patient take about a Spoonful, (a little more or less, as need may require twice or thrice a day

14. *A try'd Medicine to take away Corns.*

THE parts being made soft with Bathing and scrap'd, apply to the Corn a Plaister of Shoe-makers Wax; but if the part be very tender, your Plaister may consist of equal parts of Shoe-makers Wax and Diapalma melted together, and spread somewhat thin.

15. *To make an excellent Stiptick Powder to stench Blood.*

TAKE of White Sugar candy, Roch-Allom burnt (but not too much calcin'd) and white Vitriol, and pulverize them exceeding well, and mix them diligently, and having dipp'd Pledgers of Wax or Lint, moistned with the White of an Egg, into this Powder, apply them to the Orifices of the bleeding Parts. Note well, 'twill do very well after the dry Ingredients are mixt, to grind them with as much Whites of Eggs beaten to Water, as will make a Paste, which is afterwards to be thoroughly dry'd in the Air, and then again reduc'd to Powder.

16. For a Tooth-ach proceeding from Defluxions
or Rheum from the Gums.

Dissolve one Ounce of choice Japan Earth,
in a Pint at least of good Red or Claret
Wine, and let the Patient hold it in his mouth
often, and a good while together.

17. To prevent the Fit of an Ague, or cure that
Disease.

TAKE of the Scraping or Gratings of the
Root of Angelica half a Dram, and of
the Flowers of Antimony ; mix them well, and
let the Patient take them at the usual times.

Note here, That the Flowers of Antimony are
not to be given inwardly in Substance, but only in
Infusion ; for in Substance they will hazard Life,
bringing first strong Convulsions, and then Death.
But you may make the Medicine thus.

See Numb. (5.)

18. To

18. *To make an often try'd Pericarpium for Agues, especially Tertians.*

TAKE a handful and a half of fresh Rue, half a handful of fresh Sage, a small Spoonful of Bay-Salt, and a Spoonful of good Vinegar. Beat all these very well together, into an Uniform Mass; which divide into two parts, and make thereof two Wrist-Plaisters to be applied at the usual times before the Fit; and to be renewed, if there be occasion, to keep them on till they grow dry and troublesome.

19. *For the Cholick,*

R. Orange-Peels dried till one may grate them to Powder; and when they are pulverized, take about a spoonful of the Powder at a time, mixt with a little white Sugar to sweeten it, in or before some spoonfuls of any convenient Vehicle.

20. *An approved Remedy for present Deafness.*

TAKE of the Breast-Milk of a Woman that has had her first Male Child some time before, and drop three or four drops of it warm as it comes from the Nipple, into the Ear affected.

21. *A choice Medicine for Burns.*

TAKE Goose-Grease (which the Country People call the Leaf of a Goose) and having softly melted, and a little skim'd it, squeeze into it as much freshly exprest Juice of Ground-Ivy-Leaves, as by continual stirring will bring it to the consistence of a green Ointment. With this anoint the part it self affected; and afterwards lay on it fine old Rags, well dipt in the same Ointment.

22. *An*

22. An external Remedy almost Specifick for the
Leptosia

TAke Pomatum one ounce, Flower of Sulphur one Dram, Sal Prunella half an Ounce; and having mixt them very well together, from time to time anoint the Part affected therewith, as long as there is need.

23. For the Head-ach.

TAke Green Hemlock, that is tender, and put it in your Socks, so that it may lie thinly between them and the Soles of your Feet; shift the Herbs once a day.

24. For the Hiccup (even in Foetuses)

Give two or three preserved Damsons at a time.

25. A Simple Remedy for the Cholick.

IN a Draught of any convenient Liquor, dissolve about one Dram of good Salt of Tartar, and let the Patient take it for one Dose.

26. *An Experienced Medicine to cleanse the Womb.*

TAKE a large white Onion, cut it into small pieces, and boil it in about a pint of Water, or less, as if it were to be dressed for eating. And of this Decoction give seven or eight Ounces for a Dose, mix'd with about half an Ounce of fresh Oil of Walnuts.

[27. *To appease the Fits of a Furor Uterinus.*

TAKE the Feathers of Partridges (it matters not much from what part of the Fowl) and burn them for a competent time under the Patient's Nose.

28. *A very good Syrup to strengthen the Sight.*

TAKE about a small Spoonful of a Syrup made of Betony-Water, and Honey, twice, thrice or four times a day.

29. *An easie prepared, but useful Drink for a beginning Scurvy.*

TO a quart of Small-Beer (of six shillings per Barrel) or small Ale, put over night about a handful of Scurvy-grass Leaves, and let the Patient drink this Liquor at Dinner for his ordinary Drink, for six or eight Weeks together.

30. *A Parable Remedy for recent Burns.*

APply as speedily as you can to the Part affected, an Onion, or more (if the burn'd Place be large) beaten to a Mash.

31. *For the Tooth-Ach.*

Apply a Plaster of *Caranna* to that part that burns, between the bottom of the Ear, and the Temples, on the same side where the Pulsation of the Artery is the most manifestly or strongly felt.

32. *An Excellent Medicine, though not Curative for those that are tormented with the Stone in the Bladder.*

Take Powder of Comfrey-Roots an Ounce and half, Marsh-mallow Roots three Ounces, Liquorice-Powder two Drams, Seeds of Daucus of Crete two Drams, Seeds of Burflane, of Winter-Cherries, of each half a dram, Nutmegs two drams, Saffron one dram, the Species *Diamargariton frigid* six drams, Syrup of Marsh-mallows four ounces; mix and make a soft Electuary; of which let the Sick daily take the Quantity of a Walnut. It is profitable against the Stone in the Reins and Bladder, but chiefly against the latter; as also against the Strangury, Dysuria, &c.

33. To make a purging Electuary, especially for Children.

TAKE an Ounce of choice Rhubarb reduced to fine Powder, and eight Ounces of very good Currans, pick'd, wash'd and rub'd dry, beat these together in a Glass of Marble Mortar for near two hours. Of this Electuary let the Patient take about the bigness of a small or large Chestnut in the Morning fasting, and if need be, at bed-time. If the case be very urgent, the Medicine may be taken thrice in 24 Hours.

34. An excellent Remedy for an Inflammation in the Eyes.

TAKE a Pippin (or other Apple) cut it into two halves, take out all the Core of each of them, fill up the Cavities with the tender tops of common Wormwood, tie the half together, and roast the Apple well. Then beat it and the Herb together to a kind of Poulis, and apply it warm (but not hot) to the Part affected, and bind it thereon, letting it lie all Night, or if you use it in the Day-time, for six or eight Hours.

33. *An Useful Drink for the King's-Evil, and some Affections that have the like Cause to it.*

TAKE a large Handful (or two little Physical Handfuls) of the Leaves of Ground-Ivy green, or (if the Season denies you them) well dry'd; wash off the Dust with Beer, not Water, and put the Herb into a Gallon of Ale-Wort; when 'tis ripe for drinking, draw it out into Bottles, and let the Patient take a Draught of it twice or thrice a day, or if it be thought fit, it may be used at Meals.

See Numb. (6.)

36. An often Experienced Remedy to expel Gravel, and provoke suppress Urine.

KILL a black Cock or Hen (rather than one of any other Colour) take out the thick Membrane or Skin that lines the Gizzard or Stomach; and having wip'd it clean, dry it cautiously, so as it may be beaten to Powder. With this mix an equal Part, or half so much of choice red Coral calcined. Of this Mixture, give from 20 or 30 Grains, to 40 or 50 Grains.

See Numb. (7.)

37. An approved Remedy for the King's-Evil.

SET a quart of new Milk on the Fire till it just boils up; then take it off, and put into it two Spoonfuls of the best Honey, and stir it till it be dissolved: And then set it on the Fire again, and let it boil two or three Whalms, Then divide it into four parts, and drink one part warm, early in the Morning, another about ten of the clock, another about four in the Afternoon, and the last a little before Bed-time. Do this daily for two or three months, except you purge, which must be once a Week, taking, (if a grown Man) three quarters of an Ounce of *Caryocostinum* dissolved in Posset-Drink: Dress the Sores if they run, with any drawing Sear-cloth, or a Plaister of Burgundy-Pitch. The Medicine, though not very promising, is very famous by the many Cures done with it, by a charitable Lady, of whose Ingenious Chaplain I procured this.

38. *A good Composition to stop a hollow Tooth,
and appease the Pain.*

TAke two parts of fine Sugar (that of *Lis-
bon* does best) and one part of black
round Pepper, both finely powder'd and mixt;
put them into a Silver Spoon over two or three
well kindled Coals; and when the Sugar be-
gins to melt, take off the Spoon; and whilst
the Mixture is yet soft, form it into little
Grains for size and shape suited to the Part
affected.

39. *A Plaister preferred by an ancient Physi-
cian that often tried it, to the common Soap-
Plaister.*

MIX about a Dram of Castle-Soap with one
Ounce of Diachylum, and make thereof
a thin Plaister to be worn upon the Part affe-
cted.

40. *An Excellent Medicine to be used Topically
in Gleetings.*

TAKE four Ounces of Spring-Water [or Plantane-Water] and dissolve in it about one Scruple of the Sympathetic Powder, or so much as will give it a sensible, yet but faint Vitriol-like Taste : And of this Mixture inject as much as is usual of a small Syringe, every Morning and Evening, as long as need require, directing the Patient to retain the injected Liquor as long as conveniently he can.

41. *An approved Medicine in the Biting of a
Viper.*

TAKE of White Hore-hound, and apply the Plant well beaten into the Form of a Poultis, to the Part affected, and give the Patient a Spoonful or two of the Juice of the same Herb to drink : 'Tis also very good for the Jaundies.

42. *An almost specifick Medicine for the Suppression of Urine.*

TAKE of *Stæchas Citrina* (in English, French-Lavender) and infuse in a good Hear, two Handfuls of the Flowers in a Pint of good Brandy (not rectify'd Spirit of Wine) and of this Infusion, give about a small Wine-Glass full at a time (diluted, if there be great need, with a sufficient quantity of some appropriated Liquor.)

43. *For an Ague often try'd.*

BOIL Yarrow (*Millefolium*) in New Milk, till it be tender enough to have a Cataplasm made of it. Apply this to the Patient's Wrists, just when the cold Fit is coming on, and let it lie on the Parts till the Fit be gone; and if another Fit comes, use fresh Cataplasms as before.

44. *An useful Plaster for those that are troubled with Vapours of the Spleen, and shortness of Breath, when 'tis a Nervous Affection.*

TAKE two parts of strain'd Galbanum, and one part of *Affafetida*, and make thereof, according to Art, a Plaster of about the Bigness of the Palm of ones hand, taking care to leave a broad Edge quite round, to prevent its sticking to ones Linnen, and putting a pretty large piece of Cotton in the middle, that the Gums may not touch the Navel; to which the Plaster is to be apply'd.

45. *A slight, but excellent Medicine to take off Fits of the Head-ach.*

TAKE about a handful of Fresh Rosemary, and boile it for a pretty while in a quart of common Water; then almost fill it with a Pint Pot (or rather a Mug) let the Patient cover his Head and Face with a Napkin, so that he may receive the Steam as hot as he can well bear, and keep the Vessel there as long as he finds the Steam strong enough.

46. *An easie and dry Medicine for the Itch,*
præmissis universalibus.

BOil Four Ounces of clean Quicksilver in a-
bout a Gallon and a half of Spring-water,
and let the Patient rake of this between a quar-
ter and half a pint at a time, aromatizing it if
he pleases, with a little Lemon-peel.

47. *An easie Medicine to purifie and sweeten*
the Blood.

TAke the Minera of Hungarians or other
choice Antimony, and having ground it
to very fine Powder, without suffering it to
touch any Metal, give of this dry *Alcohole* from
Ten Grains to a Dram, giving it once a day,
and (unless some particular reason dissuade
that time) let it be at dinner, that it may min-
gle with the Patient's Meat in his Stomach.

48. *A cheap, but excellent Medicine for Ulcers.*

TAKE one Dram, at least, of Corrosive Sublimare finely powder'd; dissolve it in a Quart of Fair Water, and let it lie there, if you have leisure, four or five days (in a light Digestion) that it may be thoroughly dissolved. Then drop in it as much Spirit of Sal Armoniac, or as much Oyl of Tartar *per deliquium*, as will precipitate it all: Then filter it carefully, and keep it stop'd for use, which is to imbe Dossils or Pledgets with it, and apply them to the Ulcer twice or thrice a day.

49. *An Easie, and Innocent Medicine for Costiveness.*

BOIL in as much Broth as will serve to fill a large Porringer, about half a handful of the Leaves of common Mallows chopp'd; and of this Broth (being strained) let the Patient make the first part of his Meal.

See Numb. (8.)

50. *For the Aching of a hollow Tooth.*

TAke Oil of Wax, and with it moisten well a little Cotton, and thrust it up into the Hollow Tooth, letting it lie there till the Pain be sufficiently asswaged.

51. *An often try'd Medicine for the Bloody-Flux, being good also for Pleurisies.*

GIVE the Weight of an Escu D'or (or near one Dram) of the Seed of *Sophia Chirur-gorum*, in English, *Flax-weed*, in two or three Spoonfuls of any convenient Vehicle, once or twice a day.

52. *The Cinamon-Drink, good in Gripes and Fluxes, &c.*

TAKE two Ounces of Calcin'd Harts-horn, powder it, and boil it in three pints of Spring-water till a Pint be waisted; then take it off the Fire, and infuse in it an Ounce and half of good Cinamon, setting it upon Embers in a cover'd Vessel for about an Hour. Then sweeten it with Sugar to your Palate, and drink about a quarter of a pint at a time. If taken for prevention only, a Fourth Part of the Cinamon will serve the turn.

See Numb. (9.)

53. *An easie, but useful Remedy for Redness of the Eyes.*

TAKE a Blanch'd Almond, and about three Grains of Camphire, and in a Glass or Marble Mortar, incorporate them by wary Grinding; and then add to them little by little two or three Ounces of Red Rose-water, still grinding them till the whole be brought to a kind of Emulsion. Drop a little of this into the Part affected.

See Numb. (10.)

54. *A most excellent Balsam for any green Wound of what nature soever.*

OYL of St. John's-wort, and Venice-Turpentine, of each a like Quantity; set them over the Fire in a gentle Heat, half an hour or less, that they may incorporate. Then put them up, and keep it for use as one of the best of Balsams.

55. *A good Medicine for the Suppression of the Menſes.*

Give for three Mornings together, about the expected time of the Monthly Evacuation, a Dram, or Dram and half, or thereabouts of the Galls and Livers of Eels dried and made into Powder.

56. *An Experienced Remedy to prevent Apople-
tic Fits.*

MAKE at the crossing of the Sutures an If-
sue, with Diapalma and Oyl of Vitriol,
and keep it open the ordinary way.

57. *To dry up, or correct the Humour that makes
Scrophulous Ulcers.*

TAKE of the Bone of the Cuttlefish, and ha-
ving reduc'd it to an impalpable Powder,
give about one Dram of it at a time in any
convenient Vehicle.

59.
T
cove
fake,
Crov
cloth
plasm
Clorh
Let th
taken
plicati
need.

58. *An effectual Medicine for a recent Strain.*

TAKE a handful of Wormwood-Leaves, and boil them in strong Ale, till the consumption of about a third, that you may reduce them to the Form of a Cataplasim, which when you take from the Fire, you must strengthen by putting into it two, or at most three of Brandy, if need be, in 24 Hours at least.

See Nmb. (21.)

59. *For a slight Inflammation of the Eyes, as also a Hordeum growing on the Eye-lid.*

TAKE fresh Housleek; and having pound-
ed it very well to a kind of Cataplasim,
cover as much as is needful of it for example
sake, to the thickness of a half-Crown, or a
Crown-piece) in the Fold of a Rag or Linnen-
cloth, that may be so apply'd that the Cata-
plasm may reach the Eye and the rest of the
Cloth be fastned about the Patient's Head.
Let the Medicine lie on all Night, and be
taken off the next Morning. Repeat this Ap-
plication two or three times, in case there be
need.

60. *For most Asthmatic Distempers.*

TAKE of the Roots of Elecampane, thinly slic'd, one Ounce, of the Leaves of Ground-Ivy, a good Handful. Boil these in three pints of Spring-water to a quart; then strain the Decoction, sweeten it with a little live Honey, and let the Patient take it five, six or seven Spoonfuls at a time. (*Note well, Remember the Efficacy of Saffron in the same Disease, as it is commended by Mr. Ray, in his Catalogue of Plants.*)

See Numb. (12.)

61. *For an Ague.*

TAKE of the Bone called *Platella*, of the Knee of a dead Man, and having reduc'd it to fine Powder, give of it as much as will lie upon a Groat or a Six-pence, for one Dose, in any proper Conserve, or fit Vehicle, at a convenient time (before the cold Fit.)

62. *An Experienced Medicine to kill Tettars.*

TAKE of Flowers of Brimstone, Ginger and Burnt-Allom, of each alike; mingle them well, and of this Mixture, incorporate as much with new unsalted Butter, as is requisite to bring it to the consistence of an Unguent. With this anoint the Part affected, as hot as the Patient can well endure it, and let it stay on all Night, and the next Morning wash it off with Celandine-water. But when the Patient goes to bed, he is to take a Dose of some Alexipharmical Medicine; as *Gascoign's Powder*, Treacle, &c. to keep the Humour from being driven into the Mass of Blood: He is also to bath the Part oftentimes in a day, with the Celandine-water.

63. To make a good Powder for a Gonorrhæa.

TAke of choice red Coral, and of Mastick equal parts, reduce them separately to fine Powder. Mingle them very well, and of this Mixture give about thirty or forty Grains for one Dose.

64. A choice Medicine for a slight Stroke, or Bruise of the Eye.

TAke two Spoonfuls of Fennel-water, or of Betony-water, and drop into it three or four Drops (or five at most) of good clarify'd Honey: Shake them well together, and use them twice or thrice a day. But you must have a care to make this Mixture fresh once in four, or at most in five days, especially in Summer: For if it be longer kept, 'twill be apt to grow slowre.

65. *An often-tried external Medicine for an Erysipelas.*

TAKE the Blood of a Hare ('tis best if killed by Hunting in March) and if you can have it fresh, anoint the Part affected with it, otherwise apply on it a Linnen Rag that has (though a good while ago) thoroughly imbibed the fresh Blood of that Animal, and dried in the Air. But if the imbrued Linnen be too hard or stiff, it must be soften'd with a little Fair Water, and then, the cold taken off, apply'd to, and bound upon the Part.

See Numb. (13.)

66. *An Emperick's much boasted Remedy for the Fluor Albus, or Whites in Women.*

MAKE a strong Decoction of the Herb *Alchymilla* (in English, *Ladies-Mantle*) and let the Patient drink of it about half a Pint every Morning fasting; and if the case be urgent, make an Injection of the same Plant, boiled till it be very tender, and let the Patient make use of it from time to time.

See Numb. (14.)

67. *An excellent Water for Ulcers, and Sores,
(- tryed with great Success.)*

TO a quart of Spring-Water, take one Dram of Mercury sublimat finely powdered; and when 'tis quite dissolved, drop in- to the Solution, either Spirit of *Sal Armoniac* (which is best) or Oil of Tartar *per Deliqui- um*, till you see that no more will manifestly precipitate. This done, filter the Mixture through Cap-Paper, and reserve the Precipitate for other Uses. The Liquor that passes, you must keep close stop'd in a Glas-Viol; and when you will use it, you must dip Linnen Rags in it, and being thoroughly wetted, apply them to the Part affected, single or double, more or less, as need requires. This Applica- tion may be renewed twice, or (if the Case be urgent) thrice a day.

-
69. *An Experienced Medicine for Want of Sleep,
proceeding from great Heats in the Head.*

TAKE the palest Carrrots you can get, and scrape a sufficient quantity of them to afford scrapings enough to make a Cataplasm, of about two Fingers, or two Inches broad, and of the thickness of a Half-crown piece of Silver, or thereabouts. Let the Patient apply this in a piece of double Linnen to his Throat,

so

so that it may reach to the Jugular Vessels on each side, when he goes to Bed, and let it lie on all Night (for it will not easily grow dry,) if the first Application do not prevail, 'tis to be applyed the following Night; and so a third and fourth time, if need require.

69. *A Parable Medicine, that has cured very many, especially Children, and young Boys and Girls, of Convulsive Fits.*

TAke of the Powder (whether made by Filing, Rasping, or otherwise) of the sound Skull of a Dead-Man, and give of it about as much as will lie upon a Groat, made up into a Bolus, with Conserve of Rosemary-Flowers, (or any other that is proper) to a young Boy or Girl: But in Persons more Aged and strong, the Dose of the Powder must be augmented to double the quantity. The Medicine must be given often, if necessity requires it: If the Patient be a Child, 'twill be useful to apply to the Throat a kind of Necklace, made of the Roots of *Vervain* cut into Beads.

70. *An easie and experienced Remedy for the Piles.*

IN four Ounces of Spring-water, dissolve about one Dram of Salt of Tartar, or as much as will give the Liquor a manifest, but not strong *Alcalizate* Taste, and apply soft Rags dipt in lukewarm, or somewhat more, to the Part affected, shifting it from time to time.

71. *A successful Medicine for the Fluxes of the Belly,*

TAKE Rice-Meal, and mix with it about a fifth Part of finely powder'd and sifted Chalk; boil these in Water, or, which is better, if it agrees with the Patient, in Milk, and make thereof a Hasty-pudding, to be moderately season'd with Sugar and powder'd Cinamon; and let the Patient eat it at Meals, and if need be, at some other times.

72. *An often tried Remedy for Corns.*

Take the Juice of Housleek, and mix it up with about equal parts of the thick Balm or Yest that sticks to the Barrel, or to the Clay that stops it. Of these make a kind of Plaister, which being kept upon the Toe for a while, and then if need be renew'd, will make the Corn very soft, and easie to be drawn out and extirpated.

See Numb. (15.)

73. *A good Medicine for Burns and stenching of Blood.*

Dissolve in Spring-water, or which is better, Rain-water, as much Sugar as will make it a strong Solution, and then with a sufficient Quantity of Linseed-Oyl, or Oyl of Olives, beat up this Liquor till the Oyl on it be brought to the consistence of an Unguent, with which anoint the Part affected, as timely as you can, renewing the Application as often as need shall require.

See Numb. (16.)

74. *An Approved Medicine for the Bloody-Flux, being good also for Pleurisies.*

Give two or three Scruples of Hairs Blood beaten to Powder for one Dose to be taken in a Spoonful or two or three of Mint-water, or any other Fit Vehicle.

75. *A very often (though homely) experienced Remedy, for Dysenterick and other Fluxes.*

Take the fresh Dung of a Hog (and if you can, whilst 'tis yet warm) and boil in a Porringer full of new Milk, as much of it as may amount to the bigness of a Wallnut; and also an equal Quantity of fine Mutton-Suet sliced very thin: When these are well incorporated with the Milk, strein them well thro' a clean Linnen; and if there be need, sweeten them a little with Loaf-Sugar. Let the Patient take this warm, once or twice a day.

76. *A powerful Styptick to stench Blood, where it can be applied.*

TAKE the Fine Powder of *Lapis Hematites*, made by grinding it exactly well with an equal or double weight of *Sal Armoniac*: and of this high-coloured Sublimate, put a little upon the Orifices of the Vessel.

77. *For a slight Redness of the Eyes.*

TAKE of *French Barley* half an Ounce, and *Damask-Roses* half an Handful. Boil them but very little in a Pint of Spring-water, and with this moisten the Part affected.

See Numb. (17.)

78. *For the Relaxation of the Uvula.*

Take bluish Pease (or in want of them) white ones) and chew them very well, so as to reduce them to the consistence of a Poul-tis. Lay this warm upon the Crown of the Head, to the breadth and thickness of a Five-shilling piece of Silver, or somewhat larger, shifting it in the morning, and at Bed-time.

See Numb. (18.)

79. *A powerful Medicine to stop sharp Rheums.*

Take a Dram of *Catechu*, or *Japan Earth*, and make thereof a Decoction in five or six Ounces of good White-wine, or else of some distilled Water, or other Liquor appropriated to the Disease. Of this give two or three Spoonfuls at Night, and in the Morning as much also if need require.

80. *The Frenchman's Famous Eye-water.*

TAke two or three Ounces of the Water of Simple Pimpernel, distill'd in Balneo, and put this into a litle Pot or Porringer of Rose-Copper; then put into it, about the bigness of a Hazel-nut, or a Filbert, of strong Quick-lime: Cover the Pot, and let the Ingredients lie in it till the Liguor hath acquir'd a bluish Colour. Then very warily pour off the clear, and add to it as much live Honey, as will give a litle, or but litle Taste: Use it after the wonted manner of such Waters; and if you find it too strong, dilute it a litle with Water of the same Plant, or good Spring-water, which for need, may be used from first to last, instead of the Water of Pimpernel.

See Numb. (19.)

81. Eye-Water.

TAke Red Rose-water, Plantane-water, of each an Ounce; Tutia prepared, half a Scruple; Lapis Lazuli prepared fix Grains, red Coral prepared five Grains; mix, and make a Collyrium, or Eye-water.

This dropped into the Eyes, being first well shaken, cures Inflammations of the Eyes, provided there be no great Foulness, nor Scrophulous Disposition in the Patient. It takes off the Redness of the Eye-lids, if with a Sponge dipt in it, the Eye-lids be often wetted, it takes off Films very well.

82. *A safe and useful Medicine to prevent Dryness, and some other Disaffections of the Eyes.*

TAke of choice Virgin-Honey, two Spoonfuls, of Succory-water, or the distilled Water, of each four Spoonfuls; mix them, and in a very clean Vessel over a very gentle Fire, let them evaporate (taking off from time to time any Scum that may arise) till the Mixture be brought to the consistence of a Syrup (or of Honey) keep this in a Glass well stopp'd and make use of it, by letting fall a Drop or two, or at most three of it, at a time, into the Eye.

See Numb.

83. *The Medicine of a famous Emperick for the Stone.*

TAKE Amber (clear or yellow) Sea-Horse Pizzle and Nitre, of each a like Quantity, (*Note well*, in case of Ulcerated Kidnies, put half the Quantity of the Amber) and an eighth part of the Nitre (of Natural Balsam.) Pulverize each apart, and make them up into Pills with Chios (or at least clean Strasburg Turpentine) rake five, six or seven Pills (of about ten to one Ounce) Morning and Evening.

See Numb. (21.)

14. *An Excellent Medicine for Fits of the Mother.*

TAKE *Sagapenum* dissolv'd in Vinegar of Squills, strain'd through a Sieve, and again inspissated or thickned, *Ammoniacum* in like manner prepared, Steel prepar'd, Myrrh, *Facula* of Briony, of each half a Dram: *English Saffron*, *Castoreum*, of each a Scruple, *Borax* two Scruples, Syrup of *Stachas* a sufficient Quantity; Mix and make Pills of a convenient bigness to be swallowed; of which rake three Morning and Night, with care.

85. *A Choice Medicine for the Cholick.*

Take clean white Chalk, and having dry'd it with a gentle Heat, reduce it to fine Powder; wet this Powder with the express'd Juice of Camomile, and then let it dry in the Air, without the Heat either of the Fire or of the Sun. This done, wet it again with new Juice of Camomile, and dry it the second time as before. Wet and dry it again the third time, and if you please the fourth time; and then reduce the dry Mass to fine Powder again. Of this Powder let the Patient take at a time, as much as will lie upon a Groat or Six-pence, in some Spoonfuls of Wine, or other proper Vehicle.

86. *Troches of Vipers successfully used to cleanse the Blood, and to strengthen weak Patients.*

Take of Vipers reduc'd to fine Powder one Ounce, Diaphoretick Antimony half an Ounce, clear yellow Amber two Drams, of Starch as much as of all the rest, and of Sugar as much as of Starch; make them to a Fine Paste with Spirit of Wine, and then make 'em into small Cakes, whereof one may serve for a Dose.

87. *An approved Medicine for Scorbutick Gums, and to fasten the Teeth.*

TAKE of White-wine a pint, of Allum half an ounce, of Juniper-berries, and of red Sage and one ounce: Boil these together till a quarter of the Liquor be wasted; then put into the remaining part four ounces of Honey, and let it boil till the Scum be all risen; then filter it, and put into it one dram of *Balsamum Vita.*

See Numb. (22.)

-
88. *A Caution about the Vitriolate Eye-water.*

TAKE four Grains of *Roman Vitriol*, not more to Four Ounces of distilled Water, either of *Roses, Succory, Fennel, &c.*

-
89. *A good Medicine for a light Stroke, or Contusion of the Eye.*

TAKE half an Ounce of *Celandine-water*, and shake well into it three or four drops of clarified Honey, and let fall of this into the Eye, a drop or two, twice or thrice a day.

90. *An Excellent Medicine for a Stroke or Bruise
in the Eye.*

TAKE of Betony-water, and Hyfop-water,
of each one Ounce, and in their Mixture,
fir some Blades of Saffron, till the Liquor be
pretry well colour'd, and no more. And lastly,
add to it four or five drops of clarified Honey.
See Numb. (23.)

91. *An Excellent Remedy to take off Films, and
such like things from the Eyes.*

TAKE choice *Bole-Armonic*, and reduce it to
very fine Powder, blow this gently into
the Eye, once, or at most twice, a Day. But
if the Patient be subject to, or fearful of any
swelling, heat, or disaffection in the Eye-Lids,
incorporate the Powder with a little clarified
Honey.

See Numb. (24.)

92. To

92. *To strengthen weak Eyes subject to Rheums.*

TAKE *Lapis Calaminaris* four Ounces, Rose-water a Pint; shake them well together two days. Then let it settle; pour off this Water into a little Viol, and drop of it in weak Eyes, two or three times a day, &c.

93. *A Plaister to strengthen the Eyes, and stop Defluxions on them.*

TAKE of Frankincense two Drams, Olibanum and Mastich, and half a Dram; mix these well, and reduce them into Fine Powder; of which a convenient quantity is to be melted and spread upon black Ribbon, or some such thing, with a hot Knife or *Spatula*, and so presently applied to the Temples.

94. *An Experienced Remedy for sharp and hot Humours in the Eyes.*

INTO a quart of new Milk already boiling, put about two handfuls, or less of green Housleek, freshly gathered, and chopt small, and let the Milk boil on till it will yield no more

Vol. III. Mr. Boyle's Receipts. 49

more Curd. Then strain the green Posset-drink, and let the Patient take every Day once or twice a Pint (or as near that quantity as he can well reach to) sweetened a little if need be with Fine Sugar. The Drink may be best taken cold.

95. *An Excellent Fumigation for Pains in the Eyes, and over-great Dryness of them, and when one fears the beginning of a Cataract.*

TAke of Fennel, Hyssop, Betony, Celandine, Carduus, of each half a handful, or a Handful; of the Seeds of Linseed, Quinces, Fenugreek, Fleawort, of each half a Dram, of French Barley one Ounce: Boil these in two quarts of fair Water, and half a pint of White-wine: Let the Patient hold his Head over the Fumes for about a quarter of an hour every Morning.

96. *For Sore Eyes.*

TAke Crumbs of White-bread, half an Ounce, Coral and Pearl prepared, Turia, White-Sugar-Candy, of each half a Dram; Poulder of Red Roses a Dram and half, Flowers of St. John's-wort one Dram; and with a sufficient quantity of Milk make a Cataplasme
or

or Poultrice, which spread upon Linnen Cloth and bind it over the Eye.

97. *For Heaviness, and Pain in the Eyes.*

TAKE Flowers of Melilot, of Elder, and of Marigolds, of each a small handful, Linseed, Seeds of Fenugreek, Fleawort, Cummin and Quinces, of each half a Scruple, *French* Barley half an Ounce, Damask Roses half an Ounce, Spring-water a Pint and an half, mix and make a Decoction, with which Foment the Forehead, Temples and Eye-brows, being sufficiently warm.

98. *For a dry Inflammation.*

TAKE of Betony, Hysop, Rue, Worm-wood, Vervain, as also of Sage-flowers, and Rosemary-flowers, of each of all these, half a handful. (To which may be usefully added, Cummin-seeds, Fennel-seeds, and Carduus-seeds, of each a quarter of an Ounce;) boyl these a little in two or three Quarts of Fair-water, and then let the Patient hold his Head for about a quarter of an hour over the Stream of this Decoction, making use of a Napkin, to keep the Smoke from dissipating, and direct it to his Eyes. A while after he may put into them, if it be thought fit, a little clarified Honey.

F I N I S.

Several Necessary Notes Expli-
cating, Illustrating, or Enlarging
some of the Heads in the preceding
Volume.

Numb. (1.) *For the Bloody-Flux, or other Fluxes.*
See Page 4.

Take *Japan Earth*, Powder of *Rhubarb*, of
each equal Parts; of which give half a
Dram at a time every Morning fasting.

Numb. (2.) *A good Medicine for the Dropfie.*
See p. 52

Note, an Infusion of *Mechoacan* in White
wine (an Ounce and half thin sliced to a
Pint) being infused 24 hours, and drank of e-
very Morning for some days, is a most admi-
rable thing, and if a little Mustard-seed be in-
fused in it, it will be so much the better.

Numb. (3.) *A Medicine for Bloodshot, or inflam'd Eyes. See p. 6.*

THERE is no better a Remedy for inflamed Eyes, than to wash them every day several times with this. Take Frogs-spawn Water a Pint, Salt of Tartar a Dram; mix and dissolve, and wash therewith.

Numb. (4.) *A good and innocent Dentifrice. See p. 7.*

BUT that which exceeds all, is a fine Powder of Red Coral, with which you may rub them two or three times a day, and then wash them with Water in which *Sal Prunellæ* is dissolved.

Numb. (5.) *To prevent or cure an Ague. See p. 13.*

TAKE Gratings of Angelica-Root, Flowers of Antimony, of each half a dram, choice Canary three ounces: Infuse in a cold place for one or two Days, and pour off the clear for two Doses: It is a singular good Vomit for the cure of Agues of all sorts, being given
in

Vol. III. Mr. Boyle's Receipts. 53

in the Morning fasting, 4 or 6 hours before the coming of the Fit; and if it be not a Quotidian Ague, then on the intermitting day.

Numb. (6.) *An useful Drink for the King's Evil.* See p. 24.

THere is no better thing in the World for the King's-Evil, than to give daily some Spoonfuls of this following Liquor. Take White-wine a quart, Juice of Pellitory of the Wall a Pint, Spirit of Wine half a Pint, *Sal Prunellæ* an Ounce; mix and dissolve, then pour off the clear, and sweeten with white Sugar. Dose six Spoonfuls Morning and Night.

Numb. (7.) *An Experienced Remedy to expel Gravel, and provoke Urine.* See p. 25.

Take the Juice of Onions two Spoonfuls, White-wine half a Pint or more; mix them for a Draught. It gives present Ease, and if repeated for some time, in a short season cures.

Numb. (8.) *An Easie Medicine for Costiveness.*
See p. 35.

A Turpentine Clyster thus made, is admirable to cause Stools in a very great Costiveness.

Take Strasburg-Turpentine an Ounce, Yolk of one or two Eggs; grind them well together, and put thereto a Pint of Fat Mutton-Broth, and exhibit it Blood-warm.

Numb. (9.) *A Remedy for Gripes and Fluxes.*
See p. 37.

A Most excellent Remedy for Gripings, is a Tincture of Corn Poppy-Flowers made with common Spirit of Wine: Of this you may give from a Spoonful to two Spoonfuls, in Spirit of Opium half an Ounce, mixt with Black-Cherry Water four Ounces. This gives ease upon the spot.

Numb. (10.) *A Medicine for Redness of the Eyes.* See p. 38.

IF the Redness be with a fierce hot Rheum, it is from weakness of the Eyes; and then the only Remedy is to wash them twice or thrice

Vol. III. *Mr. Boyle's Receipts.* 55

thrice a day with Brandy. There is no danger in it, nor will it smart much.

Numb. (11.) *An Effectual Medicine for a Strain.* See p. 41.

TAKE Comfrey-Roots beating them to a Pulp half a Pound, Powder of *Japan Earth* four Ounces, Spirit of Wine a sufficient quantity, mix and apply it to the Part.

Numb. (12.) *For most Asthmatic Distempers.* See p. 43.

TAKE Juice of Hyssop, choice Honey, of each two pound: Mix, boil, scum, and make a Syrup; of which let the Sick take four Spoonfuls or more, Morning, Noon and Night.

Numb. (13.) *An experienced Medicine for an Erisipelas.* See p. 47.

THE Blood of almost any living Creature is found by many Experiments to be a Specifick against an *Erisipelas*, being often anointed on the Affect, on Cloth dips in the same being laid moist thereon.

Numb. (14.) *A Remedy for the Whites in Women.* See p. 48.

THE best of Remedies in this case (after due purging) is to give two, three or four Grains of *Laudanum*, and to inject three, four or six times a day this Water.

Take Spring-water two quarts, white *Vitriol*, *Roch-Allom*, of each two Ounces: being in Powder, mix and dissolve. Let it settle, and use only the clear.

Numb. (15.) *A try'd Remedy for Corns.* See P. 54.

TAKE *Ammoniacum* strained, *Emplastrum Diapalma*, of each an Ounce, *Arcanum Corallinum* half an Ounce, white Precipitate two Drams: Mix them well together, and apply it only over the Corn, being first cut as close as it conveniently can be.

Numb. (16.) *A Medicine for Burns and Sten-
ching of Blood.*

BUT for stenching of Blood, there are but few Medicines which exceed the Colcothar of *Vitriol*, whether wash'd and freed from its Salt, or not wash'd: 'Tis but a common thing, but will do more than a thousand much more ennobled.

Numb.

Numb. (17.) *For a slight Redness of the Eyes.*
See p. 58.

ONE of the best of Remedies against Redness and Inflammation of the Eyes, is often to wash them with this Water. Take Frog-Spawn Water a pint, Common Spirit of Wine four Ounces; mix them: Wash herewith five or six times a day; and at Bed-time apply over the sore Eyes a Cataplasm of a rotten Apple.

Numb. (18.) *For the Relaxation of the Uvula.*

See p. 59.

THIS common Medicine is found very successful: The Throat being first gargled with Claret Wine, in which a little Rock-Allum has been dissolved, as hot as it can well be endured; then anoint it with this. Take Honey one Ounce, Powder of Elecampane two Drams, Pepper in Powder half a Dram: mix them, and apply it thrice a day with your Finger.

(19) dms

Numb. (19.) *A Famous Eye-water.* See p. 61.

Take Red Rose-water a Quart, Aloes in fine Powder, half an Ounce; white Vitriol, *Vitrum Antimonii*, *Crocus Metallorum*, of each six Drains; mix and digest warm a Month: Then use the clear Water three or four times a day, it has scarcely an Equal

Numb. (20.) *A Medicine to prevent Running of the Eyes.* See p. 63.

Take White-wine half a pint, dissolve in it white Vitriol two Drains; filter or strein and therein dissolve choise Honey two Ounces: With this fill the Eyes two or three times a day. It is good against most Distempers of the Eyes.

Numb. (21.)

Numb. (21.) *A Medicine for the Stone.* See
p. 64.

Take *Strasburgh-Turpentine* two Ounces;
grind it well with the Yolks of Eggs, and
then mix herewith this following Syrup. Take
Water a pint and half, *Sal Prunella* an ounce
and half: Mix, and dissolve, and with Honey
a pound; boil it into a Syrup, which add to
the former Mixture. Dole two or three
Spoonfuls Morning and Night.

Numb. (22.) *A Medicine for Scorbutick Gums,
and to fasten the Teeth.* See p. 68.

THERE is nothing fastens the Teeth better
than to wash them with this Mixture.
Take Clarer Wine a pint, *Roch-Allum* half an
Ounce; mix and dissolve, and then add there-
to six Ounces of strong Tincture of *Japan-
Earth*, made with common Brandy.

Numb. (23.) *For a Stroke, or Bruise in the Eye.*
See p. 70.

TAKE Celandine-water three Ounces, Spirit of Saffron one Ounce, mix them, with which wash the Eyes several times a day, and if the Eyes be very sore, red or Blood-shot, after washing anoint them every time with a little pure Virgin-Honey.

Numb. (24.) *An Excellent Remedy to take off Films from the Eyes.*

TAKE Powder of Coral levigated one ounce, Powder of Pearls levigated three drams, Crabs-eyes levigated one dram, Virgin-Honey two ounces; mix them, and anoint four or five times a day, but chiefly Morning and Night.

Numb. (25.)

Numb. (25.) *A Remedy for the King's-Evil.*

TAKE Roots of Pilewort a sufficient quantity ; bruise and boil them in Hogs Lard till they are crisp, after which press them hard out ; and boil in the like manner as many more fresh Roots, and press out again, doing it the third time ; then keep the Ointment for Use to anoint with Morning and Night.

Numb. (26.) *A Remedy for the Stone.*

Give every Morning fasting , and every Night going to Bed, half a Dram of the Powder of Winter-Cherries in a Draught of Parsly, or Arsmart-water, or in a Glas of White-wine.

FINIS.

Number (25) A Remedy for the King's Evil.

Take Roots of Pellitory a sufficient quantity; bruise and boil them in Hog-I and Colley six days, after which press them hard out; and boil in the like manner as many more fresh Roots and press out again, doing the third time; then keep the Decantment in a Glass with Morning and Night.

Number (26) A Remedy for the Stone.

Take every Morning fasting, and every Night before going to bed, half a Spoonful of this Water. Observe in a Glass of Water, or Rhenish-water, or in a Glass of White-wine.

FINIS.

BOOKS Printed for, and Sold by
William Innys, at the Prince's-
Arms in St. Paul's Church-yard.

THe Anatomy of Human Bodies; with
Figures drawn after the Life, by some
of the best Masters of Europe, and cu-
riously Engraven in 114 Copper-Plates; illu-
strated with large Explications containing ma-
ny Observations. To which is added an In-
troduction explaining the *Animal Oeconomy*;
with a Copious Index. By *William Cowper*.
Oxford Printed at the Theatre, on large Im-
perial Paper in Folio.

*Glandularum Quarundam, nuper Ductarum
Ductuumque earum Excretoriorum Descriptio, cum
Figuris a Gulielmo Cowper, 4to.*

Anthropologia Nova: Or a new System of
Anatomy, describing the *Animal Oeconomy*,
and a short Rationale of many Distempers in-
cident to Human Bodies, in which are in-
serted divers Anatomical Discoveries and Medi-
cinal Observations, with the History of the
Parts, illustrated with above 80 Figures drawn
after the Life; and to every Chapter a *Syllabus*
of the Parts, describ'd for the Instruction of
young Anatomists, by *James Drake, M. D.* in
2. Vol. 8vo. Phar-

A Catalogue of Books.

Pharmacopœia Extemporanea; or, a Body of Prescripts, in which Forms of Select Remedies accomodated to most Intentions of Cure, usually occurring in Practice; together with Virtues, Reason of Operation, Rules, Cautions, Practical Observations, manner of giving Doses, a Catalogue of Medicines, and Copious Index, are proposed for the Assistance of young Physicians. Done into *English* out of *Latin*, by the Author *Tbo. Fuller*, M. D. with large Additions. 8vo. 1710.

The History of Cold Bathing: both Ancient and Modern, in two Parts, the First written by Sir *John Floyer*, of *Litchfield*, Kt. The Second treating of the Genuine use of Hot and Cold Baths, together with the wonderful Effects of the Bath Water drank hot from the Pump, in decay'd Stomachs and in most Diseases of the Bowels, Liver and Spleen, &c. by *Edward Baynard*, M. D. the third Edition with large Additions, 8vo. 1709.

The Physicians Pulse-Watch; or an Essay to explain the old Art of Feeling the Pulse, and to improve it by the help of a *Pulse-Watch*. In 3 Parts. By Sir *John Floyer*, Kt. 8vo. 1707.

Praxis Medica: The Practice of Physick; or Dr. *Sydenham's Processus Integri*, translated out of *Latin* into *English*, with large Annotations, &c. and various Methods of curing the Clap, Running of the Reins, French-Pox, &c. The second Edition, enlarg'd throughout with some thousands of Additions, not in the former Impression. By *William Salmon*, M. D. 8vo. 1707.

A Catalogue of Books.

Pharmacopæia Batæana; or *Bater's Dispensatory*, translated from the last Edition of the *Latin Copy*. Containing his choice and select *Recipe's*: *The Arcana Gaddardiana*, &c. The third Edition with Emendations, and above 1000 other Additions interspers'd thro' the Body of the Work. By *W. Salmon*, M. D. 8vo.

Phthisiologia: Or a Treatise of Consumptions, wherein the Difference, Nature, Causes, Signs and Cure of all sorts of Consumptions are explain'd. By *Richard Morton*, M. D.

Pyretologia: seu *Exercitationes de Morbis universalibus acutis, pars Prima, — ejusdem pars altera sive Exercitatio de Febris Inflammatoriis universalibus*, Authore *Richardo Morton* 2 Vol. 8vo.

The Anatomy of the Brain, containing its Mechanism and Physiology; together with some new Discoveries and Corrections of ancient and modern Authors upon that Subject, with a particular Account of Animal Functions, and Muscular Motion, with Sculptures. By *H. Ridley*, in 8vo.

Præceps Mayeriana in morbis Internis, precipue gravioribus & chronicis Syntagma — Ejusdem Syntagm. alterum. 1. de Febris, 2. de Morbis Externis, 3. de Arthritide, 4. de Lue Venerea, 2 Vol. 8vo.

Osteologia Nova: Or, some new Observations of the Bones, and the Parts belonging to them. By *Dr. Havers* in 8vo.

Phthisiologia Lancastriensis, cui accessit Tentamen Philosophicum de Mineralibus aquis in eodem comitatu observatis; cum Appendice de Balneis.

A Catalogue of Books.

Balneariis Frigidis Authore Carolo Leigh, M. D.
8vo.

Dr. Guil-Cole Nexa Hypothesis ad explicanda
Februm, intermittentium Symptomata 8vo.

The Philosophical Transactions; Giving an
Account of the present Undertakings, Studies
and Labours of the Ingenious, in many consi-
derable Parts of the World; continu'd to this
present Year, 1711. and publish'd Monthly,
by Dr. Hans Sloan, Secretary to the Royal Soci-
ety, in 4to.

Pharmacologia, seu Manuductio ad materiam
Medicam, in qua Medicamenta Officinalia Sim-
plicia, hoc est, Mineralia, Vegetabilia, Anima-
lia eorumque partes in Medicina Officinis usitata,
in methodum naturalem digesta succinctè & ac-
curatè describuntur, opus Medicis Philosophicis,
Pharmacopæis, Chirurgis, &c. utilissimum itera-
ta editio, emendata & aucta. a S. Dale, 2 Vol.

12o.

Gualt. Harris M. D. de Morbis Acutis Infan-
tum Editio secunda auctior; annexa etiam quibus-
dā de Luis Venerea origine, natura & curatione,
8vo, 1705.

Medicamentorum Europæarū Thesaurus, succinctè
comprehendens ad omnes fere totius microcosmi
morbos, Expertæ nec non Specificæ Remedia ex cele-
berimis tam veterum quam Noværorum, Scriptis
excerpta, ordinè; Alphabetico digesta. Opera &
cura Jo. Cruso, 12mo.

Pharmacopæia Colleg. Reg. Londini Remedia om-
nia succinctè descripta, Editio quarta, per J. Shif-
tan 12o.

Phar-

A Catalogue of Books.

Pharmacopæia Extemporanea, sive Prascriptorum Sylloge; in qua Remediorum elegantium & efficacium Paradigmata, ad omnes fere medendi Intentiones accommodato candidè proponuntur, una cum viribus Operandi ratione, Dosibus & Indicibus annexis. Editio quarta, auctior & emendatior, per Tho. Fuller, M. D. 120.

Pharmacopæia Batana: Cura Jac. Shipton, Pharmacop. Lond. Editio Tertia cum Appendice, per Tho. Fuller, M. D. 120.

The Posthumous Works of Robert Hooke, M. D. S. R. S. Geom. Prof. Gresh. &c. Containing his Cutlerian Lectures, and other Discourses, read at the Meeting of the Illustrious Royal Society. The whole full of curious Disquisitions and Experiments, illustrated with Sculptures. To these Discourses is prefix'd the Author's Life, giving an Account of his Studies and Employments, with an Enumeration of the many Experiments, Contrivances, and Inventions by him made and produc'd, as Curator of Experiments to the Royal Society. Publish'd by Richard Waller, R. S. Secr. in Folio.

New Experiments, Physico-Mechanical, touching the Air. The Third Edition, by the Honourable Robert Boyle, Esq; To which is Added, A Defence of the Author's Explication of the Experiments, against the Objections of Francisow Linus, and Tho. Hobbs, in 4to. with Cut.

Processus Integri in Morbis fere omnibus curandis, nec non de Plebsi Tractatulo. Editio ultima à Thoma Sydenham, M. D. 120.

Aque?

M. Lister

A Catalogue of Books.

M. Lister octo Exercitationes Medicinales ; quorum 1. de Hydrope, 2. de Diabete, 3. de Hydrophobia, 4. de Lue Venerea, 5. de Scorbuto, 6. de Arthritide, 7. de Calculo Humano, 8. de Variolis. Editio Secunda aucta, 120.

—Exercitatio Anatomica, in qua de Cochleis maxime Terrestribus, & Limacibus agitur, omnium Dissectiones Tabulis aeneis, ad ipsas res affabre incisae illustrantur, 8vo.

—Exercitatio Anatomica altera, in qua maxime agitur de Buccinis Fluvialibus & Marinis, &c. cum Figuris, 8vo.

—Exercitatio Anatomica Tertia, Conchyliorum Bivalvorum utriusque aqua, 4to. Fig.

—Historia Animalium Angliae Tres Tractatus, &c. 4to. cum Figuris.

Jo. Goedartius de Insectis, in Methodum Reductus; cum Notularum Additione, Opera M. Lister, item Appendicis ad Historiam Animalium Angliae altera Editio, una cum Scarabeorum Anglicanarum quibusdam Tabulis multis, 8vo.

Sanctorii de Statica Medicina Aphorismarum, Sect. 7. cum Commentario M. Lister, M. D. 120.

Jo. Raii Historia Plantarum Species, hactenus editas aliasq; insuper multas noviter inventas & descriptas complectens, Tomi Duo. Fol.

—Ejusdem Tom. Tertius, qui est Supplementum duorum precedentium, cum accessionibus Camelli & Tournesorii, Fol. 1704.

—Synopsis Methodica Stirpium Britannicarum, &c. accessit D. Rivini Epistola ad Jo. Ratum de Methodo cum ejusdem Responsoria, 8vo.

—Stirpium Europaeorum extra Britannias nascentium Sylloge, 8vo.

---Synopsis

A Catalogue of Books.

—*Synopsis Methodica, Animalium, Quadrupedum & Serpentinae Generis*, 8vo.

—*Methodus Plantarum Emendata & aucta, in qua non necessariis cmissa, accedit Methodus Graminum, Fancorum & Cyperorum specialis eodem auctore*, 8vo. 1703.

—*Methodus Insectorum, seu Insecta in Methodum aliqualem Digesta*, 8vo. 1705.

---Three *Physico-Theological Discourses*, concerning. I. The Primitive Chaos and Creation of the World. II. The General Deluge, its Causes and Effects. III. The Dissolution of the World, and general Conflagration, &c. 8vo.

---The Wisdom of God manifested in the Works of the Creation, in two Parts, viz. The Heavenly Bodies, Meteors, Fossils, Vegetables, Animals, (Beasts, Birds, Fishes and Insects) more particularly in the Body of the Earth, its Figure, Motion, and Consistency, and in the admirable Structure of the Bodies of Man, and other Animals, as also in their Generation, &c. with Answers to some Objections. The Fifth Edition very much enlarged, in 8vo, 1709.

Opticks; or a Treatise of the Reflexions, Refractions, Inflexions and Colours of Light. Also, two Treatises of the Species and Magnitude of Curvilinear Figures. By Sir Is. Newton, Kt.

---*Ejusdem cum multis Additionibus ab Authore, Latine reddidit Samuel Clark, A. M.* 4to. 1706.

Medicinal

A Catalogue of Books.

Medicinal Experiments: Or, A Collection of choice and safe Remedies, very useful for Families, and fitted for the Use of Country People. In three Parts. By the Honourable Robert Boyle, Esq; The Fifth Edition enlarg'd with a Supplement, 120.

Of the Reconcilableness of Specifick Medicines to the Corpuscular Philosophy. To which is added, A Discourse about the Advantages of the use of simple Medicines. By Robert Boyle, Esq; 8vo.

Short Memoirs for the Natural, Experimental History of Mineral Waters. By the same Author, 8vo.

Celsus Aurelianus de Morbis acutis & chronicis, cum Notis Ammanni & F. ab Almeloveen, etc. Am. 1709.

Prosp. Alpinus de præsagienda Vita & morte Egrotantium, cum Præfatione Herm. Boerhaave etc. Lugd. Bat. 1710.

Specimen Physico-Medicum, de Corpore Humano, & ejus Morbis: Or, an Essay concerning the Knowledge and Cure of most Diseases afflicting Humane Bodies. To which is annexed, A short Account of Salivation, and the use of Mercury. With a Copious Index. By P. Paxton, M. D.

The Natural History of the Mineral Waters of Great-Britain. To which are Added, Some Observations of the Cicindale, or Glow-Worm. By Benjamin Allen, Med. Bac.

A Catalogue of Books.

- Ph. Verheyen *Anatomia Corporis Humani. Editio secunda; cuncta novis Observationibus pluribusque Figuris* 2 Vol. 4to, 1710.
- Blasii *Anatomie Animalium Fig. variis illustrata* 4to.
- Bellini *Opuscula aliquot ad Piscarium.*
- *De Urinis & Pulsibus, de Missione Sanguinis, de Febris, de Morbis, Capitis & Pectoris, &c.* 4to.
- Blancardi *Opera Medica, Theoretica, Practica & Chirurgica, 2 Vol. 4to. cum Fig.*
- *Lexicon, Medicum, Græco Latinum cæteris Editionibus longè perfectissimum, Lugd. Bat. 1702.* 8vo.
- Baglivi *Praxis Medica, 8vo.*
- *De Fibra Matrice & Morbosa, 8vo.*
- Boneti *Thesaurus Medico-Practica, 3 Vol. Fol.*
- *Sepulcrorum sive Anatomia practica, 3 Vol. Fol.*
- *Medicina Septentrionalis, Fol.*
- *Labyrinthe Medici Extricati, &c. 4to.*
- Bibliotheca Anatomica, *Editio secunda, cum Notis ac Observationibus Danielis Clerici, & Jac. Mangesi, 2 Vol. Fol. cum Figuris.*
- Bartholini *Anatomia renovata à Casp. Bartholino, 8vo. cum Fig.*
- *Specimen Anatomica.*
- *Cista Medica Hafniensis & Domus Anatom.* 8vo.
- Brigi *Ophthalmographia & Nova visionis Theoria, 8vo.*
- Barbettiæ *Praxis cum Notis Deckeri, 120.*
- Boethæ *Institutiones, Medica, 120.*
- *Arboræ, 120.*
- Borellus *de Motu Animalium, 4to.*
- Crusæ *Catalogus Plantarum Indiginarum* 120. Lugd. Bat. 1709.
- Connor *Dissertationis Medico-Physica, 8vo.*
- Collectanea

A Catalogue of Books.

- Collectanea Chymica Leydensia*, 8vo.
Cranen Oeconomia Animalis, 8vo.
Clauderii Tinctura Universalis, 4to.
Cobaeus Tentamen Physico-Med. 4to.
Dolai Encyclopadia Medica-Theoretica Practica,
 4to.
Donckers Idea Febris Potchialis, 8vo.
Description Exacte des Os, 12o.
Entii Opera Omnia Medico-Physica, 8vo.
Eustachii Opuscula Anatomica, de Renum stru-
tura & accedit Leal Lealis de Partibus semini con-
ficientibus in Viro. Lugd. Bat. 1707. 8vo.
Franchimont Lithotomia Medica, 8vo.
Glisson de Rachitide, Ventrículo, &c. 12o.
Gendron sur la Nature des Cancers, 12o.
Graaf de Virorum ? organis Generationi, 8vo.
Opera Medica, 8vo.
Gulielmus de Idearum Vitiis, &c. item Lud.
Testi de Novo Saccharo Lactis, 8vo. 1709.
De Salibus Dissertatio Physico-Medico-Mecha-
nica, 8vo. 1707.
Hippocratis & Galeni Opera (Grac. Lat. 13
 Vol. Fol. Paris.
Hippocratis Opera Gr. Lat. Foenist, Fol.
---Idem per Vander Linden, 2 Vol. 8vo.
Horti Medici Amstelodamensis Rariorum Planta-
rum, Descriptio & Icones per Jo. Commelinum
 2 Vol. Fol.
Hermanni Hortus Academicus Lugduno Batav.
 8vo.
---Flora Lugduno Batava Flores, 8vo.
---Paradisus Batavus, &c. 4to.
Hippocrates Chymicus à Jos. Burro 12o.
Harveus de Generatione Animalium, 8o.
Hippocratis Aphorismi, Gra. Lat. per Rurnius.
---Idem Gra. Lat. 24.
Helmont Observationes Morbos Hominum, 12o.
Junkens

A Catalogue of Books.

Funkeni Praxis Medica, 8vo.

-- *Fundamenta Medicina*, 8vo.

-- *Corpus Pharmaceutice*, 4to.

Icones Arbarum, Fruticum & Herbarum Exoticarum quorundam à Rajo, Menziesio aliisque Botanophilis quidem descriptarum, est non delineatarum, ut & Animalium peregrinorum, rarissimum tam Volatilium, quam Quadrupedum, &c. 4to. 1710.

Lasber Pharmacopœia Chymica, 12o.

Lossii de Curatione Morborum, 8vo.

Linden de scriptis Medicis, 4to.

Licetus de Monstris cum Figuris, 4to.

Langii Opera Omnia Medica, 4to.

Lamsweerde de Molis Uteri, 4to.

Leeuwenhoek Arcana Natura, 2 Vol. 4to.

Lister Historia Conchyliorum, Fol.

Malpighii Opera Omnia, 2 Vol. Fol.

Muntingii Phytographia Curiosa, Fol.

Miscellanea Curiosa sive Ephemeridum. Medico-Physicarum Germanicarum Academi. Natura curiosorum decuria quatuor, in 29 Vol. ab. an 1670 ad 1705. inclusive 4to.

Mustani Chirurgia Theoretico-Practica, 4to.

-- *Opera Medico-Practica*, 4to.

Medicina Mentis & Corporis, 4to.

Marggravii Prodromus Medicina Practica, 4to.

Michaelis Opera Medico Chirurgicum, 8vo.

Meekren Observationes Medico-Chirurgia, 8vo.

Mayerne de Arthritide, 8vo.

Le Mort Pharmacia, 8vo.

-- *Compendium Chymicum*, 12o.

Moer de Instauratione Medicina, 8vo.

Meibomius de Plagiorum usu in Re Venerea, 12o.

Muyss Praxis Chirurgica Rationalis, 12o.

Nuck de Ductu Salivali Novo, 12o.

-- *Adenographia & Uteri Anatome Nova cum*

Fig.

-- *Sialogra-*

A Catalogue of Books.

- Sialographia & Ductuum aquosorum Anatom.
 8vo.
 --Operationes & Experimenta Chirurgica, 8vo.
 Pecqueti Experimenta nova Anatomica, 12o.
 Pechey Promptuarium Praxeos Medicae, 12o.
 Pharmacopœia Leopoldinensis, 12o.
 --Hartlemensis, 12o.
 --Ultrajectina, 24o.
 --Augustana, Fol. & Quarto.
 --Londinensis, 12o.
 Plumier Description des Plantes de L' Ameriq.
 Fol.
 Pecblinus de Purgantibus, 8vo.
 Pecblini Observationes Physico-Medicae, 4to.
 Quercitanus Redivivus, 4to.
 Ruysch-Thesaurus Anatomicus, 4to.
 Riverius Reformatus Renovatus & auctus, 8vo.
 Ramazzinus de Morbis Artificum, 8vo.
 Sylvii Opera Medica, 8vo.
 Swammerdam de Insectis, 4to. cum Figuris.
 --De Respiratione, 8vo.
 Sydenhami Opera Medica, 8vo.
 Snellen Theoria Mechanica, 8vo.
 Schelhamer de Nitro, 8vo.
 Steno de Musculis cum Figuris, 8vo.
 Scalpartii Vander Wiel Observationes, 2 Vol. 8vo.
 cum. Fig.
 Sculteti Armamentarium Chirurgicum, 8vo.
 Sylvii Schola Salernitana, 12o.
 Schola Botanica, 12o.
 Thruston de Respiratione, 8vo.
 Tenke de Instrumentis Pharmaceutis, Galen Chym.
 12o.
 Verheyen Anatomia Corporis Humani, 8vo.
 Willis Opera Omnia 4to. cum Fig.
 Wepferi Historia Apoplecticorum, 8vo. 1710.
 Zypai Fundamenta Medicina, 8vo.
 THE END.